

Table S7: Number of P. vivax episodes in the control and intervention villages in Myanmar

| Myanmar | Each positive test = one episode | | | | | | | | | | | |
|----------|----------------------------------|------|--------------------------|------|---------------------|------|--------------------------|------|---------------------|------|--------------------------|------|
| | Available data | | | | Missing = positive | | | | Missing = negative | | | |
| Episodes | Control N = 1349 | | Intervention N = 1015 | | Control N = 1349 | | Intervention N = 1015 | | Control N = 1349 | | Intervention N = 1015 | |
| | n | % | n | % | n | % | n | % | n | % | n | % |
| 0 | 1035 | 76.7 | 769 | 75.8 | 855 | 63.4 | 564 | 55.6 | 1035 | 76.7 | 769 | 75.8 |
| 1 | 178 | 13.2 | 180 | 17.7 | 277 | 20.5 | 282 | 27.8 | 178 | 13.2 | 180 | 17.7 |
| 2 | 79 | 5.9 | 61 | 6 | 132 | 9.8 | 128 | 12.6 | 79 | 5.9 | 61 | 6 |
| 3 | 42 | 3.1 | 5 | 0.5 | 68 | 5 | 38 | 3.7 | 42 | 3.1 | 5 | 0.5 |
| 4 | 15 | 1.1 | 0 | 0 | 17 | 1.3 | 3 | 0.3 | 15 | 1.1 | 0 | 0 |
| | Consecutive tests = one episode | | | | | | | | | | | |
| | Available data | | | | Missing = positive | | | | Missing = negative | | | |
| Episodes | Control N = 1349 | | Intervention N = 1015 | | Control N = 1349 | | Intervention N = 1015 | | Control N = 1349 | | Intervention N = 1015 | |
| | n | % | n | % | n | % | n | % | n | % | n | % |
| 0 | 1035 | 76.7 | 769 | 75.8 | 855 | 63.4 | 564 | 55.6 | 1035 | 76.7 | 769 | 75.8 |
| 1 | 262 | 19.4 | 204 | 20.1 | 426 | 31.6 | 365 | 36 | 262 | 19.4 | 204 | 20.1 |
| 2 | 52 | 3.9 | 42 | 4.1 | 68 | 5 | 86 | 8.5 | 52 | 3.9 | 42 | 4.1 |