

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Acanthaceae	<i>Asystasia gangetica</i> (L.) T. Anderson <sup>1</sup>		Cu	h	orn	0.4	0.6		X					X	X
Acanthaceae	<i>Crossandra infundibuliformes</i> Nees <sup>1</sup>		Cu	ssh	orn	0.2	0.2		X					X	
Acanthaceae	<i>Elytraria imbricata</i> (Vahl) Pers.		Ac	h	non	4.4	0.1	X							X
Acanthaceae	<i>Fittonia albivenis</i> (Lindl. ex Veitch) Brummitt <sup>1</sup>		Cu	h	orn		0.1							X	X
Acanthaceae	<i>Hypoestes phyllostachya</i> Baker <sup>1</sup>		Cu	h	orn	0.9	0.2		X					X	X
Acanthaceae	<i>Justicia brandegeana</i> Wassh. & L.B. Sm. <sup>1</sup>	Shrimp Plant (flor de camarón)	Cu	h	orn	1.3	0.5		X	X				X	
Acanthaceae	<i>Justicia carnea</i> Lindl. <sup>1</sup>	(cola de pavo real)	Cu	sh	orn	0.7	0.6		X					X	X
Acanthaceae	<i>Megasekasma erythrochlamys</i> Lindau <sup>1</sup>		Cu	sh	orn		<0.1							X	
Acanthaceae	<i>Odontonema cuspidatum</i> (Nees) Kuntze	(lava botellas)	Es	sh	orn	4.2	1.1	X	X	X		X	X	X	X
Acanthaceae	<i>Pachystachys lutea</i> Nees	Golden Shrimp- plant (rabito de gallo, flor de camarón)	Cu	sh	orn	0.7	0.4		X	X				X	X
Acanthaceae	<i>Pseuderanthemum carruthersii</i> (Seem.) Guillaumin		Cu	sh	orn	8.4	6.1	X	X	X	X	X	X	X	X
Acanthaceae	<i>Ruellia malacosperma</i> Greenm. <sup>1</sup>		Es	h	orn	0.5	0.4		X	X				X	X
Acanthaceae	<i>Sanchezia speciosa</i> Leonard <sup>1</sup>		Cu	sh	orn	0.2	<0.1		X					X	
Acanthaceae	<i>Thunbergia fragrans</i> Roxb.		Es	v	orn	9.7	0.3		X					X	
Actinidiaceae	<i>Actinidia deliciosa</i> (A. Chev.) C.F. Liang & A.R. Ferguson <sup>1</sup>	kiwifruit (kiwi)	Cu	v	edi	0.4				X					
Agavaceae	<i>Agave americana</i> L.	Century Plant (cabuya negra, penco)	Cu	s	orn	1.5	0.6		X	X	X		X	X	X
Agavaceae	<i>Agave angustifolia</i> var. <i>marginata</i> hort. ex Gentry <sup>1</sup>		Cu	s	orn	1.1	1.2		X				X	X	X
Agavaceae	<i>Agave attenuata</i> Salm-Dyck <sup>1</sup>		Cu	h	orn	0.2	nfs					X			
Agavaceae	<i>Furcraea hexapetala</i> (Jacq.) Urb.	(cabuya, penco blanco)	Es	s	orn	23.4	0.8	X	X	X	X	X	X	X	X
Agavaceae	<i>Yucca aloifolia</i> L. <sup>1</sup>		Cu	sh	orn	0.4	0.1		X	X					X
Agavaceae	<i>Yucca guatemalensis</i> Baker <sup>1</sup>	(flor de novia, peine de indio)	Cu	sh	orn	15.8	2.5		X	X	X		X	X	X
Aizoaceae	<i>Aptenia cordifolia</i> (L. f.) Schwantes <sup>1</sup>		Cu	s	orn	1.5	2.6		X	X		X	X	X	X
Aizoaceae	<i>Lampranthus aureus</i> (L.) N.E. Br.		Cu	ssh	orn		0.1								X
Aizoaceae	<i>Tetragonia tetragonoides</i> (Pall.) Kuntze <sup>1</sup>	New Zealandspinach (espinaca)	Cu	h	edi	2.9	0.6		X	X			X	X	X
Alliaceae	<i>Allium cepa</i> L.	Onion, Spring onion (cebolla paiteña, cebolla blanca)	Cu	h	edi	17.6	1.6		X	X	X	X	X	X	X
Alliaceae	<i>Allium porrum</i> L.	Leek (cebolla puerro)	Cu	h	edi	1.1	0.1		X	X					X
Alliaceae	<i>Allium sativum</i> L.	Garlic (ajo)	Cu	h	edi	1.3	0.3		X	X	X	X	X	X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Alliaceae	<i>Allium schoenoprasum</i> L. <sup>1</sup>	Chives (cebollín)	Cu	h	edi	0.7	0.3	X	X		X	X	X	X	X
Amaranthaceae	<i>Achyranthes aspera</i> L.		Ac	h	non	36.6	0.1		X	X			X	X	
Amaranthaceae	<i>Alternanthera mexicana</i> (Schltdl.) Hieron.	(escansel)	NaQ	h	orn	3.1	0.1		X	X	X			X	X
Amaranthaceae	<i>Alternanthera sessilis</i> (L.) R. Br.		Ac	h	non		0.1								X
Amaranthaceae	<i>Alternanthera tenella</i> Colla <sup>1</sup>	(pata de paloma)	Cu	h	orn	0.2	0.5		X			X	X		X
Amaranthaceae	<i>Amaranthus caudatus</i> L.	(sangorache verde, quinua)	Cu	h	edi	0.4	0.1				X		X	X	
Amaranthaceae	<i>Amaranthus dubius</i> Mart. ex Thell.		Ac	h	non	5.7	*22.4	X	X	X		X	X	X	X
Amaranthaceae	<i>Amaranthus hybridus</i> L.	(amaranto)	AcQ	h	non	0.4	<0.1		X						X
Amaranthaceae	<i>Amaranthus lividus</i> L.		Ac	h	non	6.6	1.8		X	X	X		X	X	X
Amaranthaceae	<i>Amaranthus spinosus</i> L.		Ac	h	non	8.2	1.0	X	X	X			X	X	X
Amaranthaceae	<i>Amaranthus viridis</i> L.	(amarantus)	AcQ	h	non	1.3	0.5		X	X				X	X
Amaranthaceae	<i>Celosia argentea argentea</i> L.	(rabo de conejo)	Es	h	orn	2.0	1.1		X	X	X	X	X	X	X
Amaranthaceae	<i>Celosia argentea cristata</i> (L.) Kuntze	(cresta de gallo)	Es	h	orn	0.9	0.5		X	X	X		X	X	X
Amaranthaceae	<i>Gomphrena globosa</i> L.		Cu	h	orn		0.1							X	
Amaranthaceae	<i>Iresine herbstii</i> Hook. <sup>1</sup>		Cu	h	orn	0.2	0.2				X		X	X	
Amaranthaceae	<i>Iresine lindenii</i> Van Houtte <sup>1</sup>		Cu	h	orn		<0.1								X
Amaryllidaceae	<i>Crinum x amabile</i> var. <i>augustum</i> (Roxb.) Ker Gawl.	(amancay, lirio de cinta)	Cu	h	orn	0.7	1.8				X		X	X	X
Amaryllidaceae	<i>Crinum zeylanicum</i> (L.) L.		Cu	h	orn	0.7	0.1			X	X			X	X
Amaryllidaceae	<i>Eucharis x grandiflora</i> Planch. & Linden		Cu	h	orn	3.8	1.9		X	X	X	X	X	X	X
Amaryllidaceae	<i>Eucrosia bicolor</i> Ker Gawler		Cu	h	orn	0.4	1.1			X			X	X	
Amaryllidaceae	<i>Hippeastrum puniceum</i> (Lam.) Kuntze		Cu	h	orn	5.1	3.0	X	X	X	X	X	X	X	X
Amaryllidaceae	<i>Hippeastrum reticulatum</i> Herb. <sup>1</sup>		Cu	h	orn	1.1	0.1			X			X		X
Amaryllidaceae	<i>Hippeastrum x Dutch hybrids</i> <sup>1</sup>	Amaryllis (amarilis)	Cu	h	orn	0.2	0.1			X			X		
Amaryllidaceae	<i>Hymenocallis pedalis</i> Herb.		Cu	h	orn	4.4	0.8	X		X		X	X	X	X
Amaryllidaceae	<i>Scadoxus multiflorus</i> (L.) Friis & Nordal <sup>1</sup>		Cu	h	orn		0.1								X
Amaryllidaceae	<i>Zephyranthes rosea</i> var. <i>candida</i> Lindl. <sup>1</sup>		Cu	h	orn	3.5	3.1			X	X		X	X	X
Anacardiaceae	<i>Mangifera indica</i> L.	Mango (mango)	Es	t	edi	31.3	13.7	X	X	X	X	X	X	X	X
Anacardiaceae	<i>Schinus molle</i> L.	(molle)	Cu	t	orn		0.1					X			X
Anacardiaceae	<i>Spondias purpurea</i> L.	(ciruelo, ovito)	Es	t	edi	56.6	*18.7	X	X	X	X	X	X	X	X
Annonaceae	<i>Annona cherimola</i> Mill.	Cherimoya (chirimoya)	Es	sh	edi	12.6	6.0		X	X	X		X	X	X
Annonaceae	<i>Annona glabra</i> L.	Pond Apple (anona)	NaQ	t	non		2.2							X	
Annonaceae	<i>Annona muricata</i> L.	Soursop (guanábana)	Es	t	edi	11.5	9.4	X	X	X	X	X	X	X	X
Anthericaceae	<i>Chlorophytum comosum</i> (Thunb.) Jacques	(mala madre)	Cu	h	orn	2.2	3.0			X	X		X	X	X
Apiaceae	<i>Anethum graveolens</i> L.	(eneldo)	Cu	h	med	0.2	<0.1		X						X
Apiaceae	<i>Apium graveolens</i> L.	Celery (apio)	Cu	h	edi	4.9	0.4		X	X	X		X	X	X
Apiaceae	<i>Coriandrum sativum</i> L.	Coriander (culantro, cilantro)	Cu	h	edi	14.1	0.9	X	X	X	X	X	X	X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Apiaceae	<i>Cyclospermum leptophyllum</i> (Pers.) Sprague ex Britton & P. Wilson	(puccio)	NaQ	h	non	28.9	0.1	X	X	X				X	X
Apiaceae	<i>Daucus carota</i> L.	Carrot (zanahoria)	Cu	h	edi	8.6	0.3	X	X	X	X		X	X	X
Apiaceae	<i>Eryngium foetidum</i> L. <sup>1</sup>	False Coriander (culantrillo de monte)	Cu	h	edi	2.4	0.2			X				X	X
Apiaceae	<i>Foeniculum vulgare</i> Mill.	Fennel (hinojo, lecherillo, eneldo)	Cu	h	med	0.4	<0.1			X	X				X
Apiaceae	<i>Pastinaca sativa</i> L.	Parsnip (zanahoria blanca)	Cu	h	edi	1.5	0.7		X	X	X				
Apiaceae	<i>Petroselinum crispum</i> (Mill.) A.W. Hill	Parsley (perejil)	Cu	h	edi	5.5	4.1		X	X	X	X	X	X	X
Apocynaceae	<i>Allamanda cathartica</i> L.	Yellowbell (campana de oro, copa de oro)	Cu	v	orn	3.3	<0.1		X	X	X		X	X	X
Apocynaceae	<i>Allamanda schottii</i> Pohl <sup>1</sup>		Cu	sh	orn		nfs								X
Apocynaceae	<i>Catharanthus roseus</i> (L.) G. Don	Madagascar Periwinkle (chavelas)	Es	h	orn	14.8	*17.0	X	X	X	X	X	X	X	X
Apocynaceae	<i>Mandevilla sanderi</i> (Hemsl.) Woodson <sup>1</sup>		Cu	ssh	orn		nfs								X
Apocynaceae	<i>Nerium oleander</i> L.	Oleander (laurel, laurel de jardín, adelfa)	Cu	sh	orn	5.5	4.9	X	X	X	X	X	X	X	X
Apocynaceae	<i>Plumeria rubra</i> L.	Frangipani (flor de María)	Cu	t	orn	2.0	1.7		X	X	X			X	X
Apocynaceae	<i>Tabernaemontana divaricata</i> (L.) R. Br. ex Roem. & Schult. <sup>1</sup>		Cu	sh	orn	0.9	0.5			X	X			X	X
Apocynaceae	<i>Thevetia peruviana</i> (Pers.) K. Schum.	(jacapa)	Cu	sh	orn	0.5	0.1		X	X	X				X
Araceae	<i>Acorus gramineus</i> Aiton <sup>1</sup>		Cu	h	orn	0.2	<0.1			X				X	
Araceae	<i>Aglaonema commutatum</i> Schott		Cu	h	orn	1.5	2.7			X	X		X	X	X
Araceae	<i>Alocasia cucullata</i> (Lour.) G. Don. <sup>1</sup>		Cu	h	orn		0.1							X	
Araceae	<i>Alocasia macrorrhizos</i> (L.) G. Don.	(camacho)	Cu	h	orn	1.8	1.5		X	X	X		X	X	X
Araceae	<i>Alocasia micholitziana</i> Sander <sup>1</sup>		Cu	h	orn	0.2	1.0			X				X	
Araceae	<i>Alocasia plumbea</i> Van Houtte <sup>1</sup>		Cu	h	orn	2.0	0.1			X	X			X	X
Araceae	<i>Alocasia sanderiana</i> hort. ex W. Bull <sup>1</sup>		Cu	h	orn		0.1							X	
Araceae	<i>Anthurium andraeanum</i> Linden		Cu	h	orn	2.4	1.2			X	X			X	X
Araceae	<i>Caladium bicolor</i> (Aiton) Vent.	Elephant's Ears (corazón de Jesús)	Cu	h	orn	5.5	5.2		X	X	X	X	X	X	X
Araceae	<i>Caladium humboldtii</i> Schott <sup>1</sup>		Cu	h	orn		0.6							X	
Araceae	<i>Colocasia esculenta</i> (L.) Schott	Taro, Dasheen (papa china, taro)	Es	h	edi	12.6	0.3	X	X	X	X			X	X
Araceae	<i>Dieffenbachia seguine</i> (Jacq.) Schott <sup>1</sup>	Dumb Cane (millionaria, chucha)	Cu	h	orn	9.9	9.9		X	X	X	X	X	X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Araceae	<i>Epipremnum pinnatum</i> (L.) Engl.	(enredadera, cortina)	Cu	v	orn	3.3	2.4	X	X	X	X	X	X	X	X
Araceae	<i>Monstera adansonii</i> var. <i>laniata</i> (Schott) Madison <sup>1</sup>		Cu	v	orn		0.1								X
Araceae	<i>Monstera deliciosa</i> Liebm.	(costilla de Adán)	Cu	v	orn	0.4	<0.1		X	X				X	X
Araceae	<i>Monstera obliqua</i> Miq. <sup>1</sup>		Cu	h	orn	0.2	1.0		X		X		X	X	X
Araceae	<i>Philodendron bipinnatifidum</i> Schott ex Endl. <sup>1</sup>	(costilla de Adán)	Cu	h	orn	0.7	0.8		X	X			X	X	X
Araceae	<i>Philodendron erubescens</i> K. Koch & Augustin <sup>1</sup>		Cu	v	orn	0.5	1.6		X	X			X	X	X
Araceae	<i>Philodendron</i> sp. 1 <sup>1</sup>		Cu	v	orn		nfs								X
Araceae	<i>Spathiphyllum wallisii</i> Regel <sup>1</sup>		Cu	h	orn	0.7	0.3		X	X			X	X	X
Araceae	<i>Syngonium podophyllum</i> Schott <sup>1</sup>		Cu	v	orn	3.7	4.4		X	X	X		X	X	X
Araceae	<i>Syngonium wendlandii</i> Schott <sup>1</sup>		Cu	h	orn		<0.1							X	
Araceae	<i>Xanthosoma robustum</i> Schott.		Cu	h	orn	4.9	0.2		X				X	X	X
Araceae	<i>Xanthosoma sagittifolium</i> (L.) Schott	(otoy)	Es	h	orn	30.4	1.0	X	X	X	X		X	X	X
Araceae	<i>Zantedeschia aethiopica</i> (L.) Spreng. <sup>1</sup>	(cartucho)	Cu	h	orn	0.2	0.1		X				X	X	X
Araliaceae	<i>Polyscias cumingiana</i> (C. Presl.) Fern.-Vill. <sup>1</sup>		Cu	sh	orn	0.2	0.6				X			X	X
Araliaceae	<i>Polyscias fruticosa</i> (L.) Harms	(cola de iguana)	Cu	sh	orn	0.2	0.2				X			X	X
Araliaceae	<i>Polyscias guilfoylei</i> (W. Bull) L.H. Bailey <sup>1</sup>		Cu	sh	orn	6.8	3.2		X	X	X	X	X	X	X
Araliaceae	<i>Polyscias scutellaria</i> Burm. f.) Fosberg <sup>1</sup>		Cu	sh	orn	1.3	1.5		X	X	X		X	X	X
Araliaceae	<i>Schefflera actinophylla</i> (Endl.) Harms <sup>1</sup>	(cheflera)	Cu	t	orn	0.2	0.1				X				X
Araliaceae	<i>Schefflera arboricola</i> Hayata	(cheflera)	Cu	ssh	orn	0.9	1.7			X	X		X	X	X
Araucariaceae	<i>Araucaria heterophylla</i> (Salisb.) Franco <sup>1</sup>		Cu	t	orn	0.4				X	X				X
Arecaceae	<i>Bactris gasipaes</i> Kunth <sup>1</sup>	(palmito)	Cu	t	edi	0.2			X						
Arecaceae	<i>Caryota mitis</i> Lour. <sup>1</sup>		Cu	t	orn	0.2					X				
Arecaceae	<i>Cocos nucifera</i> L.	(coco, palma)	Cu	t	orn	19.2	*20.4	X	X	X	X	X	X	X	X
Arecaceae	<i>Dypsis lutescens</i> (H. Wendl.) Beentje & J. Dransf.	Golden Cane Palm (palma enana)	Cu	t	orn	0.9	2.1		X	X	X		X	X	X
Arecaceae	<i>Elaeis guineensis</i> Jacq.	(palma africana)	Cu	t	orn	0.2					X				
Arecaceae	<i>Phoenix dactylifera</i> L.	Date Palm (dátil)	Cu	t	orn	0.4	0.2			X	X		X		X
Arecaceae	<i>Phytelephas aequatorialis</i> Spruce	(tagua)	Cu	t	orn	1.8				X	X				
Arecaceae	<i>Pritchardia lanigera</i> Becc. <sup>1</sup>		Cu	t	orn	0.5	0.2			X	X		X	X	X
Arecaceae	<i>Ptychosperma elegans</i> (R. Br.) Blume <sup>1</sup>		Cu	t	orn	1.8	1.0	X	X	X	X		X	X	X
Arecaceae	<i>Roystonea regia</i> (Kunth) O.F. Cook <sup>1</sup>	Royal Palm (palma real)	Cu	t	orn	0.9	0.2		X				X	X	X
Arecaceae	<i>Veitchia merrillii</i> (Becc.) H.E. Moore <sup>1</sup>		Cu	t	orn		<0.1								X
Arecaceae	<i>Washingtonia robusta</i> H. Wendl. <sup>1</sup>		Cu	t	orn	0.4	0.2				X			X	X
Aristolochiaceae	<i>Aristolochia odoratissima</i> L.	(Zaragoza)	Es	v	med	0.4	<0.1				X				X
Asclepiadaceae	<i>Asclepias curassavica</i> L.	(mata caballo)	Es	h	orn	21.2	0.1	X	X	X				X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban	
Asclepiadaceae	<i>Caralluma hesperidum</i> Maire <sup>1</sup>	(pata de langosta)	Cu	s	orn	0.2	0.1	X				X	X			
Asclepiadaceae	<i>Cryptostegia grandiflora</i> (Roxb.) R. Br. <sup>1</sup>	(caucho de la India)	Cu	v	orn		<0.1								X	
Asclepiadaceae	<i>Hoya carnosa</i> (L. f.) R. Br.	(hoja de cera)	Cu	s	orn	0.5	0.6	X	X	X	X	X	X	X	X	
Asclepiadaceae	<i>Huernia aspera</i> N.E. Br. <sup>1</sup>		Cu	s	orn	0.9	1.8	X	X			X	X	X	X	
Asclepiadaceae	<i>Stapelia gigantea</i> N.E. Br. <sup>1</sup>		Cu	s	orn		0.1							X	X	
Asparagaceae	<i>Asparagus densiflorus</i> (Kunth) Jessop <sup>1</sup>	Foxtail fern	Es	v	orn	0.4	0.6			X		X	X	X	X	
Asparagaceae	<i>Asparagus officinalis</i> L.	(espárrago)	Cu	v	orn	0.2	<0.1		X						X	
Asparagaceae	<i>Asparagus setaceus</i> (Kunth) Jessop	Asparagus Fern (crestón)	Es	v	orn	1.5	2.6	X	X	X	X	X	X	X	X	
Asphodelaceae	<i>Aloe arborescens</i> Mill. <sup>1</sup>	(sábila de Castilla)	Cu	s	orn	0.4	0.8			X		X	X	X	X	
Asphodelaceae	<i>Aloe aristata</i> Haw. <sup>1</sup>		Cu	s	orn	0.5	0.3		X	X			X	X	X	
Asphodelaceae	<i>Aloe cooperi</i> Baker <sup>1</sup>		Cu	s	orn		<0.1						X			
Asphodelaceae	<i>Aloe vera</i> (L.) Burm. f.	(sábila)	Cu	s	med	19.2	*29.6	X	X	X	X	X	X	X	X	
Asphodelaceae	<i>Haworthia attenuata</i> (Haw.) Haw. <sup>1</sup>		Cu	s	orn	0.4	0.1		X			X		X	X	
Asteliaceae	<i>Cordyline fruticosa</i> (L.) A. Chev.		Cu	sh	orn	4.6	2.3	X	X	X		X	X	X	X	
Asteraceae	<i>Achillea millefolium</i> L. <sup>1</sup>	Yarrow	Es	h	orn	0.5	0.1		X	X		X	X	X	X	
Asteraceae	<i>Acmella ciliata</i> (HBK) Cassini			AcQ	h	non	0.4			X	X					
Asteraceae	<i>Acmella sodiroi</i> (Hieron.) R.K. Jansen			AcQ	h	non	1.5	<0.1		X	X				X	
Asteraceae	<i>Adenostemma platyphyllum</i> Cass.	(mama Juana, tía Juana)	Es	h	non	19.4	0.2	X	X	X				X	X	
Asteraceae	<i>Ambrosia arborescens</i> Mill. <sup>1</sup>	(altamisa)	Cu	ssh	med	0.4		X								
Asteraceae	<i>Ambrosia peruviana</i> Willd.			Ac	h	med	0.9	0.1		X					X	
Asteraceae	<i>Bidens cynapiifolia</i> Kunth			Ac	h	non	0.4			X						
Asteraceae	<i>Bidens pilosa</i> L.	(amor seco)	NaQ	h	non	44.0	2.9	X	X	X	X		X	X	X	
Asteraceae	<i>Blumea viscosa</i> (Mill.) V.M. Badillo <sup>1</sup>			Ac	h	non	0.2	0.5	X				X		X	
Asteraceae	<i>Centratherum punctatum</i> Cass.			Es	h	orn	28.4	0.6	X	X			X	X	X	
Asteraceae	<i>Chrysanthemum coronarium</i> L. <sup>1</sup>			Cu	h	orn	0.5	0.1	X	X					X	
Asteraceae	<i>Conyza bonariensis</i> (L.) Cronquist			Ac	h	non	9.0	<0.1	X	X	X	X		X		
Asteraceae	<i>Conyza canadensis</i> (L.) Cronquist			Ac	h	non	29.7	<0.1	X	X	X		X			
Asteraceae	<i>Cosmos bipinnatus</i> Cav.			Cu	h	orn		nfs								X
Asteraceae	<i>Cyanthillium cinereum</i> (L.) H. Rob.			AcQ	h	non	10.3	2.7	X	X			X	X	X	
Asteraceae	<i>Cynara cardunculus</i> L.	Artichoke (alcachofa)	Cu	h	med	0.4			X							
Asteraceae	<i>Dahlia pinnata</i> Cav.	Dahlia (dalia)	Cu	h	orn	5.3	1.1	X	X	X	X	X	X	X	X	
Asteraceae	<i>Dendranthema indicum</i> (L.) Des Moul. <sup>1</sup>			Cu	h	orn	0.2	<0.1	X						X	
Asteraceae	<i>Dendranthema x grandiflorum</i> cv peggy Stevens (Ramat.) Kitam.	Chrysanthemum (pomo)	Cu	h	orn	1.8	2.5	X	X			X	X	X	X	
Asteraceae	<i>Elephantopus mollis</i> Kunth <sup>1</sup>			Ac	h	non	10.8			X						
Asteraceae	<i>Emilia sonchifolia</i> (L.) D.C. <sup>1</sup>			Ac	h	non		<0.1							X	

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban	
Asteraceae	<i>Erechtites hieracifolius</i> var. <i>cacalioides</i> (Fisch. ex Spreng.) Griseb.		Ac	h	non	14.8	<0.1		X	X					X	
Asteraceae	<i>Galinsoga quadriradiata</i> Ruiz & Pav.	(herba de cuy)	Ac	h	non	9.0		X	X	X	X					
Asteraceae	<i>Gamochaeta purpurea</i> (L.) Cabrera	(puscala)	NaQ	h	non	2.0			X							
Asteraceae	<i>Gazania rigens</i> L. (Gaertn.)		Cu	h	orn	0.4	0.3		X	X			X	X		
Asteraceae	<i>Helianthus annuus</i> L.	Sunflower (girasol)	Cu	ssh	orn	1.6	1.3		X	X	X		X	X	X	
Asteraceae	<i>Koanophyllum solidaginoides</i> (Kunth) R.M. King & H. Rob.		NaQ	h	non	3.5			X	X						
Asteraceae	<i>Lactuca sativa</i> L.	Lettuce (lechuga)	Cu	h	edi	7.0	0.2	X	X	X	X			X	X	
Asteraceae	<i>Matricaria recutita</i> L.	Chamomile (manzanilla)	Cu	h	med	2.9	0.1		X	X	X	X	X	X	X	
Asteraceae	<i>Porophyllum ruderale</i> ssp. <i>macrocephalum</i> (DC.) R.R. Johnson	(ruda gallinazo)	Ac	h	non	4.4	5.9		X	X	X	X	X	X	X	
Asteraceae	<i>Pseudelephantopus spicatus</i> (B. Juss. ex Aubl.) C.F. Baker		Ac	h	non	2.7	0.1	X		X		X				
Asteraceae	<i>Pseudelephantopus spiralis</i> (Less.) Cronquist		Ac	h	non	65.2	0.3		X	X	X				X	X
Asteraceae	<i>Pseudogynoxys scabra</i> (Benth.) Cuatrec.	(San Juan)	Cu	v	orn	0.2	<0.1			X					X	
Asteraceae	<i>Senecio macroglossus</i> DC. <sup>1</sup>		Cu	v	orn	0.2	0.2				X			X	X	
Asteraceae	<i>Smallanthus sonchifolius</i> (Poepp.) H. Rob.	(jicapa)	Cu	ssh	edi	0.7	<0.1		X	X	X				X	
Asteraceae	<i>Sonchus oleraceus</i> L.		Ac	h	non	31.3	0.4	X	X	X	X			X	X	
Asteraceae	<i>Synedrella nodiflora</i> (L.) Gaertn.		Ac	h	non	*77.8	2.2	X	X	X	X	X	X	X	X	
Asteraceae	<i>Tagetes erecta</i> L.	(flor de muerto, arrayosa, sintzo)	Cu	h	orn	7.9	2.6	X	X	X	X	X	X	X	X	
Asteraceae	<i>Tanacetum parthenium</i> (L.) Sch. Bip. <sup>1</sup>	Feverfew (Santa María)	Cu	h	med	0.2					X					
Asteraceae	<i>Taraxacum officinale</i> Weber	Dandelion (taraxaco, diente de león)	AcQ	h	med	2.2	0.4	X	X	X	X	X	X	X	X	
Asteraceae	<i>Tithonia diversifolia</i> (Hemsl.) A. Gray	(jícama)	Es	ssh	orn	0.4				X	X					
Asteraceae	<i>Zinnia peruviana</i> (L.) L.		Es	h	orn	2.0	1.7			X	X			X	X	
Balsaminaceae	<i>Impatiens balsamina</i> L.	(mírame lindo)	Es	h	orn	4.8	1.5		X	X	X				X	X
Balsaminaceae	<i>Impatiens walleriana</i> Hook. f.	(mírame lindo)	Es	h	orn	6.6	4.4		X	X	X				X	X
Begoniaceae	<i>Begonia "aya"</i> <sup>1</sup>	Begonia (begonia)	Cu	h	orn	0.4	0.2			X					X	
Begoniaceae	<i>Begonia "haageana"</i>	Begonia (begonia)	Cu	h	orn	0.4				X	X					
Begoniaceae	<i>Begonia dichroa</i> Sprague	Begonia (begonia)	Cu	h	orn	3.5	2.4		X	X	X				X	X
Begoniaceae	<i>Begonia rex</i> Putz.	King begonia, painted-leaf begonia, begonia rex (begonia)	Cu	h	orn	2.2	0.9				X	X			X	X
Begoniaceae	<i>Begonia semperflorens</i> Link & Otto	Bedding begonia, wax	Cu	h	orn	3.3	2.3			X	X	X		X	X	

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
		begonia (begonia)													
Begoniaceae	<i>Begonia x erythrophylla</i> Neumann <sup>1</sup>	Begonia (begonia)	Cu	h	orn		0.1								X
Betulaceae	<i>Betula cf. alleghaniensis</i> Britton <sup>1</sup>		Cu	t	orn	0.2					X				
Bignoniaceae	<i>Crescentia cujete</i> L.	Calabash Tree (calabaza, botote pilche, mate, botote)	Cu	sh	oth	6.0	0.1		X	X				X	
Bignoniaceae	<i>Jacaranda mimosifolia</i> D. Don <sup>1</sup>	Jacaranda (acacia celeste)	Cu	t	orn	0.7	0.1			X	X			X	X
Bignoniaceae	<i>Mansoa standleyi</i> (Steyerm.) A.H. Gentry	(palo de ajo)	Cu	v	edi	0.2					X				
Bignoniaceae	<i>Spathodea campanulata</i> P. Beauv.	African Tulip Tree (tulipán africano)	Cu	t	orn	0.2	<0.1				X			X	
Bixaceae	<i>Bixa orellana</i> L.	Annatto (achiote)	Es	sh	edi	26.4	0.2	X	X	X	X		X	X	
Bixaceae	<i>Cochlospermum vitifolium</i> (Willd.) Spreng.	(bototillo, capo)	Cu	t	orn	1.3			X						
Bombacaceae	<i>Ceiba pentandra</i> (L.) Gaertn.	Cotton Tree (ceibo)	Cu	t	orn	3.5	0.1		X	X	X		X	X	
Bombacaceae	<i>Matisia cordata</i> Bonpl.	(zapote)	Cu	t	edi	12.1			X	X	X				
Bombacaceae	<i>Ochroma pyramidalis</i> (Cav. ex Lam.) Urban	Balsa (balsa)	Es	t	tim	11.4	0.1		X	X	X				X
Boraginaceae	<i>Borago officinalis</i> L. <sup>1</sup>	Borage (borraja, suelda-suelda)	Cu	h	med	0.4			X	X					
Boraginaceae	<i>Cordia alliodora</i> (Ruiz & Pav.) Oken	(laurel)	Es	t	oth	5.9		X	X	X	X				
Boraginaceae	<i>Heliotropium rufipilum</i> var. <i>rufipilum</i> (Benth.) I.M. Johnst.		AcQ	sh	non	0.2						X			
Brassicaceae	<i>Brassica juncea</i> (L.) Coss.		Cu	h	edi	0.2					X				
Brassicaceae	<i>Brassica napus</i> L.	Oilseed Rape, turnip (nabo)	Es	h	edi	10.3	0.4	X	X	X	X	X	X	X	X
Brassicaceae	<i>Brassica oleracea</i> var. <i>botrytis</i> L.	Cauliflower (coliflor)	Cu	h	edi	4.0	0.1	X	X	X	X		X		X
Brassicaceae	<i>Brassica oleracea</i> var. <i>capitata</i> L.	Cabbage (col, col morada)	Cu	h	edi	12.5	0.6	X	X	X	X		X	X	X
Brassicaceae	<i>Brassica oleracea</i> var. <i>gemmifera</i> (DC.) Zenker	Brussels Sprout (col de Bruselas)	Cu	h	edi	0.2				X					
Brassicaceae	<i>Brassica oleracea</i> var. <i>italica</i> Plenck	Broccoli (brócoli)	Cu	h	edi	4.9	0.1		X	X	X		X		X
Brassicaceae	<i>Brassica rapa</i> L.	(nabo chino)	Es	h	non	20.9	0.5	X	X	X	X		X	X	X
Brassicaceae	<i>Capsella bursa-pastoris</i> (L.) Medik.		Ac	h	non	2.4		X	X	X	X				
Brassicaceae	<i>Cardamine bonariensis</i> Pers.	(berro)	Es	h	non	3.1	0.1		X	X	X				X
Brassicaceae	<i>Coronopus didymus</i> (L.) J.E. Sm.	Lesser Swine- cress (mastuerzo)	Ac	h	non	9.7	0.1	X	X	X	X		X		X
Brassicaceae	<i>Lepidium sativum</i> L.		Cu	h	non	0.5			X	X					
Brassicaceae	<i>Lepidium virginicum</i> L.		AcQ	h	non	23.1	1.4		X	X				X	X
Brassicaceae	<i>Matthiola incana</i> (L.) R. Br. <sup>1</sup>		Cu	h	orn		0.1						X	X	
Brassicaceae	<i>Nasturtium officinale</i> R. Br.		Es	h	orn	0.4						X			
Brassicaceae	<i>Raphanus sativus</i> L.	Radish (rábano)	Es	h	edi	6.8	0.2	X	X	X	X		X		X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Bromeliaceae	<i>Ananas comosus</i> (L.) Merr.	Pineapple (piña)	Cu	s	edi	28.2	0.9	X	X	X	X	X	X	X	X
Bromeliaceae	<i>Bromelia pinguin</i> L.	(piñuela)	Cu	s	oth	4.4			X	X	X				
Bromeliaceae	<i>Cryptanthus sinuosus</i> L.B. Sm. <sup>1</sup>		Cu	s	orn		nfs								X
Bromeliaceae	<i>Neoregelia carolinae</i> fo. <i>tricolor</i> (M.B. Foster) M.B. Foster ex L.B. Sm. <sup>1</sup>		Cu	h	orn	0.4	nfs			X	X				X
Bromeliaceae	<i>Tillandsia</i> cf. <i>pretiosa</i> Mez <sup>1</sup>	(huaicundo)	Cu	h	orn	0.4				X					
Bromeliaceae	<i>Tillandsia cyanea</i> Linden ex K. Koch <sup>1</sup>	(huaicundo)	Cu	h	orn	0.2			X						
Buddlejaceae	<i>Buddleja davidi</i> Franch. <sup>1</sup>		Cu	sh	orn	0.2					X				
Cactaceae	<i>Brasiliopuntia brasiliensis</i> (Willd.) Haw.		Cu	s	orn	1.3	1.0		X	X	X		X	X	X
Cactaceae	<i>Cereus peruvianus</i> var. 1 (L.) J.S. Muell.		Cu	s	orn	2.4	7.5		X	X	X		X	X	X
Cactaceae	<i>Cereus peruvianus</i> var. <i>monstrosus</i> DC.		Cu	s	orn	0.7	0.5		X	X			X	X	X
Cactaceae	<i>Cleistocactus</i> sp. 1		Cu	s	orn	0.5	0.1		X	X	X				X
Cactaceae	<i>Disocactus flagelliformis</i> (L.) Barthlott	(flor de látilo, floricuelo, nopalillo)	Cu	s	orn		0.2							X	X
Cactaceae	<i>Disocactus</i> sp. 1	(nopalillo)	Cu	s	orn		nfs								X
Cactaceae	<i>Echinocactus</i> sp. 1		Cu	s	orn	0.2					X				
Cactaceae	<i>Echinopsis calochlora</i> K. Schum.		Cu	s	orn	0.4	0.5		X	X				X	X
Cactaceae	<i>Echinopsis eyriesii</i> (Turpin) Zucc.		Cu	s	orn	0.2	0.2			X			X		X
Cactaceae	<i>Echinopsis pachanoi</i> (Britton & Rose) Friedrich & G.D. Rowley		Cu	s	orn		0.1						X		X
Cactaceae	<i>Epiphyllum oxypetalum</i> (DC.) Haw.	(galán de noche, reina de la noche)	Cu	s	orn	0.2	1.1		X			X	X	X	X
Cactaceae	<i>Hatiora gaertneri</i> (Regel) Barthlott		Cu	s	orn	0.2	0.1				X			X	X
Cactaceae	<i>Hylocereus polyrhizus</i> (F.A.C. Weber) Britton & Rose	(flor de cáliz)	Es	ssh	orn	1.3	2.9	X	X	X	X	X	X	X	X
Cactaceae	<i>Mammillaria backebergiana</i> F.G. Buchenau		Cu	s	orn		0.1								X
Cactaceae	<i>Mammillaria candida</i> Scheidw.		Cu	s	orn	0.2	0.2				X			X	X
Cactaceae	<i>Mammillaria columbiana</i> Salm-Dyck		Cu	s	orn		0.1							X	X
Cactaceae	<i>Mammillaria prolifera</i> ssp. 1 (Mill.) Haw.	(el mundo)	Cu	s	orn	0.2	0.2			X				X	X
Cactaceae	<i>Mammillaria prolifera</i> ssp. <i>texana</i> (Engelm.) Borg.		Cu	s	orn	0.2	<0.1			X					X
Cactaceae	<i>Mammillaria</i> sp. 1		Cu	s	orn		<0.1								X
Cactaceae	<i>Opuntia cf. monacantha</i> ssp. <i>monacantha</i> (Willd.) Haw.		Cu	s	orn	0.9	1.9		X				X	X	X
Cactaceae	<i>Opuntia cf. monacantha</i> var. <i>variegata</i> (Willd.) Haw.		Cu	s	orn		0.3						X		X
Cactaceae	<i>Opuntia dillenii</i> (Ker Gawl.) Haw.		Cu	s	orn	1.3	4.1		X		X		X	X	X
Cactaceae	<i>Opuntia ficus-indica</i> (L.) Mill.		Es	s	orn	0.9	2.8		X		X		X	X	X
Cactaceae	<i>Opuntia microdasys</i> var. 1		Cu	s	orn	0.7	0.2		X	X	X		X		X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
	(Lehm.) Pfeiff.														
Cactaceae	<i>Opuntia microdasys</i> var. <i>albispina</i> Fobe		Cu	s	orn		0.2							X	X
Cactaceae	<i>Opuntia subulata</i> (Muehlenpf.) Engelm.		Cu	s	orn		0.1							X	X
Cactaceae	<i>Pereskiea aculeata</i> Mill. <sup>1</sup>		Cu	s	orn		<0.1								X
Cactaceae	<i>Pereskia bleo</i> (Kunth) DC. <sup>1</sup>		Cu	s	orn		<0.1							X	X
Cactaceae	<i>Schlumbergera truncata</i> (Haw.) Moran		Cu	s	orn	0.2	nfs				X				X
Cactaceae	<i>Selenicereus anthonyanus</i> (Alexander) D.R. Hunt		Cu	s	orn		0.1								X
Cactaceae	<i>Selenicereus megalanthus</i> (Schumann ex Vaupel) Moran <sup>1</sup>	yellow pitaya (pitahaya amarilla)	Cu	s	orn	0.2				X					
Caesalpiniaceae	<i>Bauhinia monandra</i> Kurz.	Orchid Tree (orquídea del pobre)	Cu	t	orn	3.7	3.2	X	X	X		X	X	X	X
Caesalpiniaceae	<i>Bauhinia</i> sp. 1		Cu	t	orn		0.1								X
Caesalpiniaceae	<i>Caesalpinia bonduc</i> (L.) Roxb.	(mora, chililica)	NaQ	sh	non	0.2	0.3			X		X			
Caesalpiniaceae	<i>Caesalpinia gilliesii</i> (Wall. ex Hook.) D. Dietr.		Cu	sh	orn		<0.1				X				
Caesalpiniaceae	<i>Caesalpinia pulcherrima</i> (L.) Sw.		Es	sh	orn	2.7	2.8		X	X	X	X	X	X	X
Caesalpiniaceae	<i>Cassia fistula</i> L.	(chorizo, cigarro)	Cu	t	orn		0.3								X
Caesalpiniaceae	<i>Cassia grandis</i> L. f.		Es	t	non	1.1			X						
Caesalpiniaceae	<i>Delonix regia</i> (Boger ex Hook.) Raf.	Flame Tree, Flamboyant (falsa acacia)	Es	t	orn	12.3	*17.9	X	X	X	X	X	X	X	X
Caesalpiniaceae	<i>Schizolobium parahyba</i> (Vell.) S.F. Blake	(pachaco)	Cu	t	orn	0.2					X				
Caesalpiniaceae	<i>Senna alata</i> (L.) Roxb.	(palo de abejón)	Es	ssh	orn	1.3	1.5		X	X			X	X	X
Caesalpiniaceae	<i>Senna bicapsularis</i> (L.) Roxb.		Ac	ssh	non		0.6								X
Caesalpiniaceae	<i>Senna obtusifolia</i> (L.) H.S. Irwin & Barneby	(dormidera)	Ac	h	non	51.1	9.6	X	X	X		X	X	X	X
Caesalpiniaceae	<i>Senna septemtrionalis</i> (Viv.) H.S. Irwin & Barneby <sup>1</sup>		Es	sh	non	1.6			X						
Caesalpiniaceae	<i>Senna siamea</i> (Lam.) H.S. Irwin & Barneby <sup>1</sup>		Cu	t	orn	4.8	<0.1		X	X					X
Caesalpiniaceae	<i>Tamarindus indica</i> L.	Tamarind (tamarindo)	Cu	t	edi	2.6	3.3		X	X		X	X	X	X
Campanulaceae	<i>Hippobroma longiflora</i> (L.) G. Don		Es	h	non	0.5	<0.1			X					X
Cannabaceae	<i>Cannabis sativa</i> L. <sup>1</sup>	Marijuana (marihuana)	Cu	h	oth		nfs								X
Cannaceae	<i>Canna indica</i> L.	Indian Shot (achira)	Cu	h	oth	10.4	1.0		X	X	X		X	X	X
Cannaceae	<i>Canna x generalis</i> Bailey	(atzera, platanillo)	Es	h	oth	2.9	0.9	X	X	X	X	X	X	X	X
Capparaceae	<i>Cleome speciosa</i> Raf. <sup>1</sup>		Es	h	orn	0.2	nfs			X					X
Capparaceae	<i>Cleome spinosa</i> Jacq.		Cu	h	orn	0.2	<0.1			X					X
Capparaceae	<i>Cleome viscosa</i> L.		Ac	h	non		1.7								X
Caprifoliaceae	<i>Sambucus nigra</i> L.	(tilo)	Cu	t	med	2.6	0.1		X	X	X				X
Caricaceae	<i>Carica papaya</i> L.	Pawpaw, Papaya (papaya)	Es	t	edi	53.8	*25.6	X	X	X	X	X	X	X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Caricaceae	<i>Carica x heilbornii</i> (Heilborn) V.M. Badillo	(babaco)	Cu	sh	edi	1.1			X						
Caryophyllaceae	<i>Dianthus caryophyllus</i> L.	(clavel)	Cu	h	orn	1.5	0.2		X	X			X	X	
Caryophyllaceae	<i>Stellaria media</i> (L.) Vill.		Ac	h	non	2.4		X	X						
Casuarinaceae	<i>Casuarina equisetifolia</i> L.	(árbol de hierro, casuarina)	Cu	t	orn	0.2	<0.1				X				X
Cecropiaceae	<i>Cecropia cf. angustifolia</i> Trécul <sup>1</sup>		Cu	t	orn	0.4				X	X				
Chenopodiaceae	<i>Beta vulgaris</i> var. <i>cicla</i> (L.) Koch <sup>1</sup>	Chard (acelga)	Cu	h	edi	4.0	0.1	X	X	X	X		X		X
Chenopodiaceae	<i>Beta vulgaris</i> var. <i>vulgaris</i> L.	Beetroot (remolacha)	Cu	h	edi	4.6	0.1	X	X	X	X		X	X	X
Chenopodiaceae	<i>Chenopodium ambrosioides</i> L.	Wormseed, Mexican Tea (paico)	Es	h	med	10.1	2.1		X	X		X	X	X	X
Chenopodiaceae	<i>Chenopodium murale</i> L.		Ac	h	non		0.1				X	X			X
Clusiaceae	<i>Mammea americana</i> L. <sup>1</sup>	Mammee Apple (mamey)	Cu	t	edi	0.7	0.1		X	X				X	X
Combretaceae	<i>Quisqualis indica</i> L. <sup>1</sup>		Cu	v	orn		nfs								X
Combretaceae	<i>Terminalia catappa</i> L.	Indian Almond (almendro)	Cu	t	orn	10.3	7.7	X	X	X	X	X	X	X	X
Commelinaceae	<i>Callisia fragrans</i> (Lindl.) Woodson <sup>1</sup>		Cu	h	orn		0.6								X
Commelinaceae	<i>Callisia repens</i> (Jacq.) L. <sup>1</sup>		Cu	h	orn	1.1	1.1			X					X
Commelinaceae	<i>Tradescantia fluminensis</i> Vell. <sup>1</sup>		Es	v	orn	3.5	1.1		X	X	X				X
Commelinaceae	<i>Tradescantia pallida</i> (Rose) D.R. Hunt		Cu	h	orn	1.3	0.9			X					X
Commelinaceae	<i>Tradescantia</i> sp. 1 <sup>1</sup>		Cu	h	orn		<0.1								X
Commelinaceae	<i>Tradescantia</i> sp. 2 <sup>1</sup>		Cu	h	orn		0.1							X	X
Commelinaceae	<i>Tradescantia spathacea</i> Sw.	(barquito de San Pedro, barca de San Pedr)	Cu	h	orn	0.9	2.9			X	X				X
Commelinaceae	<i>Tradescantia zebrina</i> hort. ex Bosse		Es	h	orn	1.8	1.1			X	X				X
Convolvulaceae	<i>Ipomoea alba</i> L.		NaQ	v	non	19.8			X						
Convolvulaceae	<i>Ipomoea batatas</i> (L.) Lam.	Sweet Potato (camote)	Es	v	edi	26.0	1.6	X	X	X	X	X	X	X	X
Convolvulaceae	<i>Ipomoea carnea</i> ssp. <i>fistulosa</i> (Mart. ex Choisy) D.F. Austin <sup>1</sup>		Cu	ssh	orn	0.2	0.1			X					X
Convolvulaceae	<i>Ipomoea nil</i> (L.) Roth		AcQ	v	non	0.5	3.5			X		X		X	X
Convolvulaceae	<i>Ipomoea quamoclit</i> L.		Es	v	orn	0.2	0.5		X			X	X	X	X
Convolvulaceae	<i>Ipomoea tricolor</i> Cav. <sup>1</sup>		Cu	v	orn	0.4	0.1		X			X		X	X
Convolvulaceae	<i>Merremia umbellata</i> (L.) Hallier f.		AcQ	v	non	2.0	0.5			X					X
Convolvulaceae	<i>Stictocardia tiliifolia</i> (Desr.) Hallier f.	(soguilla)	NaQ	v	non	11.2	<0.1		X	X					X
Crassulaceae	<i>Aeonium</i> sp. 1 <sup>1</sup>		Cu	s	orn		nfs								X
Crassulaceae	<i>Bryophyllum daigremontianum</i> (Raym.- Hamet & H. Perrier) A. Berger <sup>1</sup>	(dulcamara, siempreviva)	Cu	s	orn	1.1	4.8		X	X	X	X	X	X	X
Crassulaceae	<i>Bryophyllum gastonis- bonnieri</i> (Raym.-Hamet & H. Perrier) Lauz.-March.	(dulcamara)	Cu	s	orn	2.0	1.7		X	X			X	X	X
Crassulaceae	<i>Bryophyllum pinnatum</i> (Lam.) Oken	Mother-of- Thousands (hoja)	Es	s	med	*79.3	4.4	X	X	X	X	X	X	X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
		del aire)													
Crassulaceae	<i>Crassula ovata</i> (Mill.) Druce <sup>1</sup>		Cu	s	orn	0.4	0.5			X			X	X	
Crassulaceae	<i>Echeveria peacockii</i> Croucher <sup>1</sup>		Cu	s	orn	0.2	<0.1			X			X		
Crassulaceae	<i>Echeveria pulvinata</i> Rose <sup>1</sup>		Cu	s	orn		0.1							X	
Crassulaceae	<i>Graptopetalum</i> <i>paraguayense</i> (N.E.Br.) E. Walther <sup>1</sup>		Cu	s	orn	0.4	0.4		X				X		
Crassulaceae	<i>Greenovia aurea</i> Webb & Berth. <sup>1</sup>		Cu	s	orn	0.2	0.2			X			X	X	
Crassulaceae	<i>Kalanchoe blossfeldiana</i> Poelln.		Cu	s	orn	6.6	6.1		X	X	X	X	X	X	X
Crassulaceae	<i>Kalanchoe eriophylla</i> Hills. & Bojer ex Tul. <sup>1</sup>		Cu	s	orn		<0.1								X
Crassulaceae	<i>Kalanchoe fedtschenkoi</i> Ham. Pers.		Cu	s	orn	0.2	0.3		X				X	X	X
Crassulaceae	<i>Kalanchoe tubiflora</i> (Harv.) Raym.-Hamet		Es	s	orn	2.4	2.0		X	X	X		X	X	X
Crassulaceae	<i>Sedum lineare</i> Thunb. <sup>1</sup>		Cu	s	orn		<0.1								X
Crassulaceae	<i>Sedum pachyphyllum</i> Rose <sup>1</sup>		Cu	s	orn		0.1							X	X
Crassulaceae	<i>Sedum rubrotinctum</i> R.T. Clausen <sup>1</sup>		Cu	s	orn		<0.1							X	
Cucurbitaceae	<i>Citrullus lanatus</i> (Thunb.) Matsun. & Nakai	Watermelon (sandía)	Es	v	edi	10.1	6.8	X	X	X		X	X	X	X
Cucurbitaceae	<i>Cucumis dipsaceus</i> Ehrenb. ex Spach	(huevo de tigre)	AcQ	v	non	5.7	7.9	X	X	X			X	X	X
Cucurbitaceae	<i>Cucumis melo</i> L.	Melon (melón)	Cu	v	edi	5.7	1.3		X	X		X	X	X	X
Cucurbitaceae	<i>Cucumis sativus</i> L.	Cucumber (pepinillo, pepino)	Cu	v	edi	10.8	1.0	X	X	X		X	X	X	X
Cucurbitaceae	<i>Cucurbita ficifolia</i> Bouché	Fig-leaf Gourd (zambo)	Cu	v	edi	2.7	0.3		X	X	X			X	X
Cucurbitaceae	<i>Cucurbita moschata</i> (Duchesne ex Lam.) Duchesne ex Poir.	Pumpkin, Winter Squash (zapallo)	Cu	v	edi	15.0	1.5		X	X	X		X	X	X
Cucurbitaceae	<i>Cucurbita pepo</i> L.	Courgette, Marrow (zucchini)	Cu	v	edi	1.3	0.1	X	X	X			X		
Cucurbitaceae	<i>Cyclanthera pedata</i> var. <i>edulis</i> (Naudin) Cogn.	(achogcha)	Cu	h	edi	2.9	0.1		X	X	X			X	X
Cucurbitaceae	<i>Luffa cylindrica</i> (L.) M. Roem.	Loofa (esponja)	Cu	v	oth		0.3							X	X
Cucurbitaceae	<i>Momordica charantia</i> L.	(achogcha China)	Es	v	non	13.4	12.4			X	X			X	X
Cucurbitaceae	<i>Sicana odorifera</i> (Vell.) Naudin <sup>1</sup>	(girón, calabacín)	Es	v	edi	0.4			X	X					
Cupressaceae	<i>Cupressus macrocarpa</i> Hartw.	(ciprés)	Cu	t	orn	4.0	0.1		X	X	X				X
Cupressaceae	<i>Juniperus communis</i> Thunb. <sup>1</sup>	(ciprés)	Cu	t	orn	1.6	<0.1			X					X
Cupressaceae	<i>Thuja orientalis</i> L.	(ciprés)	Cu	t	orn	4.0	3.4		X	X	X	X	X	X	X
Cycadaceae	<i>Cycas circinalis</i> L. <sup>1</sup>		Cu	t	orn	0.2	0.1				X			X	X
Cycadaceae	<i>Cycas revoluta</i> Thunb. <sup>1</sup>		Cu	t	orn	0.5	0.3		X	X				X	X
Cyclanthaceae	<i>Carludovica palmata</i> Ruiz & Pav.	Panama Hat Palm (paja toquilla, cade)	Cu	t	orn	4.8	0.3		X	X	X			X	X
Cyperaceae	<i>Cyperus involucratus</i> Rottb.		Es	h	orn	1.1	1.8	X		X	X		X	X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Cyperaceae	<i>Cyperus odoratus</i> L.		Ac	h	non	28.0	1.3	X	X		X	X	X	X	X
Cyperaceae	<i>Cyperus papyrus</i> L.	(papiro)	Cu	h	orn		<0.1								X
Cyperaceae	<i>Cyperus rotundus</i> L.		Ac	h	non	0.4	<0.1			X				X	
Cyperaceae	<i>Eleocharis geniculata</i> (L.) Roem. & Schult.		NaQ	h	non		0.3						X		
Cyperaceae	<i>Rhynchospora radicans</i> (Schltdl. & Cham.) Pfeiffer		NaQ	h	non	0.2				X					
Davalliaceae	<i>Nephrolepis cordifolia</i> <i>cordifolia</i> (L.) C. Presl.		Cu	h	orn	1.1	0.2			X	X		X		X
Davalliaceae	<i>Nephrolepis exaltata</i> cv. <i>Gretnae</i> (L.) Schott		Cu	h	orn	1.5	3.8		X	X			X	X	X
Davalliaceae	<i>Nephrolepis exaltata</i> cv. <i>Norwoodii</i> (L.) Schott. <sup>1</sup>		Cu	h	orn	0.7						X	X		
Davalliaceae	<i>Nephrolepis exaltata</i> cv. <i>Smithii</i> (L.) Schott		Cu	h	orn	0.2	<0.1				X				
Davalliaceae	<i>Nephrolepis exaltata</i> cv. <i>Verona</i> (L.) Schott <sup>1</sup>		Cu	h	orn	0.2				X					
Davalliaceae	<i>Nephrolepis pendula</i> (Raddi) J. Sm.		Cu	h	orn	0.4	<0.1			X	X				X
Dilleniaceae	<i>Dillenia indica</i> L.	(leña de índigo)	Cu	t	orn	0.2						X			
Dracaenaceae	<i>Dracaena angustifolia</i> Roxb. <sup>1</sup>		Cu	ssh	orn	1.1	1.2		X	X	X		X	X	X
Dracaenaceae	<i>Dracaena deremensis</i> Engl. <sup>1</sup>		Cu	ssh	orn	0.9	0.4			X	X		X	X	X
Dracaenaceae	<i>Dracaena fragrans</i> (L.) Ker Gawl. <sup>1</sup>		Cu	ssh	orn	0.9	1.2		X	X			X	X	X
Dracaenaceae	<i>Dracaena marginata</i> Hort. <sup>1</sup>		Cu	ssh	orn	0.2	0.1				X			X	X
Dracaenaceae	<i>Dracaena sanderiana</i> Mast. <sup>1</sup>		Cu	sh	orn		<0.1								X
Dracaenaceae	<i>Sansevieria stuckyi</i> God.-Leb. <sup>1</sup>		Cu	h	orn		0.1								X
Dracaenaceae	<i>Sansevieria trifasciata</i> Prain	Mother-in-law's Tongue (lengua de suegra)	Es	h	orn	6.2	6.5		X	X	X	X	X	X	X
Euphorbiaceae	<i>Acalypha amentacea</i> <i>wilkesiana</i> (Müll. Arg.) Fosberg	Beefsteak plant, copperleaf, Jacob's coat (cresta de pavo)	Cu	sh	orn	7.3	1.1		X	X	X		X	X	X
Euphorbiaceae	<i>Acalypha hispida</i> Burm. f.	Chenille plant (cola de zorro, rabo de mono)	Cu	sh	orn	1.6	0.3		X	X	X		X	X	X
Euphorbiaceae	<i>Acalypha marginata</i> Spreng.		Cu	sh	orn	5.9	0.4		X	X	X		X	X	X
Euphorbiaceae	<i>Aleurites moluccana</i> (L.) Willd. <sup>1</sup>	Candlenut (cocochile, árbol de tochte)	Cu	t	oth	1.1	0.1			X					X
Euphorbiaceae	<i>Breynia disticha</i> var. <i>nivosa</i> (W. Bull) Croizat	Foliage flower, snowbush (arbolito de Navidad)	Cu	sh	orn	3.7	6.7		X	X			X	X	X
Euphorbiaceae	<i>Chamaesyce hirta</i> (L.) Millsp.		Ac	h	non	1.6					X				
Euphorbiaceae	<i>Chamaesyce ophthalmica</i> (Pers.) D.G. Burch		Ac	h	non	32.6	14.3	X	X	X	X	X	X	X	X
Euphorbiaceae	<i>Chamaesyce thymifolia</i> (L.) Millsp. <sup>1</sup>		Ac	v	non		1.7								X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Euphorbiaceae	<i>Cnidoscolus aconitifolius</i> (Mill.) I.M. Johnst. <sup>1</sup>	Tree Spinach (chaya, saya)	Es	sh	med	3.8	1.7		X	X			X	X	
Euphorbiaceae	<i>Codiaeum variegatum</i> (L.) A. Juss.	Croton (croton, espelma)	Cu	sh	orn	18.1	12.7	X	X	X	X	X	X	X	X
Euphorbiaceae	<i>Euphorbia cotinifolia</i> L.		Cu	sh	orn	0.4	<0.1		X		X				X
Euphorbiaceae	<i>Euphorbia cyathophora</i> Murray		Es	h	orn	1.3	1.8		X	X			X	X	X
Euphorbiaceae	<i>Euphorbia graminea</i> Jacq. <sup>1</sup>		Ac	h	non	22.0	0.9		X	X			X	X	
Euphorbiaceae	<i>Euphorbia heterophylla</i> L.		Es	h	non	0.4	0.6			X			X	X	X
Euphorbiaceae	<i>Euphorbia lactea</i> Haw.		Cu	ssh	orn	2.6	3.4	X	X	X	X	X	X	X	X
Euphorbiaceae	<i>Euphorbia milii</i> Des Moul.	Crown of Thorns (corona del Señor, corona de Cristo)	Cu	ssh	orn	1.5	1.6		X	X	X		X	X	X
Euphorbiaceae	<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch	Poinsettia (flor de Panamá, flor de Pascua)	Cu	sh	orn	2.6	2.0		X	X	X		X	X	X
Euphorbiaceae	<i>Euphorbia tirucalli</i> L.		Cu	sh	orn		0.1								X
Euphorbiaceae	<i>Jatropha curcas</i> L.	(piñon)	Es	sh	oth	6.8	0.4		X	X		X	X	X	X
Euphorbiaceae	<i>Jatropha gossypiifolia</i> L. <sup>1</sup>		Es	sh	non		<0.1								X
Euphorbiaceae	<i>Jatropha podagrica</i> Hook. <sup>1</sup>		Cu	ssh	orn	0.4	0.2		X	X					X
Euphorbiaceae	<i>Manihot esculenta</i> Crantz	Cassava, Manioc (yuca)	Cu	sh	edi	38.3	2.1	X	X	X	X		X	X	X
Euphorbiaceae	<i>Pedilanthus tithymaloides</i> (L.) Poit.	(zapatillas rojas)	Cu	ssh	orn	4.9	4.0		X	X	X	X	X	X	X
Euphorbiaceae	<i>Phyllanthus acidus</i> (L.) Skeels	(grosella)	Cu	t	edi	3.5	5.3	X	X	X	X	X	X	X	X
Euphorbiaceae	<i>Ricinus communis</i> L.	Castor Oil (higuerrilla)	Es	ssh	non	34.2	*20.5	X	X	X	X		X	X	X
Fabaceae	<i>Abrus precatorius</i> L.		Es	v	non	0.5	<0.1	X							X
Fabaceae	<i>Arachis hypogaea</i> L.	Groundnut, Peanut (maní)	Es	h	edi	1.6	nfs		X	X	X				X
Fabaceae	<i>Arachis pintoi</i> Krapov. & W.C. Gregory <sup>1</sup>	Pinto peanut, fodder peanut, perennial peanut (maní forrajero)	Cu	h	non	0.4				X					
Fabaceae	<i>Cajanus cajan</i> (L.) Millsp.	Pigeon Pea (fréjol de palo)	Cu	ssh	edi	16.1	2.0	X	X	X	X	X		X	X
Fabaceae	<i>Canavalia ensiformis</i> L. <sup>1</sup>	Jack bean (soya)	Cu	v	edi	0.2				X					
Fabaceae	<i>Centrolobium paraense</i> Tul.	(amarillo lagarto)	Cu	t	tim	2.7	<0.1		X	X	X				X
Fabaceae	<i>Clitoria ternatea</i> L.		Es	v	orn	0.4	0.3			X					X
Fabaceae	<i>Crotalaria retusa</i> L.		AcQ	h	non	4.9	1.7			X					X
Fabaceae	<i>Desmodium glabrum</i> (Mill.) DC.		NaQ	h	non		1.5								X
Fabaceae	<i>Desmodium incanum</i> DC.		NaQ	h	non	65.6	0.1	X	X	X	X				X
Fabaceae	<i>Desmodium intortum</i> (Mill.) Urb.		NaQ	h	non	24.7			X	X	X				
Fabaceae	<i>Erythrina corallodendron</i> Herb. Madr. ex Wallich		Cu	t	oth	2.6			X		X				
Fabaceae	<i>Erythrina edulis</i> Triana ex Michel <sup>1</sup>	(guato)	Cu	t	edi	0.2					X				
Fabaceae	<i>Erythrina fusca</i> Lour.	(palo prieto, porotillo)	Cu	t	oth	1.1			X						
Fabaceae	<i>Erythrina poeppigiana</i> (Walp.) O.F. Cook	(poro gigante)	Cu	t	oth	2.4			X	X	X				

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Fabaceae	<i>Erythrina smithiana</i> Krukoff	(porotillo)	Cu	t	oth	30.6	0.1	X	X	X	X		X	X	
Fabaceae	<i>Geoffroea spinosa</i> Jacq.	(seca)	NaQ	t	orn	0.4	0.6	X			X				
Fabaceae	<i>Gliricidia sepium</i> (Jacq.) Kunth ex Walp.	(mata ratón, madero negro, nacadero)	Cu	t	oth	6.0	0.4	X	X	X	X	X	X	X	X
Fabaceae	<i>Lablab purpureus</i> (L.) Sweet	(zarandajo)	Es	v	edi	4.6	2.7	X	X	X	X	X		X	X
Fabaceae	<i>Macroptilium lathyroides</i> (L.) Urb.			Es	h	non	0.9	11.7	X		X		X		X
Fabaceae	<i>Medicago sativa</i> L.	Alfalfa, Lucerne (alfalfa)	Cu	h	med	2.9	<0.1		X	X	X		X		
Fabaceae	<i>Phaseolus coccineus</i> L. <sup>1</sup>		Cu	v	edi	0.2				X					
Fabaceae	<i>Phaseolus lunatus</i> L. <sup>1</sup>	Butter Bean, Lima Bean (habichuela, fréjol de mata)	Cu	v	edi	4.6	0.3	X	X	X		X	X	X	X
Fabaceae	<i>Phaseolus vulgaris</i> L.	(fréjol, vainita)	Cu	v	edi	19.0	0.9	X	X	X	X		X	X	X
Fabaceae	<i>Pisum sativum</i> L.	Pea (arveja, alverja)	Cu	v	edi	5.5	<0.1	X	X	X	X				X
Fabaceae	<i>Spartium junceum</i> L. <sup>1</sup>	(retama)	Cu	sh	orn	0.2			X						
Fabaceae	<i>Trifolium cf. repens</i> L.	Clover (trébol)	Cu	h	oth	0.2						X			
Fabaceae	<i>Vicia faba</i> L.	Broad Bean (haba)	Cu	h	edi	2.4	0.3	X	X	X		X		X	X
Fabaceae	<i>Vigna unguiculata</i> (L.) Walp. <sup>1</sup>	Cowpea, Black- eyed Bean (verdura, fréjol chileno)	Cu	v	edi	3.7	0.8		X	X	X		X	X	X
Fabaceae	<i>Zornia curvata</i> Mohlenbr.		Ac	h	non	1.6				X					
Flacourtiaceae	<i>Muntingia calabura</i> L.	(niguito)	Es	t	orn	0.5	0.1			X	X			X	X
Flacourtiaceae	<i>Xylosma flexuosa</i> (Kunth) Hemsl.	(cereza)	Es	t	edi	1.6			X	X	X				
Geraniaceae	<i>Pelargonium graveolens</i> L'Hér. <sup>1</sup>	(malva olorosa, esencia de rosa)	Cu	h	med	0.5	0.2		X		X	X		X	X
Geraniaceae	<i>Pelargonium peltatum</i> (L.) L'Hér. <sup>1</sup>	(geranio)	Cu	h	orn		<0.1								X
Geraniaceae	<i>Pelargonium x domesticum</i> L.H. Bailey <sup>1</sup>	Geranium (malva olorosa)	Cu	h	orn		<0.1								X
Geraniaceae	<i>Pelargonium x hortorum</i> L.H. Bailey	Geranium (geranio)	Cu	h	orn	7.3	9.3	X	X	X	X	X	X	X	X
Gesneriaceae	<i>Episcia cupreata</i> (Hook.) Hanst.	(lazo de amor)	Cu	h	orn	0.9	1.1			X	X			X	X
Gesneriaceae	<i>Gloxinia perennis</i> (L.) Fritsch <sup>1</sup>		Cu	h	orn	0.4	0.1			X				X	
Gesneriaceae	<i>Gloxinia sylvatica</i> (Kunth) Wiehler <sup>1</sup>		Cu	h	orn	0.4	0.1		X					X	
Gesneriaceae	<i>Kohleria amabilis</i> (Planch. & Lindl.) Fritsch		Cu	h	orn	1.5	nfs			X					X
Gesneriaceae	<i>Kohleria bogotensis</i> (G. Nicholson) Fritsch		Cu	h	orn	1.1	1.5			X				X	X
Gesneriaceae	<i>Saintpaulia</i> cultivars	African Violet (violeta africana)	Cu	h	orn	0.4	0.3			X				X	X
Gesneriaceae	<i>Sinningia speciosa</i> (Lodd.) Hiern <sup>1</sup>		Cu	h	orn		0.1							X	X
Heliconiaceae	<i>Heliconia latispatha</i> Benth. <sup>1</sup>		Cu	h	orn	0.5	0.1			X				X	
Heliconiaceae	<i>Heliconia</i> sp. 1 <sup>1</sup>		Cu	h	orn		nfs								X
Hydrangeaceae	<i>Hydrangea macrophylla</i> (Thunb.) DC.	Hydrangea (Hortensia)	Cu	ssh	orn	4.2	0.6		X	X	X		X	X	X
Hydrocharitaceae	<i>Hydrocharis morsus-ranae</i> L. <sup>1</sup>		Cu	h	orn		nfs								X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban	
Iridaceae	<i>Crocosmia x crocosmiiflora</i> (Lemoine) N.E. Br. <sup>1</sup>		Cu	h	orn	1.1	nfs		X	X					X	
Iridaceae	<i>Eleutherine bulbosa</i> (Mill.) Urb. <sup>1</sup>	(vara de justicia)	Cu	h	orn	3.5	4.8		X	X	X	X	X	X	X	
Iridaceae	<i>Gladiolus communis</i> L.	<i>Gladiolus</i> (gladiolo)	Cu	h	orn	1.1	0.3		X	X				X	X	
Iridaceae	<i>Neomarica gracilis</i> (Herb.) Sprague <sup>1</sup>	(mano poderosa)	Cu	h	orn	1.8	0.6		X	X		X	X	X	X	
Iridaceae	<i>Sisyrinchium micranthum</i> Cav.		NaQ	h	non	2.6			X	X						
Juglandaceae	<i>Juglans neotropica</i> Diels	(nogal)	Es	t	tim	28.8		X	X	X	X					
Lamiaceae	<i>Glechoma hederacea</i> L. <sup>1</sup>	(alivia dolor, cura todo)	Cu	h	med	0.4	<0.1		X				X			
Lamiaceae	<i>Hyptis mutabilis</i> (Rich.) Briq.	(tres filos)	AcQ	h	non	32.1	<0.1		X						X	
Lamiaceae	<i>Hyptis pectinata</i> (L.) Doit.	(poleo)	Ac	h	non	2.6	1.8	X	X	X	X				X	
Lamiaceae	<i>Hyptis rhomboidea</i> M. Martens & Galeotti		Ac	h	non	2.9			X		X					
Lamiaceae	<i>Hyptis sidifolia</i> (L'Hér.) Briq.		Ac	h	non	17.0	0.1			X	X				X	
Lamiaceae	<i>Hyptis</i> sp. 1		Es	h	non	0.4				X						
Lamiaceae	<i>Melissa officinalis</i> L.	Lemon Balm (toronjil)	Cu	h	med	2.7	0.2			X	X			X	X	
Lamiaceae	<i>Mentha suaveolens</i> Ehrh. <sup>1</sup>		Cu	h	med		nfs								X	
Lamiaceae	<i>Mentha x piperita</i> L.	Peppermint (menta, hierba buena)	Es	h	med	10.3	4.1		X	X	X	X	X	X	X	
Lamiaceae	<i>Ocimum basilicum</i> var. <i>basilicum</i> L.	Basil (albaca)	Cu	h	edi	10.4	7.4		X	X		X	X	X	X	
Lamiaceae	<i>Ocimum basilicum</i> var. <i>pilosum</i> (Willd.) Benth. <sup>1</sup>		Cu	h	edi	0.7	<0.1				X				X	
Lamiaceae	<i>Ocimum campechianum</i> Mill.	(albahaca morada)	Cu	h	edi	4.2	0.1		X	X	X				X	X
Lamiaceae	<i>Origanum vulgare</i> L.	Orégano (orégano)	Cu	h	edi	3.5	0.6		X	X	X		X	X	X	
Lamiaceae	<i>Plectranthus coleoides</i> Benth.	(barba de viejo)	Cu	h	orn	0.4				X	X					
Lamiaceae	<i>Plectranthus unguentarius</i> Codd <sup>1</sup>	(oreganón, orégano grande)	Es	h	edi	11.4	7.1		X	X	X	X	X	X	X	
Lamiaceae	<i>Plectranthus verticillatus</i> (L.f.) Druce <sup>1</sup>	(planta moneda)	Cu	h	orn	0.4	0.6			X				X	X	
Lamiaceae	<i>Rosmarinus officinalis</i> L.	Rosemary (romero)	Cu	h	med	0.4				X	X					
Lamiaceae	<i>Salvia leucantha</i> L.	(terciopelo, boca de león)	Cu	h	orn	0.2	0.1		X						X	
Lamiaceae	<i>Salvia sagittata</i> Ruiz & Pav.	(mático, salvia real)	Es	h	med	0.4				X	X					
Lamiaceae	<i>Scutellaria</i> sp. 1		Cu	h	med	0.5				X						
Lamiaceae	<i>Solenostemon scutellarioides</i> (L.) Codd	(coleos)	Cu	h	orn	6.0	2.7		X	X	X		X	X	X	
Lamiaceae	<i>Stachys agraria</i> Cham. & Schldl.		Ac	h	orn	0.2					X					
Lamiaceae	<i>Stachys arvensis</i> L.		Ac	h	non	1.5			X							
Lauraceae	<i>Persea americana</i> Mill.	Avocado (aguacate)	Es	t	edi	*69.8	0.8	X	X	X	X	X		X	X	
Liliaceae	<i>Hemerocallis</i> hybrids <sup>1</sup>	(espiga de san Antonio)	Cu	h	orn	0.5	0.3		X	X			X	X	X	
Liliaceae	<i>Ledebouria socialis</i> (Bak.) Jessop <sup>1</sup>		Cu	h	orn		<0.1								X	

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Liliaceae	<i>Lilium candidum</i> L. <sup>1</sup>	Madonna Lily (nardo, azucena)	Cu	h	orn	0.4	0.1			X			X	X	
Linaceae	<i>Linum usitatissimum</i> L. <sup>1</sup>	Flax (linaza)	Cu	h	orn		nfs								X
Lythraceae	<i>Cuphea bustamanta</i> Lex. <sup>1</sup>		Cu	ssh	orn	0.2			X						
Lythraceae	<i>Cuphea hyssopifolia</i> Kunth <sup>1</sup>		Cu	h	orn	0.2	0.1			X			X		
Lythraceae	<i>Cuphea racemosa</i> (L. f.) Spreng.			Ac	h	non	0.4			X	X				
Lythraceae	<i>Lagerstroemia indica</i> L.		Cu	t	orn	2.6	0.5		X				X		
Lythraceae	<i>Lawsonia inermis</i> L. <sup>1</sup>	Henna (reseda)	Cu	sh	orn		0.3					X			
Malpighiaceae	<i>Banisteriopsis caapi</i> (Spruce ex Griseb.) C.V. Morton <sup>1</sup>	(ayahuasca)	Cu	v	med	0.4			X	X					
Malpighiaceae	<i>Bunchosia cornifolia</i> Kunth <sup>1</sup>	Barbados Cherry (Nicaragua, Canadá, cererza serrana)	Cu	sh	orn	1.6	0.5			X	X		X	X	X
Malpighiaceae	<i>Bunchosia</i> sp. 1		Cu	t	edi	0.7			X	X					
Malpighiaceae	<i>Bunchosia</i> sp. 2		Cu	t	edi	0.7			X						
Malpighiaceae	<i>Galphimia gracilis</i> Bartl. <sup>1</sup>		Cu	sh	orn		nfs								X
Malpighiaceae	<i>Malpighia coccigera</i> L. <sup>1</sup>		Cu	sh	edi	0.2	<0.1			X			X		
Malpighiaceae	<i>Malpighia emarginata</i> Sessé & Moc. ex DC. <sup>1</sup>		Cu	t	edi	0.7	<0.1		X	X		X		X	
Malvaceae	<i>Abutilon dianthum</i> C. Presl. <sup>1</sup>		Es	h	non		<0.1					X			
Malvaceae	<i>Anoda acerifolia</i> Cav.		AcQ	h	non	2.0	<0.1	X		X					X
Malvaceae	<i>Gossypium barbadense</i> L.	Sea Island Cotton (algodón)	Cu	sh	orn	0.9	0.3		X				X	X	
Malvaceae	<i>Hibiscus mutabilis</i> L. <sup>1</sup>		Cu	sh	orn		<0.1								X
Malvaceae	<i>Hibiscus radiatus</i> Cav. <sup>1</sup>	Monarch Rosemallow (amarola)	Es	h	orn	0.5	0.6		X	X			X	X	X
Malvaceae	<i>Hibiscus rosa-sinensis</i> var. <i>schizopetalus</i> Dyer	(peregrino)	Cu	sh	orn	31.0	13.5			X	X		X		X
Malvaceae	<i>Hibiscus rosa-sinensis</i> L.	(peregrina)	Es	sh	orn	1.3	0.1	X	X	X	X	X	X	X	X
Malvaceae	<i>Malachra alceaefolia</i> Jacq.		Ac	h	non		3.2								X
Malvaceae	<i>Malachra capitata</i> (L.) L.		Ac	h	non	0.2				X					
Malvaceae	<i>Malva parviflora</i> L.	(malva)	AcQ	h	med	0.5	nfs	X		X	X				X
Malvaceae	<i>Malvastrum americanum</i> (L.) Torr.		Ac	h	non		0.1								X
Malvaceae	<i>Malvastrum coromandelianum</i> (L.) Garccke	(escoba de bruja)	Ac	h	non	26.0	8.6	X	X	X		X	X	X	X
Malvaceae	<i>Malvastrum tomentosum</i> <i>tomentosum</i> (L.) S.R. Hill		Ac	h	non		0.1								X
Malvaceae	<i>Malvaviscus arboreus</i> Cav.		Cu	sh	orn	14.7	1.1	X	X	X	X	X	X	X	X
Malvaceae	<i>Sida acuta</i> Burm. f.	(escoba negra)	Ac	h	non	4.8	0.2	X	X	X	X	X	X		X
Malvaceae	<i>Sida ciliaris</i> L.		Ac	h	non		16.7				X	X	X	X	X
Malvaceae	<i>Sida rhombifolia</i> L.	(escobilla)	Ac	h	non	*72.9	1.0	X	X	X	X	X	X	X	X
Malvaceae	<i>Sidastrum paniculatum</i> (L.) Fryxell		Ac	ssh	non	7.5	6.2	X		X		X		X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Marantaceae	<i>Calathea allouia</i> (Aubl.) Lindl. <sup>1</sup>	Guinea Arrowroot (tapioca)	Cu	h	edi	0.2	0.6			X			X	X	
Marantaceae	<i>Calathea majestica</i> (Linden) H. Kenn. <sup>1</sup>		Cu	h	orn	0.4	0.1		X	X			X		
Marantaceae	<i>Calathea picturata</i> K. Koch & Linden <sup>1</sup>		Cu	h	orn		0.1						X	X	
Marantaceae	<i>Calathea zebrina</i> (Sims) Lindel <sup>1</sup>	(planta cebra)	Cu	h	orn	0.5	0.8		X	X			X	X	
Marantaceae	<i>Ctenanthe setosa</i> Eichler		Cu	h	orn	2.2	0.9		X	X			X	X	
Marantaceae	<i>Maranta arundinacea</i> L. <sup>1</sup>		Cu	h	orn	0.2	0.4		X				X		
Meliaceae	<i>Cedrela odorata</i> L.	Cuban Cedar, Cigar-box Cedar (cedrela)	Es	t	tim	65.9	0.6	X	X	X	X			X	X
Meliaceae	<i>Melia azedarach</i> L.	Chinaberry, Persian Lilac (jasmín de Arabia, san Jacinto)	Es	t	orn	7.7	1.4	X	X	X		X	X	X	X
Meliaceae	<i>Swietenia macrophylla</i> King	Mahogany (caoba)	Cu	t	tim	5.1	0.2		X	X	X		X	X	X
Meliaceae	<i>Swietenia mahagoni</i> Jacq. <sup>1</sup>		Cu	t	orn		nfs								X
Mimosaceae	<i>Acacia caven</i> (Molina) Molina <sup>1</sup>		Cu	t	non	0.2	0.5		X					X	
Mimosaceae	<i>Acacia nilotica</i> (L.) Willd. ex Delile	Gum arabic tree, thorn mimoso, Egyptian thorn (acacia espinosa)	Es	t	orn		<0.1								X
Mimosaceae	<i>Calliandra calothyrsus</i> Meissner (C Am.)		Cu	t	orn	0.2		X							
Mimosaceae	<i>Calliandra cf. tergemina</i> (L.) Benth. <sup>1</sup>		Cu	sh	orn	0.2	<0.1				X			X	
Mimosaceae	<i>Inga edulis</i> Mart.	(guava bejuco, guava de mico)	Cu	t	edi	*70.3	2.0	X	X	X	X	X	X	X	X
Mimosaceae	<i>Inga spectabilis</i> (Vahl) Willd.	(guava machete)	Es	t	edi	46.7	1.0	X	X	X		X		X	
Mimosaceae	<i>Inga striata</i> Benth.	(guaba de Castilla, guaba de caja)	Cu	t	edi	2.9	0.1		X	X	X		X		X
Mimosaceae	<i>Inga vera</i> Willd. <sup>1</sup>	(guava)	Cu	t	edi	0.4				X					
Mimosaceae	<i>Leucaena leucocephala</i> ssp. <i>glabrata</i> (Rose) Zárate	(leucaena, ipel ipel)	Es	sh	non	5.9	6.1	X	X	X	X	X	X	X	X
Mimosaceae	<i>Leucaena trichodes</i> (Jacq.) Benth.		Es	t	orn	0.2	0.6		X						X
Mimosaceae	<i>Pseudosamanea guachapele</i> (Kunth) Harms	(guachapeli)	Cu	t	orn	10.4	0.1		X					X	X
Moraceae	<i>Artocarpus altilis</i> (Parkinson) Fosberg	Breadfruit (frutipan, árbol de pan)	Cu	t	edi	3.5	<0.1		X	X	X				X
Moraceae	<i>Artocarpus heterophyllus</i> Lam. <sup>1</sup>		Cu	t	edi		<0.1								X
Moraceae	<i>Ficus benjamina</i> L. <sup>1</sup>	(ficus)	Cu	t	orn	8.2	5.4		X	X	X		X	X	X
Moraceae	<i>Ficus carica</i> L.	Edible Fig (higo)	Cu	sh	edi	5.7	1.2	X	X	X		X	X	X	X
Moraceae	<i>Ficus cf. benghalensis</i> L.		Cu	t	orn	0.4			X						

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Moraceae	<i>Ficus elastica</i> Roxb. ex Hornem.	(caucho)	Cu	t	orn	1.8	0.2		X	X	X		X	X	X
Moraceae	<i>Ficus pumila</i> L. <sup>1</sup>		Es	v	orn		<0.1								X
Musaceae	<i>Musa acuminata</i> "Guineo enano" Colla	(guineo enano)	Cu	h	edi	51.3	5.7	X	X	X					X
Musaceae	<i>Musa acuminata</i> "Guineo morado, guineo rojo" AAA Colla	(guineo morado, guineo rojo)	Cu	h	edi	13.7	0.3	X	X	X					X
Musaceae	<i>Musa acuminata</i> "Guineo" Colla	Banana (guineo)	Cu	h	edi	6.4	0.1	X	X	X	X		X	X	X
Musaceae	<i>Musa acuminata</i> "Orito" Colla	Banana (orito)	Cu	h	edi	11.2	<0.1	X	X	X	X			X	X
Musaceae	<i>Musa acuminata</i> x <i>balbisiana</i> "Maqueño" AAB Colla <sup>1</sup>	(maqueño)	Cu	h	edi	26.4	0.7	X	X	X					
Musaceae	<i>Musa acuminata</i> x <i>balbisiana</i> "Verde" Colla	Plantain (verde, barraganete, dominico, repe)	Cu	h	edi	4.6			X	X	X		X	X	X
Musaceae	<i>Musa velutina</i> H. Wendl & Drude <sup>1</sup>	(guineo de jardín)	Cu	h	orn	0.4			X						
Musaceae	<i>Raveneala madagascariensis</i> Sonn. <sup>1</sup>		Cu	t	orn		<0.1								X
Myrtaceae	<i>Callistemon citrinus</i> (Curtis) Skeels	Bottlebrush (cepillo)	Cu	t	orn		0.1							X	X
Myrtaceae	<i>Eucalyptus globulus</i> Labill.	(eucalipto)	Cu	t	med	0.5	<0.1		X	X				X	
Myrtaceae	<i>Eugenia stipitata</i> Mc Vaugh <sup>1</sup>	(cinco de junio, azará, membrillo.)	Cu	sh	orn		<0.1							X	
Myrtaceae	<i>Psidium guajava</i> L.	Guava (guayabo, guayaba)	Es	t	edi	*90.7	3.9	X	X	X	X	X	X	X	X
Myrtaceae	<i>Syzygium jambos</i> (L.) Alston	Rose-apple (pomarosa)	Es	t	edi	42.5		X	X	X	X				
Myrtaceae	<i>Syzygium malaccense</i> (L.) Merr. & L.M. Perry	(pera noruega)	Es	t	edi	23.6	0.2	X	X	X	X			X	X
Nyctaginaceae	<i>Bougainvillea</i> hybrid cultivars	(buganvilla, veranera)	Cu	v	orn		0.5								X
Nyctaginaceae	<i>Bougainvillea spectabilis</i> var. <i>glabra</i> (Choisy) Hook.	Bougainvillea (buganvilla, veranera)	Cu	v	orn	1.5	0.4		X	X				X	X
Nyctaginaceae	<i>Bougainvillea spectabilis</i> var. <i>spectabilis</i> Willd.	Bougainvillea (buganvilla, veranera)	Cu	v	orn		0.1								X
Nyctaginaceae	<i>Bougainvillea x buttiana</i> Holttum & Standl.	(buganvilla, veranera)	Cu	sh	orn	4.6	4.0	X	X	X	X	X	X	X	X
Nyctaginaceae	<i>Mirabilis jalapa</i> L.	Marvel of Peru, Four O'Clock Plant (buenas tardes)	Es	h	orn	16.1	3.5		X	X	X		X	X	X
Nymphaeaceae	<i>Nymphaea capensis</i> var. <i>zanzibarensis</i> (Casp.) Conard <sup>1</sup>		Cu	h	orn		nfs								X
Oleaceae	<i>Chionanthus pubescens</i> Kunth	(arupo)	Cu	t	orn	0.4				X	X				
Oleaceae	<i>Fraxinus uhdei</i> (Wenz.) Lingelsh. <sup>1</sup>		Cu	t	non	0.2				X					
Oleaceae	<i>Jasminum azoricum</i> L. <sup>1</sup>		Cu	v	orn		nfs								X
Oleaceae	<i>Jasminum grandiflorum</i> L.		Cu	v	orn	0.5	0.6			X	X			X	
Oleaceae	<i>Jasminum sambac</i> (L.) Aiton <sup>1</sup>		Cu	sh	orn		<0.1							X	

Family	Species name	Common name English (local-Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Oleaceae	<i>Olea europaea</i> L. <sup>1</sup>	Olive (oliva)	Cu	t	edi	0.2		X							
Orchidaceae	<i>Cattleya maxima</i> Lindl.		Cu	h	orn	0.4	nfs			X					X
Orchidaceae	<i>Stanhopea jenischiana</i> Kramer ex Rchb. f.	(torito, cabeza de toro)	Cu	h	orn	0.5				X					
Oxalidaceae	<i>Averrhoa carambola</i> L. <sup>1</sup>	starfruit (carambola)	Cu	t	edi	0.9			X						
Oxalidaceae	<i>Oxalis corniculata</i> L.		AcQ	h	non	*73.4	4.5	X	X	X	X	X	X	X	X
Oxalidaceae	<i>Oxalis corymbosa</i> DC.			Es	h	non	46.0	4.9	X	X	X	X	X	X	X
Oxalidaceae	<i>Oxalis latifolia</i> Kunth <sup>1</sup>			AcQ	h	orn	0.7	<0.1			X				X
Oxalidaceae	<i>Oxalis triangularis</i> A. St.-Hil. <sup>1</sup>			Cu	h	orn		0.1						X	
Oxalidaceae	<i>Oxalis tuberosa</i> Molina <sup>1</sup>	(oca)	Cu	h	edi		<0.1								X
Pandanaceae	<i>Pandanus tectorius</i> var. <i>sinensis</i> Warb. in Engl. <sup>1</sup>		Cu	sh	orn	0.7	0.7		X	X				X	X
Papaveraceae	<i>Argemone mexicana</i> L.			Es	h	non	7.0	1.4		X				X	
Passifloraceae	<i>Passiflora edulis</i> Sims	Maracuya (maracuyá)	Es	v	edi	*82.1	6.6	X	X	X	X	X	X	X	X
Passifloraceae	<i>Passiflora ligularis</i> Juss.	(granadilla)	Es	v	edi	13.7			X	X	X				
Passifloraceae	<i>Passiflora maliformis</i> L. <sup>1</sup>	(chalupa)	Es	v	edi	1.3				X					
Passifloraceae	<i>Passiflora quadrangularis</i> L.	(badea)	Es	v	edi	12.8	1.1	X	X	X				X	X
Phytolaccaceae	<i>Phytolacca americana</i> L. <sup>1</sup>	(ginseng)	Cu	ssh	med	1.1	<0.1			X					X
Pinaceae	<i>Pinus radiata</i> D. Don	(pino)	Cu	t	orn	0.5				X	X				
Piperaceae	<i>Peperomia fraseri</i> C. DC. <sup>1</sup>		Cu	h	orn	0.2	0.1			X				X	
Piperaceae	<i>Peperomia macrostachya</i> (Vahl) A. Dietr. <sup>1</sup>		Cu	s	orn	1.1	0.4			X	X				X
Piperaceae	<i>Peperomia obtusifolia</i> (L.) A. Dietr. <sup>1</sup>		Cu	s	orn	0.4	1.5			X		X		X	X
Piperaceae	<i>Peperomia sp. 2</i> <sup>1</sup>		Cu	h	orn		<0.1							X	
Piperaceae	<i>Piper aduncum</i> L.		Es	sh	orn	1.3	<0.1	X	X	X				X	
Piperaceae	<i>Piper peltatum</i> L.	(cachimuela, Santa María)	Es	h	non	17.6			X		X				
Plantaginaceae	<i>Plantago major</i> L.	Greater Plantain (Ilantén)	Ac	h	med	33.9	8.7	X	X	X	X	X	X	X	X
Plumbaginaceae	<i>Plumbago auriculata</i> Lam. <sup>1</sup>		Cu	h	orn	0.2	0.2			X				X	X
Poaceae	<i>Arthrostylidium pubescens</i> Rupr. <sup>1</sup>		Cu	sh	non	0.2								X	
Poaceae	<i>Arundo donax</i> L. <sup>1</sup>	(carrizo)	Cu	h	orn	2.6		X	X	X	X				
Poaceae	<i>Axonopus compressus</i> (Sw.) P. Beauv.		Ac	h	non	15.0				X					
Poaceae	<i>Axonopus micay</i> García-Barr.	(micay)	Ac	h	oth	0.7			X	X					
Poaceae	<i>Bambusa sp. 1</i> <sup>1</sup>	(caña)	Cu	t	tim	0.7				X					
Poaceae	<i>Bambusa vulgaris</i> var. <i>vittata</i> Rivière & C. Rivière <sup>1</sup>	Yellow bamboo (caña amarilla)	Cu	t	orn	2.7	<0.1		X						X
Poaceae	<i>Bambusa vulgaris</i> var. <i>vulgaris</i> <sup>1</sup>	bamboo (caña verde)	Cu	t	tim	2.2				X					
Poaceae	<i>Cenchrus brownii</i> Roem. & Schult. <sup>1</sup>		Ac	h	non	0.2	nfs			X					X
Poaceae	<i>Cenchrus echinatus</i> L.		Ac	h	non	1.8	6.6		X	X			X	X	
Poaceae	<i>Chloris inflata</i> Link		AcQ	h	non	1.5	15.4	X		X				X	X
Poaceae	<i>Chloris radiata</i> (L.) Sw.		NaQ	h	non	1.5	0.8	X	X	X					X
Poaceae	<i>Coix lacryma-jobi</i> L.	Job's Tears (lagrima de san Pedro)	Es	h	non	1.3				X					

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Poaceae	<i>Cymbopogon citratus</i> (DC.) Stapf	Lemon Grass (herba Luisa)	Cu	h	med	28.4	11.7	X	X	X	X	X	X	X	X
Poaceae	<i>Cynodon dactylon</i> (L.) Pers.		Es	h	oth	6.0	2.2	X	X	X	X	X	X	X	X
Poaceae	<i>Cynodon nemfuensis</i> Vanderyst	(pasto estrella)	Ac	h	oth	9.0			X						
Poaceae	<i>Dactyloctenium aegyptium</i> (L.) Willd.		Ac	h	non		0.5					X	X	X	
Poaceae	<i>Digitaria ciliaris</i> (Retz.) Koeler		NaQ	h	non	2.7	1.6	X		X		X	X	X	X
Poaceae	<i>Digitaria eriantha</i> Steud.	(pasto pangola)	Es	h	oth	1.3	0.3		X	X	X				X
Poaceae	<i>Digitaria horizontalis</i> Willd.		Ac	h	non	65.8	2.5	X	X	X	X	X	X	X	X
Poaceae	<i>Digitaria setigera</i> Roth		Ac	h	non	39.0	0.5	X	X	X	X		X	X	X
Poaceae	<i>Echinochloa colona</i> (L.) Link		Ac	h	non		0.1							X	
Poaceae	<i>Echinochloa crus-galli</i> (L.) P. Beauv.		Es	h	non	0.2	0.1		X						X
Poaceae	<i>Eleusine indica</i> (L.) Gaertn.		Ac	h	non	61.4	*20.1	X	X	X	X	X	X	X	X
Poaceae	<i>Eragrostis amabilis</i> (L.) Wight & Arn. ex Nees		Ac	h	non	3.5	4.7		X	X			X	X	X
Poaceae	<i>Eragrostis ciliaris</i> (All.) Vignolo ex Janch.		NaQ	h	non	0.2				X					
Poaceae	<i>Eragrostis tenuifolia</i> (A. Rich.) Hochst. ex Steud.		Ac	h	non	3.1	2.3		X						X
Poaceae	<i>Guadua angustifolia</i> Kunth	Bamboo (guadua, caña brava)	Es	t	tim	20.7	0.1	X	X	X	X				X
Poaceae	<i>Gynerium sagittatum</i> (Aublet) P. Beauv.	Saw Grass (caña brava)	AcQ	h	oth	0.2				X					
Poaceae	<i>Ichnanthus nemorosus</i> (Sw.) Döll		NaQ	h	non	3.3			X						
Poaceae	<i>Leptochloa mucronata</i> (Michx.) Kunth		NaQ	h	non		<0.1								X
Poaceae	<i>Lolium perenne</i> L. <sup>1</sup>		Es	h	non	0.4				X					
Poaceae	<i>Melinis minutiflora</i> P. Beauv.	Molasses Grass (pasto miel)	Es	h	non	4.9				X	X	X			
Poaceae	<i>Oplismenus setarius</i> (Lam.) Roem. & Schult		NaQ	h	non	35.2	<0.1		X	X	X				X
Poaceae	<i>Oryza sativa</i> L.	Rice (arróz)	Cu	h	edi		<0.1								X
Poaceae	<i>Panicum maximum</i> Jacq.	Guinea Grass (pasto sabolla, pasto Tanzania)	Es	h	oth	24.7	1.6	X	X	X	X			X	X
Poaceae	<i>Panicum polygonatum</i> Schrad.		Ac	h	non	0.5				X	X				
Poaceae	<i>Paspalum conjugatum</i> Bergius	Sourgrass (pasto de burro)	NaQ	h	non	65.0	0.6	X	X	X	X			X	X
Poaceae	<i>Pennisetum purpureum</i> Schumach.	Elephant Grass (pasto elefante)	Es	h	oth	62.1	0.2	X	X	X	X		X	X	X
Poaceae	<i>Phyllostachys aurea</i> Rivière & C. Rivière <sup>1</sup>		Cu	h	orn	0.4					X				
Poaceae	<i>Poa annua</i> L.		AcQ	h	non	0.2			X						
Poaceae	<i>Pogonatherum paniceum</i> (Lam.) Hack. <sup>1</sup>	(bambú enano)	Cu	h	orn	0.4	0.4			X				X	X
Poaceae	<i>Saccharum officinarum</i> L.	Sugarcane (caña de azúcar)	Cu	h	edi	25.6	1.3	X	X	X	X	X	X	X	X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Poaceae	<i>Setaria sphacelata</i> (Scumach.) Moss	(pasto miel (en San Cristóbal))	Cu	h	oth	7.5			X	X					
Poaceae	<i>Sorghum arundinaceum</i> (Desv.) Stapf	(sorgo)	Cu	h	non	0.2	0.5		X					X	X
Poaceae	<i>Sporobolus tenuissimus</i> (Schrank) Kuntze		Ac	h	non	11.5			X						
Poaceae	<i>Urochloa brizantha</i> x <i>ruziziensis</i> <sup>1</sup>	(pasto Mulato)	Cu	h	oth	0.5			X						
Poaceae	<i>Urochloa decumbens</i> (Stapf) R.D. Webster	(braquiaria)	Es	h	oth	7.0			X	X	X				
Poaceae	<i>Urochloa mutica</i> (Forssk.) T.Q. Nguyen	Pará Grass (janeiro)	Es	h	non	0.7	0.1		X	X	X				X
Poaceae	<i>Zea mays</i> L.	Maize (maíz)	Cu	h	edi	23.6	1.5	X	X	X	X		X	X	X
Poaceae	<i>Zoysia matrella</i> var. <i>pacifica</i> Goudvaard	(césped chino)	Es	h	orn	1.6	8.4		X	X			X	X	X
Polemoniaceae	<i>Phlox drummondii</i> Hook.		Es	h	orn	0.2	0.1				X			X	
Polygonaceae	<i>Antigonon leptopus</i> Hook. & Arn.	Coral Vine (corazón bello)	Es	v	orn	1.3	0.8	X	X	X	X	X	X	X	X
Polygonaceae	<i>Triplaris cumingiana</i> Fisch. & C.A. Mey. ex C.A. Mey.	(Fernansánchez)	Cu	t	tim	9.0			X	X					
Polypodiaceae	<i>Platycerium</i> sp. 1 <sup>1</sup>		Cu	h	orn	0.2	0.2				X			X	X
Portulacaceae	<i>Portulaca grandiflora</i> Hook.	(beso de un día, flor de un día)	Cu	s	orn	2.9	5.2		X	X	X	X	X	X	X
Portulacaceae	<i>Portulaca oleracea</i> L.	Purslane (verdolaga)	NaQ	s	med	19.6	*27.2	X	X	X	X		X	X	X
Portulacaceae	<i>Portulaca pilosa</i> L. <sup>1</sup>		Cu	s	orn	0.9	0.4		X	X		X	X	X	X
Portulacaceae	<i>Portulaca umbraticola</i> Kunth	(amor del día)	Cu	s	orn	4.8	2.9		X	X	X	X	X	X	X
Portulacaceae	<i>Portulacaria afra</i> L. (Jacq.) <sup>1</sup>		Cu	ssh	orn	0.2					X				
Portulacaceae	<i>Talinum paniculatum</i> (Jacq.) Gaertn.		Ac	h	non	15.4	0.7				X			X	X
Proteaceae	<i>Grevillea robusta</i> A. Cunn. ex R. Br.		Cu	t	oth	1.3	<0.1				X				X
Pteridaceae	<i>Adiantum tenerum</i> Sw. <sup>1</sup>		Cu	h	orn		nfs								X
Pteridaceae	<i>Pteris ensiformis</i> Burm. f. <sup>1</sup>		Cu	h	orn	0.2					X				
Punicaceae	<i>Punica granatum</i> L.	Pomegranate (granada)	Cu	sh	edi	3.1	1.5		X	X	X	X	X	X	X
Ranunculaceae	<i>Anemone coronaria</i> L.		Cu	h	orn	0.2					X				
Rosaceae	<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Loquat (níspero)	Es	t	edi	44.1	<0.1	X	X	X	X				X
Rosaceae	<i>Fragaria vesca</i> L.	Strawberry (fresa)	Cu	h	edi	1.3	0.1			X					X
Rosaceae	<i>Malus pumila</i> (L.) Mill.	Apple (manzana)	Cu	t	edi	4.0			X	X					
Rosaceae	<i>Prunus domestica</i> L. <sup>1</sup>	Plum (reina Claudia)	Cu	t	edi	0.5			X						
Rosaceae	<i>Prunus persica</i> (L.) Batsch	Peach (durazno)	Cu	sh	edi	0.4					X				
Rosaceae	<i>Prunus serotina</i> ssp. <i>capuli</i> (Cav.) McVaugh	(capuli)	Cu	t	edi	0.2					X				
Rosaceae	<i>Prunus</i> sp. 1 <sup>1</sup>		Cu	t	edi	0.4			X						
Rosaceae	<i>Prunus</i> sp. 2 <sup>1</sup>	(cereza)	Cu	t	edi	0.4			X		X				
Rosaceae	<i>Pyrus communis</i> L.	Pear (pera)	Cu	t	edi	0.4				X	X				
Rosaceae	Rosa hybrid cultivars	Rose (rosa)	Cu	ssh	orn	18.9	6.7	X	X	X	X	X	X	X	X
Rosaceae	<i>Rubus glaucus</i> Benth.	(mora de Castilla)	Es	sh	edi		<0.1								X
Rosaceae	<i>Rubus niveus</i> Thunb.	(mora)	Es	sh	edi	54.8	0.1		X	X	X			X	X

Family	Species name	Common name English (local-Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Rosaceae	<i>Rubus ulmifolius</i> Schott.		Es	sh	non	0.2		X							
Rubiaceae	<i>Cinchona pubescens</i> Vahl	Red Quinine (cascarilla, cinchona)	Es	t	tim	0.9				X	X				
Rubiaceae	<i>Coffea arabica</i> L.	Coffee (café)	Es	sh	edi	62.5	<0.1	X	X	X	X			X	X
Rubiaceae	<i>Gardenia augusta</i> (L.) Merr. <sup>1</sup>	Gardenia (gardenia)	Cu	sh	orn	0.4	<0.1				X				X
Rubiaceae	<i>Ixora casei</i> Hance <sup>1</sup>		Cu	sh	orn		nfs								X
Rubiaceae	<i>Ixora coccinea</i> L. <sup>1</sup>		Cu	sh	orn	0.7	0.9			X	X			X	X
Rubiaceae	<i>Ixora finlaysoniana</i> Wall. ex G. Don <sup>1</sup>		Cu	sh	orn		0.1								X
Rubiaceae	<i>Morinda citrifolia</i> L. <sup>1</sup>	(noni)	Cu	ssh	med	1.6	0.5			X				X	
Rubiaceae	<i>Mussaenda philippica</i> A. Rich. <sup>1</sup>		Cu	sh	orn		0.3							X	
Rubiaceae	<i>Pentas lanceolata</i> (Forssk.) Deflers <sup>1</sup>		Cu	h	orn		<0.1								X
Rubiaceae	<i>Posoqueria coriacea</i> ssp. <i>formosa</i> (H. Karst.) Steyermark <sup>1</sup>		Cu	t	orn	0.2					X				
Rutaceae	<i>Citrus medica</i> L.	(citrón)	Cu	t	edi	26.9	0.4		X	X	X	X	X	X	X
Rutaceae	<i>Citrus reticulata</i> Blanco	Tangerine, Mandarin (mandarina fina)	Cu	t	edi	39.7	0.8	X	X	X	X	X	X	X	X
Rutaceae	<i>Citrus</i> x "limon-mandarina" <sup>1</sup>	(limón-mandarina)	Cu	t	edi	6.0	0.2		X	X					X
Rutaceae	<i>Citrus</i> x "naranja-lima" <sup>1</sup>		Cu	t	edi	0.2			X						
Rutaceae	<i>Citrus</i> x <i>aurantifolia</i> (Christm.) Swingle	Lime (limón, limón verde)	Es	t	edi	3.8	0.4		X	X			X	X	X
Rutaceae	<i>Citrus</i> x <i>aurantium</i> L.	Seville Orange (naranja amarga)	Cu	t	edi	3.7	0.3	X	X	X	X				X
Rutaceae	<i>Citrus</i> x <i>limetta</i> Risso	Sweet Lime (lima, limón dulce)	Es	t	edi	16.1	0.1	X	X	X	X			X	
Rutaceae	<i>Citrus</i> x <i>limon</i> (L.) Osbeck	Lemon (limón amarillo, limón sútil)	Es	t	edi	18.5	1.3	X	X	X	X	X	X	X	X
Rutaceae	<i>Citrus</i> x <i>nobilis</i> Lour.	(mandarina, tangor)	Cu	t	edi	12.6	<0.1			X					X
Rutaceae	<i>Citrus</i> x <i>paradisi</i> Macfad.	Grapefruit (toronja)	Cu	t	edi	18.9	0.2	X	X	X	X		X	X	X
Rutaceae	<i>Citrus</i> x <i>sinensis</i> (L.) Osbeck	Sweet Orange (naranja dulce)	Cu	t	edi	*76.6	2.0	X	X	X	X	X	X	X	X
Rutaceae	<i>Murraya paniculata</i> (L.) Jack <sup>1</sup>	(flor de ramo)	Cu	sh	orn	0.4	nfs				X				X
Rutaceae	<i>Ruta graveolens</i> L.	Rue (ruda)	Cu	ssh	med	14.8	5.1		X	X	X	X	X	X	X
Sapindaceae	<i>Melicoccus bijugatus</i> Jacq. <sup>1</sup>	(mamón)	Es	t	orn	0.7		X							
Sapindaceae	<i>Sapindus saponaria</i> L.	Soapberry (jaboncillo)	Es	t	tim	21.6		X	X	X					
Sapotaceae	<i>Chrysophyllum argenteum</i> ssp. <i>panamense</i> (Pittier) T.D. Penn.	(caimito)	Cu	t	edi	9.9			X	X					
Sapotaceae	<i>Chrysophyllum cainito</i> L.	(caimito, mamey)	Cu	t	edi	0.2						X			
Sapotaceae	<i>Pouteria sapota</i> (Jacq.) H.E. Moore & Stearn <sup>1</sup>	(mamey serrano)	Cu	t	edi	0.5					X				
Scrophulariaceae	<i>Angelonia gardneri</i> Hook. <sup>1</sup>		Cu	h	orn		nfs								X
Scrophulariaceae	<i>Antirrhinum majus</i> L.	Snapdragon (perritos)	Cu	h	orn		<0.1							X	

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Scrophulariaceae	<i>Lindernia</i> sp. 1	(té verde)	Cu	h	orn		0.4							X	
Scrophulariaceae	<i>Russelia equisetiformis</i> Schltdl. & Cham.	(lluvia de fuego, lluvia de coral)	Cu	sh	orn	3.5	1.1		X	X	X		X	X	X
Scrophulariaceae	<i>Stemodia verticillata</i> (Mill.) Hassl.		AcQ	h	non	1.8				X					
Scrophulariaceae	<i>Veronica persica</i> Poir.		Ac	h	non	4.6		X	X	X	X				
Selaginellaceae	<i>Selaginella oaxacana</i> Spring <sup>1</sup>		Cu	h	orn	0.4				X					
Solanaceae	<i>Browallia americana</i> L.		AcQ	h	non	8.4	0.2	X	X	X	X			X	X
Solanaceae	<i>Brugmansia suaveolens</i> (Humb. & Bonpl. ex Willd.) Bercht. & J. Presl <sup>1</sup>	(floripondio)	Cu	sh	orn	0.2	<0.1			X					X
Solanaceae	<i>Brugmansia versicolor</i> Lagerh. <sup>1</sup>	(floripondio, campana)	Es	sh	orn	14.1	1.1	X	X	X	X			X	X
Solanaceae	<i>Brugmansia x candida</i> Pers.	(guanto, floripondio)	Es	sh	orn	19.2	0.3			X			X		X
Solanaceae	<i>Brunfelsia grandiflora</i> D. Don	(variable)	Cu	sh	orn	5.7	0.1		X	X	X			X	X
Solanaceae	<i>Capsicum annuum</i> L.	Sweet Pepper (pimiento)	Cu	h	edi	16.1	3.7		X	X	X	X	X	X	X
Solanaceae	<i>Capsicum baccatum</i> var. <i>pendulum</i> Willd. <sup>1</sup>		Es	h	edi	0.5	nfs		X						X
Solanaceae	<i>Capsicum frutescens</i> L.	Chili (ají)	Es	h	edi	23.4	4.5	X	X	X	X		X	X	X
Solanaceae	<i>Cestrum auriculatum</i> L'Hér.	(sauco, dama olorosa, puta)	Es	sh	non	1.1						X			
Solanaceae	<i>Cestrum nocturnum</i> L.	Queen of the Night (galán de noche)	Cu	sh	orn	0.4	0.2		X						X
Solanaceae	<i>Datura inoxia</i> Mill.		Es	ssh	orn		<0.1							X	
Solanaceae	<i>Datura metel</i> L. <sup>1</sup>		Cu	h	orn		0.2						X		X
Solanaceae	<i>Datura stramonium</i> var. <i>stramonium</i> L.	(chamico)	Es	ssh	non	0.4			X						
Solanaceae	<i>Datura stramonium</i> var. <i>tatula</i> (L.) Torr.		Es	ssh	orn	0.2	0.1				X				X
Solanaceae	<i>Nicandra physalodes</i> (L.) Gaertn.		Ac	ssh	non	13.4	0.2	X	X	X					X
Solanaceae	<i>Nicotiana tabacum</i> L.	Tobacco (tabaco)	Es	h	non	8.4	0.1	X	X	X	X	X		X	X
Solanaceae	<i>Petunia hybrida</i> Vilm.	(petunia)	Cu	h	orn		<0.1								X
Solanaceae	<i>Physalis peruviana</i> L.	(uvilla)	Es	h	edi	0.5			X	X					
Solanaceae	<i>Solandra grandiflora</i> Sw.		Cu	v	orn	1.1	0.7		X	X	X				X
Solanaceae	<i>Solanum americanum</i> Mill.	Black Nightshade (herba mora)	NaQ	h	med	52.4	7.8	X	X	X	X	X	X	X	X
Solanaceae	<i>Solanum betaceum</i> Cav. <sup>1</sup>	Tree Tomato, Tomatillo (tomate de árbol)	Cu	sh	edi	18.9	0.2	X	X	X	X		X	X	X
Solanaceae	<i>Solanum capsicoides</i> All. <sup>1</sup>	(tomatillo de montaña, falsa naranjilla)	Cu	h	orn	1.5	0.1		X	X			X		
Solanaceae	<i>Solanum lycopersicum</i> L.	Tomato (tomate riñón)	Es	h	edi	26.2	9.0	X	X	X	X	X	X	X	X
Solanaceae	<i>Solanum melongena</i> L.	Aubergine, Garden Egg, Eggplant (berenjena)	Cu	sh	edi	2.4	0.1		X	X	X		X		X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Solanaceae	<i>Solanum muricatum</i> Aiton <sup>1</sup>	(pepino dulce)	Cu	ssh	edi	0.4			X						
Solanaceae	<i>Solanum pimpinellifolium</i> L.		Es	h	non	7.0	5.5		X	X	X		X	X	X
Solanaceae	<i>Solanum quitoense</i> Lam.	Lulo (naranjilla)	Es	sh	edi	29.1	1.3	X	X	X	X		X	X	X
Solanaceae	<i>Solanum tuberosum</i> L.	Potato (papa)	Cu	h	edi	11.4	0.5	X	X	X	X		X	X	X
Solanaceae	<i>Solanum wendlandii</i> Hook. f. <sup>1</sup>		Cu	v	orn		0.1							X	
Sterculiaceae	<i>Guazuma ulmifolia</i> Lam.	(guasmo)	Cu	t	tim	0.4			X						
Sterculiaceae	<i>Theobroma cacao</i> L.	Cocoa (cacao)	Cu	t	edi	3.5				X	X				
Strelitziaceae	<i>Strelitzia reginae</i> Aiton <sup>1</sup>	(ave del paraíso)	Cu	h	orn	0.2	<0.1			X					X
Tiliaceae	<i>Triumfetta semitriloba</i> Jacq.	(pegadillo)	NaQ	h	non	36.8		X	X	X					
Tropaeolaceae	<i>Tropaeolum majus</i> L.	Nasturtium (mastuerzo)	Cu	v	med	2.2	0.2		X	X	X		X	X	X
Turneraceae	<i>Turnera subulata</i> Sm. <sup>1</sup>		Cu	h	orn	0.2	0.6			X				X	X
Turneraceae	<i>Turnera ulmifolia</i> L. <sup>1</sup>		Cu	h	orn	0.7	1.3			X	X			X	X
Ulmaceae	<i>Trema micrantha</i> (L.) Blume	(sapan, huevos de paloma)	NaQ	t	non	7.0			X						
Urticaceae	<i>Pilea depressa</i> (Sw.) Blume <sup>1</sup>		Cu	h	orn	3.3	2.5			X				X	X
Urticaceae	<i>Pilea microphylla</i> (L.) Liebm.		AcQ	h	orn	1.6	0.1		X		X			X	X
Urticaceae	<i>Pilea nummulariifolia</i> (Sw.) Wedd. <sup>1</sup>		Cu	h	orn		0.3							X	
Urticaceae	<i>Pilea serpyllacea</i> (Kunth) Liebm. <sup>1</sup>		Cu	h	orn	0.5	2.5			X				X	X
Urticaceae	<i>Pilea</i> sp. 1 <sup>1</sup>		AcQ	h	orn		<0.1								X
Urticaceae	<i>Urera baccifera</i> (L.) Gaudich. ex Wedd. <sup>1</sup>		Cu	sh	med	0.2	<0.1			X					X
Urticaceae	<i>Urera caracasana</i> (Jacq.) Griseb.		NaQ	ssh	non	0.4			X						
Valerianaceae	<i>Valeriana chaerophylloides</i> Sm.	(valeriana)	NaQ	v	med	25.6	0.1	X	X	X	X				X
Verbenaceae	<i>Aloysia triphylla</i> Royle	(cedrón)	Cu	sh	med	0.2	0.1				X				X
Verbenaceae	<i>Citharexylum gentryi</i> Moldenke	(sauco macho, palo de vaca)	Es	t	tim	0.2					X				
Verbenaceae	<i>Clerodendrum philippinum</i> Schauer		Es	sh	non	6.2				X	X				
Verbenaceae	<i>Clerodendrum thomsoniae</i> Balf. <sup>1</sup>	Bleeding Hearts (corazón de Cristo, sangre de Cristo)	Cu	v	orn	0.7	1.0		X	X	X		X	X	X
Verbenaceae	<i>Clerodendrum x speciosum</i> Dombrain <sup>1</sup>		Cu	v	orn		0.1								X
Verbenaceae	<i>Duranta repens</i> ssp. 1 L. <sup>1</sup>	(San Jacinto)	Cu	sh	orn		0.1							X	X
Verbenaceae	<i>Lantana camara</i> L.	Curse of India, Koster's Curse (supirrosa)	Es	sh	non	34.6	13.8	X	X	X	X			X	X
Verbenaceae	<i>Lantana montevidensis</i> (Spreng.) Briq.		Cu	v	med		0.1							X	X
Verbenaceae	<i>Phyla nodiflora</i> var. <i>reptans</i> (HBK.) Moldenke		NaQ	h	non	1.5	0.1	X							X
Verbenaceae	<i>Priva lappulacea</i> (L.) Pers.	(cadillo)	Ac	h	non	46.9	1.9	X	X	X	X	X	X	X	X
Verbenaceae	<i>Stachytarpheta cayennensis</i> (Rich.) M. Vahl	(piche de gato, rabo de zorro)	AcQ	ssh	non	*78.0	0.5	X	X	X	X			X	X
Verbenaceae	<i>Tectona grandis</i> L. f.	Teak (teca)	Cu	t	tim	4.9	<0.1		X	X	X			X	
Verbenaceae	<i>Verbena litoralis</i> Kunth	(verbena)	NaQ	h	non	57.9	0.1	X	X	X	X				X

Family	Species name	Common name English (local- Spanish)	Introduction status in Galapagos	Growth form	Use	% of visited rural properties	% of fully surveyed urban properties	Floreana_rural	Isabela_rural	San Cristobal_rural	Santa Cruz_rural	Floreana_urban	Isabela_urban	San Cristobal_urban	Santa Cruz_urban
Violaceae	<i>Viola odorata</i> L.	Sweet Violet (violeta de jardin)	Cu	h	med	0.4	0.1			X					X
Vitaceae	<i>Vitis vinifera</i> L.	Grape (uva)	Cu	v	edi	3.3	1.5		X	X	X		X	X	X
Zingiberaceae	<i>Alpinia purpurata</i> (Vieill.) K. Schum. <sup>1</sup>		Cu	h	orn	0.9	0.3		X				X	X	
Zingiberaceae	<i>Alpinia sanderae</i> Sander <sup>1</sup>		Cu	h	orn	0.9	<0.1		X	X	X				X
Zingiberaceae	<i>Alpinia zerumbet</i> (Pers.) B.L. Burtt & R.M. Sm.		Cu	h	orn	2.2	0.1		X	X	X		X	X	
Zingiberaceae	<i>Costus guanaiensis</i> var. <i>tarmicu</i> (Loes.) Maas <sup>1</sup>	(caña agria)	Cu	h	orn	1.1	0.1		X	X	X			X	
Zingiberaceae	<i>Etlingera elatior</i> (Jack) R.M. Sm.		Cu	h	orn	0.2					X				
Zingiberaceae	<i>Hedychium coronarium</i> J. König		Es	h	orn	4.8				X	X				
Zingiberaceae	<i>Zingiber officinale</i> Roscoe	Ginger (gengibre)	Cu	h	med	0.2	0.2			X			X	X	
Zygophyllaceae	<i>Tribulus cistoides</i> L.	(cacho de chivo)	NaQ	v	non	0.2	10.8	X				X	X	X	X
Zygophyllaceae	<i>Tribulus terrestris</i> L.	(cacho de chivo)	NaQ	v	non		0.3					X		X	X