
# **Food Questionnaire**




This form asks about your usual food intake during

Please use pencil.

Answer by filling in the correct oval.

Yes

Do not make any other marks on the form. Please use a separate piece of paper to make comments.



Please **print your name** in this box.

	ŢŒ	D	AY	'S	ĐA	TE	Ĉ,
M	Ю	D,	ΑŸ		ΥE	AF	}
ூ	<b>©</b>	<b>©</b>	Ø	<b>©</b>			<b>®</b>
ധ	<b>D</b>	Ф	①	Œ	①	<b>(</b>	①
	2	<b>(</b>	(2)	•	<b>②</b>	(2)	2
	3	<b>(D)</b>	0	◑	3	3	<b>©</b>
	<b>(D)</b>		<b>(1)</b>	<b>4</b>	<b>4</b> )	$\odot$	@
	3		3	<b>③</b>	<b>(3</b> )	3	(3)
(	Ð		<b>©</b>	٤	<b>6</b>	<b>6</b>	<b>3</b>
(	3		7	<b>7</b> )	7	<b>7</b>	2
(	3	(	D	B	<b>(E)</b>	<b>(E)</b>	➂
(	9)	{	ചിര	<u>ت</u>	<b>a</b> \!	ৰ প	اره

IDE	ITTI IUI		- /		M	, `;
					À	
000	<b>@</b>	D	ூ	<b>©</b>	<b>©</b>	0
000	Φ	D	<b>①</b>	<b>(1)</b>	0	Œ
@ ඔ ඔ	(2) (	D	<b>②</b>	<b>②</b>	2	(2)
@@@	<b>(1)</b>	Ð	<b>3</b>	(3)	3	<b>3</b>
<b>40</b>	<b>(</b>	3	<b>(4)</b>	<b>(</b>	<b>(4</b> )	<b>@</b>
999	<b>(D)</b>	3)	<b>3</b>	<b>D</b>	<b>(3</b> )	<b>©</b>
@ @ @	<b>®</b>	5	<b>(1</b> )	<b>D</b>	<b>6</b>	<b>©</b>
300	<b>D</b>	D	D	2	7	Ðİ
(D) (D) (D)	<b>D</b> (	Ð.	8	<b>3</b> ) (	<b>5</b> )	<b>B</b> )
(D) (D) (D)	<b>3</b> ) (2)	Dic	<b>3</b> ) (	<b>(</b>	<b>D</b> (	D

MSEL

PLEASE DO NOT WRITE IN THIS AREA

#### 1. Did you eat chicken or turkey?

- Yes → When you ate chicken or turkey, how often did you eat ○ No the skin?
  - Almost always
  - Often
  - Sometimes
  - Rarely
  - Never

#### 2. Did you eat beef, pork, ham or lamb?

- Yes -> When you ate beef, pork, ham or lamb, how often did you eat  $\bigcirc$  No the fat?
  - Almost always
  - Often
  - Sometimes
  - Rarely
  - Never

#### 3. Did you eat hamburger or other ground meat?

- Yes → When you ate hamburger or other ground meat, was it usually... Mark one or two.
  - Regular
  - Lean
  - Extra lean
  - Ground chicken or turkey
  - Don't know

#### 4. Did you drink orange, grapefruit or other fruit juices?

- Yes → Were any of these vitamins or minerals added (specially ○ No fortified) to the juices you drank? Mark all that apply.
  - Extra Vitamin C
  - Vitamin E
  - Calcium Calcium
  - None
  - Don't know

#### 5. Did you eat cold cereals?

- Yes → When you ate cold cereal, what type did you usually eat? Mark one or two.
  - Highly fortified cereals (100% of daily values) such as Total®, Smart Start® and Product 19®
  - High fiber or bran cereals such as Raisin Bran® and All Bran®
  - Regular granola (not lowfat)
  - All other cereals such as lowfat granola, Cheerios®, Com Flakes® and Frosted Flakes®

#### 6. Did you put milk (all types), cream or creamer on cereal?

- Yes -> When you put milk, cream or creamer on cereal, what type dld you usually use? Mark one or two.
  - Cream or half and half
  - Whole milk
  - 2% milk
  - 1% milk or buttermilk
  - O Nonfat or skim milk
  - Soy milk
  - Non-dairy creamer
  - Don't know

	ut milk (all types), cream or a coffee or tea?	11. Did you e	eat cookies or cakes?
	When you put milk, cream or creamer in coffee or tea, what type did you usually use? Mark one or two.   Cream or half and half	○ Yes → ○ No	When you ate cookies or cakes, how often were they fig bars, SnackWell's, angel food cakes, or other types of low or nonfat cookies or cakes?
	O Whole milk		○ Almost always
	○ 2% milk		Often
	☐ 1% milk or buttermilk		○ Sometimes
	<ul> <li>Nonfat or skim milk</li> </ul>		○ Rarely
	○ Soy milk	,	○ Never
	<ul> <li>Non-dairy creamer</li> </ul>	,	•
beverages i	Don't know  ink milk (all types)? Also include made with milk, such as lattes, s, mochas or hot chocolate.	usually u	nousehold, what kinds of fat were used when cooking, for example to egetables or fry meat?
Саррассию	s, mochas of not chocolate.	○ Butter	
○ Yes →	When you drank milk or	1	nargarine
○ No	beverages made with milk,	l .	liquid margarine
$\downarrow$	was it usually		t margarine
•	Mark one or two.	○ Olive o	_
	Whole milk	○ Canola	a oil
	○ 2% milk	Other	oils such as com, soybean, peanut
	○ 1% milk or buttermilk	and sa	afflower
	○ Nonfat or skim milk	□ Lard, b	pacon fat or meat drippings
	○ Soy milk	○ Didn't	use fat or used non-stick spray
	○ Don't know	(Pam®	)
9. Did you use	e salad dressing?		ds of fat did you use at the table,
○ Yes →	When you used salad		ple on breads, vegetables es? Mark up to four.
○ No	dressing, what type did you	l or botato	es: Mark up to lour.
. ↓	usually use? Mark one or two.	○ Butter	
,	Regular, including oil	☐ Stick n	<del></del>
	and vinegar	i e	liquid margarine
	Low or reduced fat	•	margarine
	<ul> <li>Fat free or nonfat</li> </ul>	○ Olive o	
		○ Sour ci	
10. Did you use	mayonnaise?	ા Didn't ા	use fat
○ No	When you used mayonnaise, what type did you usually use? Mark one or two.		
▼	○ Regular		
	C Low or reduced fat		
	□ Fat free or nonfat		
	PLEASE DO NOT PRIME IN THIS AF	REA	
			07518

(3)

These questions are about foods you ate during	的。 <b>对于是</b> 有一种的。
14. Mark the column to show how often, on average, you ate the following foods.  Mark your usual serving size as small, medium or large.	•
<ul> <li>A small serving is about one-half (1/2) the medium serving size or less.</li> <li>A large serving is about one-and-a-half (11/2) times the medium serving size or more.</li> </ul>	

EXAMPLE: This man ate spagh	etti with meat s	sauce ever	ry Saturda	ay. He usı	ally at	e about 21/2	cups.		
	HOW OFTE	N DID YOU	J EAT THI	ESE FOOD	S?	>	AMO	OUNT?	
	NEVER or less than 1 once per per month month	2-3 1 per per	2 3-4 per per week weel	5-6 1 per per ( week day	2+ per day	Medium serving size	s	M L	
Spaghetti, lasagna, and other pasta with tomato with meat sauce					 K	11/2 cups	要		1

CEREALS, BREADS, SNACH	(S. C.											- , , , , , , , , , , , , , , , , , , ,	, if
and the state of t	HOW	OFTE	N DID	YOU		THE		OOD	S?	·		MOU	
	NEVER or less than once per month	1 per	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	<b>1</b> per day	2+ per day	Medium serving size	S	M	Single of the second
Cold cereals		0	3.gh-11.gh			0	Š M	0		1½ cups	0	0	8
Cooked cereals and grits		0		0	<b>15</b> 05.00 3000.000 31.000	0		0	8	11/ <sub>2</sub> cups	0		
Milk on cereals		0		O		0		0	落	³/ <sub>4</sub> cup	で	. 0	
Pancakes, French toast and waffles		0						0	- 5.,	2 pieces		0	
Muffins, scones, croissants and biscuits		0		0				0		1 medium		0	蒙
White breads, including bagels, rolls and English muffins		0				0		$\bigcirc$		2 slices or 1 medium		<u> </u>	
Dark breads, including dark bagels and rolls		0		<u></u>				- -		2 slices or 1 medium		0	
Combread and com muffins				-		Ξ,				2 slices or 1 medium		0	
Butter or margarine on breads, cereals, pancakes, etc.				<b>C</b> .		0		0		2 pats or 2 teaspoons		0	
Jam, jelly, honey and syrup		0	~ □·	<u>~</u>	Û.		-	<u> </u>		2 Tbsp.		0	
Granola bars and cereal bars such as Nutri-Grain Bars®		$\Box$								1 bar		——— ——————————————————————————————————	
Sports or meal replacement bars such as Power Bars® and Clif Bars®			•		- 74	<del>-</del> :		-		1 bar	0	0	Ó

### CEREALS, BREADS, SNACKS (continued)

	HOW (	OFTE	N DID	YOL	EAT	THE	SE FO	OOD	S?	<b>→</b>	AN	IOUI	NT7
	NEVER or less than once per month	t per month	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per. week	1 per day	2+ per day	Medium serving size	s	M	L
Low or nonfat potato chips, tortilla chips and corn chips								÷	···	4 handfuls or 1 med.bag			- /· C
Regular potato chips, tortilla chips, corn chips and puffs		,			1.°					4 handfuls or 1 med.bag	er oliverien Grande Grande	C	
Plain popcom (no butter) or lowfat microwave popcom				-						8 handfuls		0	
Buttered or regular microwave popcom						0		۲,		8 handfuls		0	
Low or nonfat crackers, such as saltines and SnackWell's®						زد		(2)		12 medium	ئىرىدى (دى. ئىرىدى ئۇنىڭ رائىرى ئۇنىڭ	0	
Regular crackers, such as Ritz® and Wheat Thins®		_		<u>ن</u>		-53		0		12 medium		0	45.7
Peanut butter, peanuts and other nuts and seeds		,				0		0	*****	2 Tbsp. (spreads) or ½ cup (nuts)	direction.	0	

# MEAT, FISH, EGGS

	HOW (	)FTE	עום א	VOI	! FAT	THE	SE E/	) ) )	22			IOUI	KITO
	NEVER 6 less than once per month	1 per	2-3 per month	1 per	2 per week	3-4 per week		1 per day	Per y	Medium serving size	AR S	M	
Eggs		Ţ.,						(D)		2 eggs		<u></u>	
Bacon and breakfast sausage						<u>`_</u> }		Ç.		3 strips or 2 links		0	
Low or reduced fat hot dogs and sausage		. "				<u>(</u> ])		0		2 hot dogs or 4 ounces			
Regular hot dogs and sausage such as bratwurst and chorizo				2	com-exist.	-5		0		2 hot dogs or 4 ounces			
Lunch meats such as ham, turkey and lowfat bologna		-						C.		2 slices			
All other lunch meat such as bologna, salami and Spam®								-,		2 slices		437	
Canned tuna, tuna salad and tuna casserole				*						1 can tuna or 2 cups casserole			
Beef, pork, ham and lamb		- ,		-		/m²	••	- '	<u></u>	6 ounces	رق	. #44	- 15
Ground meat, including hamburgers and meatloaf	- ~ .			:			<del></del>		-,	1 medium or 4 ounces			-2
Liver, chicken liver and organ meats				. C			٠.		-	6 ounces	Page 1	,	
Fried chicken, including nuggets and tenders				,	10.	, ,.			-	2 large pieces or 9 nuggets			

# MEAT, FISH, EGGS (continued)

	HOW (	OFTE	N DID	YOU	JEAT	THE	SE FO	OODS	S?	_ <del>-&gt;</del>	AN	IOUI	VT?
	NEVER of less than once per month	1 per	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medlum serving size	s	M	L
Chicken and turkey (roasted, stewed, grilled or broiled)				,					- /	2 large or 4 small pieces			
Fried fish, fish sandwich and fried shellfish (shrimp and oysters)			3.	* *****				~ · · · · · · · · · · · · · · · · · · ·		4 ounces or 1 sandwich			
Shellfish, not fried (shrimp, lobster, crab and oysters)				 	7	22.0	· · · · · · · · · · · · · · · · · · ·			4 ounces or 1 cup			
White fish (broiled or baked) such as sole, halibut, snapper and cod			York Sau	, , , , , ,	:					6 ounces			
Dark fish (broiled or baked) such as salmon, mackerel and bluefish		(3)		: - '		, ITU				6 ounces	**************************************	0	, «,

	HOW C	FTE	N DID	YOU	JEAT	THE	SE F	OOD	S?	<b>→</b>	AJ	MOUI	NT?
	NEVER or less than once per	1 per	2-3	1 per	2 per	3-4 per	5-6 Der	1 per day	<b>2</b> +	Medium serving size	S	м	L
Stew, pot pie, curries and casseroles with meat or chicken		<u> </u>								11/ <sub>2</sub> cups	 E	, O	
Chili with meat and beans		(1)								11/ <sub>2</sub> cups		· —	1
Spaghetti, lasagna and other pasta with tomato with meat sauce				,						11/2 cups			が
Spaghetti and other pasta with tomato sauce (no meat)				^.				27		11/2 cups		_ <u></u>	
Spaghetti and other pasta with oil, cheese or cream sauce, including macaroni and cheese		. <u>.</u>		-		·- ·		. 2		11/ <sub>2</sub> cups	経過が	0	
Asian-style (stir-fried) noodles and rice, such as chow mein, fried rice and Pad Thai		(*)	````			,		······································		11/ <sub>2</sub> cups		0	
Pizza		- ma	* * * * * * * * * * * * * * * * * * *	,,,					بيدند م ارسور اسرار	3 slices		$\overline{}$	
Tofu, tempeh and products such as tofu hot dogs, soy burgers and tofu cheese				_			,		موا بين م	4 ounces, 2 hot dogs or 1 burger		0	
Burritos, tacos, tostadas and quesadillas		_				-			-	2 medium	د دانگریتیات است		نېد <del>د</del> ت
Enchiladas and tamales	***		,			-	-/	* ,	,	2 medium		<u> </u>	K <del>II,</del>
Vegetable, minestrone and comato soup	-		,							11/ <sub>2</sub> cups	-		
Cream soups such as chowders, potato and cheese										1½ cups	Tarr		

#### SPAGHETTI, MIXED DISHES, SOUPS (continued)

Red peppers and red chilies

SPAGHETTI, MIXED DISHES	s, soups	(co	ntinu	ed)						100 S			
the said of the said	HOW	OFT	EN DI	D YO	UEA	TTH	ESE F	OOD	S?	-	Al	MOU	NT?
y norm	NEVER of less than once per month	1 per	2-3 r per thmont	1 per h week	2 per week	3-4 per k wee	per	<b>1</b> per day	2+ per day	serving	s	М	L
Bean soups such as pea, lentil and black bean			· · · · · · · · · · · · · · · · · · ·				<del></del>	<u> </u>		11/ <sub>2</sub> cups	·. ·.c	۔ ۔ ت	
Miso soup			 					. 0		11/2 cups			·
Ramen noodle soup				; ; •				, O		11/ <sub>2</sub> cups			۳ در پهرون ۱۳۵۱ ۱۳۶۵ م
Other soups such as chicken noodle		. <u>O</u>				i Le		0		11/ <sub>2</sub> cups		; ; ; <u>O</u>	
DAIRY PRODUCTS			" '		9		~~. ··. ·· ·	rgae to	e See				
	HOW (	OFTE	EN DIE	YOL	JEAT	THE	SE F	OOD	S?	· *** ** ** · ** · · · · · · · · · · ·	AM	OUN	IT?
	NEVER or less than once per month	1 per	2-3 per hmonth	1 per week	2 per week	3-4 per week	per week		2+ per day	Medium serving size	3	М	
Cottage cheese and ricotta cheese								. 07		³⁄₄ cup		<u></u>	
ow or reduced fat cheese, ncluding cheese used n cooking		٥								2 slices or ½ cup shredded			
All other cheese (American, cheddar or cream), including cheese used in cooking		; ; ;		:55		· · <u> </u>				2 slices, 1/2 cup shredded or 2 Tbsp. cream		0	
ogurt, all types except frozen				ن ن		·				1 cup		<u> </u>	
EGETABLES and GRAINS		(1) (*) (1) (*)	% 1 € ° €						in stateline	angenia ny fianana			
	HOW C	FTE	N DID	YOU	EAT	THE	SE FC	ODS	?	<b>→</b>	AM	OUN	П?
	NEVER or less than once per month	1 per	2-3 per month	per	2 per week	per	5-6 per week	per	2+ per day	Medlum serving size	Š	M	
Mark all vegetables you	3,000		, .					-	. ~ /		1	KS.	
Green salad (lettuce or spinach)		<u>.</u>	· ··· <u></u>	/ -			-	.~.		2 cups		<u>.</u>	<u> </u>
alad dressing (all types)	the same of the same	, ~,				***			, -	1/ <sub>4</sub> cup		,	
resh tomatoes		-		-1		A are				1 medium or 4 slices	***		
Carrots		- ~		Ĺ				<del>-</del>		³/₄ cup			
ireen peppers and green chilies		,		,				\_ ~		1/ <sub>2</sub> cup			
							,					-	

1/2 cup

# VEGETABLES and GRAINS (confinued) HOW OFTEN DID YOU EAT THESE FOODS?

							JE F	OOD			~	MOU	41:
- 255 T. N. L. T. Spring Edward M. Bright (1985) - Now One described the second	NEVER of less than once per month	per mon	hmonth					† per day	2+ per day	size	s	м	L
Mark all vegetables you	are, anch	idin	y jn s	alad.	s, mL	red i	lishe	5, sa	Ddy,	icties and	stir ti	les.	
Broccoli				Ξ	: ::::::::::::::::::::::::::::::::::::	Ξ.	.`.	C		³√₄ cup	· . []	: C	
Cauliflower, cabbage and Brussels sprouts						0		- 14-14 - 14-1		3/ <sub>4</sub> cup		. 0	
Green or string beans						,		<u> </u>		³√₄ cup		· ·	
Green peas						( <u></u>		<u></u>		³/₄ cup	= - 		
Corn and hominy		Ξ,		-1-		<u></u> -				³⁄₄ cup		0	
Summer squash and zucchini		<del></del>		0		0		· - · · · · · · · · · · · · · · · ·		3/ <sub>4</sub> cup			
Winter squash such as acom, butternut and pumpkin		0		(2)						3/ <sub>4</sub> cup			
Yams and sweet potatoes		$\bigcirc$		0		<u>.</u>		 		1 medium		C	
Cooked greens such as spinach, mustard greens and collards				-c:						³⁄₄ cup		0	題
Onions and leeks		٥		<u>.</u>				: ا ا		1/ <sub>2</sub> cup			**************************************
Fresh garlic, including in cooking						· · · · · · · · · · · · · · · · · · ·				1 clove		(7)	
Avocado and guacamole		7						wy		1/2 medium or 1/2 cup		~	
rench fries, fried potatoes and hash browns		, - , , , , , , , , , , , , , , , , , ,								1 cup		_ <u></u>	
Potatoes (boiled, baked or nashed)		<u></u>		·		 C		 0 3 C		1 medium or 1 cup			
Refried beans		0				つ。 う				³/₄ cup			
All other beans (baked, lima or chili without meat)		<u> </u>		· · · · · · · · · · · · · · · · · · ·						³¼ cup			
Coleslaw		<del>-</del>				~	*******	,	· ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	3/ <sub>4</sub> cup			
Potato, macaroni and pasta salads , nade with mayonnaise or oil		<u> </u>	ή	-		,	₹. / <b>-</b>			³√₄ cup	· · · · · · · · · · · · · · · · · · ·		 O
Rice, noodles and other rains (as a side dish)							2			¾ cup		<u> </u>	
Butter, margarine, sour cream nd other fat added to egetables, potatoes and rice		.2`		-			2	T	1	2 pats or 2 teaspoons			

AMOUNT?

# SAUCES and CONDIMENTS

	HOW OFTEN DID YOU EAT THESE FOODS?			_ <b>→</b>	AMOUNT?		IT?						
•	NEVER or less than once per month	per	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium serving size	S	м	L
Cheese sauce and cream sauce		0		0	- () - ()	$\Box$		0		¹/₂ cup	io.	0	ڞ
Meat gravies	14.60 14.67 2.00 2.00 2.00 2.00 3.00 3.00 4.00 4.00 5.00 5.00 5.00 5.00 5.00 5	. 0		_ ⊃				0		¹/₂ cup		0	
Ketchup	O	. 0		0		0		0		1/ <sub>4</sub> cup	· (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	<u>O</u>	
Saisa (as dip or on foods)	10	. 0		0		. 0		0	Ċ	1/ <sub>2</sub> cup		0	
Mayonnaise and mayonnaise-type spreads		0		0		0		0		2 Tosp.		0	

FRUITS	表。一位,一位,他们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个
	HOW OFTEN DID YOU EAT T
	NEVER or

	HOW C	FTE	N DID	YOL	JEAT	THE	SE FO	OODS	3?	>_	AM	AMOUNT?	
	NEVER or less than once per month	<b>1</b> per monti	2-3 per nmonth	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium serving size	S	М	
Apples, applesauce and pears		<u></u>		()		0		0		1 medium or 1/2 cup		O	
Bananas		0		0				0		1 medium		0	
Peaches, nectarines and plums		0		0		<u> </u>		<b>-</b>		1 medium or 1/2 cup			
Apricots (fresh, canned or dried)	Section 1	0		0	i de la como	. 5		0		2 medium or 4 halves	(*************************************	O	
Dried fruit (other than apricots) such as raisins and prunes				0		0		0		1/ <sub>2</sub> cup		$\Box$	
Oranges, grapefruit and tangerines (not juice)		0		- II.		<u> </u>		0		1 orange or 1/2 grapefruit			
Berries such as strawberries and blueberries		$\circ$		Ģ				0		³/₄ cup			15
Cantaloupe, orange melon and mango (in season)		$\overline{C}$				$\bigcirc$		0		1/ <sub>4</sub> melon or 1/ <sub>2</sub> mango			
Watermelon and red melon		0	() ()	<i>-</i>		5				1 large slice			
Any other fruit such as grapes, fruit cocktail, pineapple and cherries	t. ÿ À \	Ę			 	,, ,				³√₄ cup		<u> </u>	

SI		

A ,	ном	OFTE	N DID	YOL	J EAT	THE	SE F	:ססכ	S?	>	AMOUNT?		
	NEVER or less than once per month	1 per	2-3 per month	1 per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium serving size	s	м	L
Low or nonfat frozen desserts such as lowfat ice cream, frozen yogurt and sherbet		. 0		0		) ()		0		2 scoops	<u>.</u>		75.25 75.55 75.55
Ice cream and milkshakes		0		0		0		C		2 scoops or 1 shake		0	
Pudding, custard and flan		0	0	0	Ö	0	C	Ō		1 cup		0	
Doughnuts, pies and pastries		, O		0	0	0				1 piece		0	
Cookies and cakes	0	0	から	0	C	0		0		3 med. cookies or 1 piece of cake		()	, <del>-</del> , ,
Chocolate, candy bars and toffee	C	0	, rá	0		0		0		1 regular bar or 4 pieces		σ.	
Other candy, such as Lifesavers®, licorice and jelly beans	10	O .	, (d	0	Q	0		0		6 pieces or 25 jelly beans		0	3 · · · · · · · · · · · · · · · · · · ·

## PLEASE ANSWER THESE THREE IMPORTANT QUESTIONS!

	NEVER or less than once per week	1-2 per week	3-4 per week	5-6 per week		2 per day	a e per % day	4 per day	
<b>新国共和共和立国际基础</b>	No	te tha	t the fre	equen	cy head	lings	are diffe	erent	四位 (45)
How often did you eat foods that were cooked in fat (pan-fried, sautéed, or deep-fried)? Count all fat such as margarine, butter, oil or lard.	<b>O</b>	0	ý ⊈ otvá	0		0	, Takasar	<u>ن</u>	
How often did you eat a serving of vegetables? Do not count potatoes, salad or beans.		0		<b>-</b>				27.	
How often did you eat a serving of fruit? Do not count juices.		0		0	(1964) e kom. (1964) (1964) (2064) (1964)				

#### **BEVERAGES and ALCOHOL**

	NEVEH or less than once per month	1-3 1 per per month week	2-4 per week	5-6 per week	1 per day	2-3 per day	5-6 per day	6+ per day	Medium serving size	s	м
		Note th	at th	e fre	que	псу.	head	ding:	s <i>are diffe</i>	rent.	
Milk (all types) as a beverage	i j	,							1 cup		
Latte, cappuccino, mocha or hot chocolate		·			,			. =``` . * }	1 cup		
Coffee (not lattes or mochas)		₹ <sup>*</sup>		-					1 cup	- -	. ,
Tea (all types)				,			- 1 ·-		1 cup		
Milk, cream or creamer added to tea and coffee	THE METERS THE SET OF SET THE SET OF S						.* .		1 Tbsp.	, e3 1/2	
Tomato juice, V-8® and other vegetable juices			-		-	· · ·	- ·		1 cup	· · · · · · · · · · · · · · · · · · ·	
Orange juice and grapefruit juice					,				1 cup	,	,
Other 100% fruit juice, such as apple, grape and cranberry			7		- ,	s 25° 1			1 cup		
Fruit drinks fortified with Vitamin C, such as Hi-C®, Fruitopia® and Kool-Aid®						, p. + -			1 cup		
Meal replacement drinks and shakes such as Slim-Fast®, Ensure® and Carnation Instant Breakfast®		-					•	7	1 cup		
Diet soft drinks			í			- ,	/~ 1 .	  	12 ounces or 1 can	2	
Regular soft drinks		 -	-					1821-2 -2, (1	12 ounces or 1 can		
Water (tap, bottled or sparkling)					,	,	1	44 T	1 cup	,	_
Beer (all types)	, -, , -	-			•			₹ =	12 ounce can or bottle		
Red wine					-	-		~-	1 medium glass (6 oz)		-
White or rosé wine					±		-		1 medium glass (6 oz)		
Liquor and mixed drinks	_	-	-	·		-			1 shot (1½0z) or mixed drink		

**HOW OFTEN DID YOU DRINK THESE BEVERAGES?** 

**NEVER** or

**AMOUNT?** 

# **THANK YOU!**


Please take a moment to fill in any questions you may have skipped.

#### **Supplement Use Questionnaire**

#### MULTIVITAMINS

**MULTIVITAMINS** contain 10 or more vitamins and/or minerals. Examples include One-A-Day® multivitamins, Centrum®, and vitamin packs containing several pills.

- 1. In the past 10 years, have you taken a MULTIVITAMIN at least once a week for a year?
  - o No Skip/fo Quastion 7, middle of Page 3
  - Yes, at least once a week for a year



- 2. Did you take a MULTIVITAMIN in the last 3 months?
  - O NO Skip to Question 7, middle of Page 3
  - o Yes
- 3. What brand of MULTIVITAMIN did you take in the last 3 months? Mark only one.
  - o Centrum® o One-A-Day® Men's How long have you o Centrum Silver® o One-A-Day® 50 Plus taken this brand of o Kirkland® o Theragran-M® with MULTIVITAMIN? o Kirkland® Premium with herbals minerals o 1-3 years o 7-9 years NatureMade® with minerals o Theragran® (no minerals o 10 years o 4-6 years
    - o NatureMade® (no minerals) o Unicap® Plus Iron o One-A-Day® Essential o Unicap® M
    - o One-A-Day® Maximum o Unicap® Senior

My brand is not listed above — Continue to Question 4, next page


or more

Skip to Question 5,

top of Page 3

#### 4. What brand of MULTIVITAMIN did you take in the last three months?

Please look at the label and tell us what is in the MULTIVITAMIN. The most common amounts are listed. If your multivitamin contains a different amount, choose the range that includes the amount you take.



		Amount per day	(or in this range)
Calclum in Multivit		o 100 mg	(1-199 mg)
	Yes —	o 250 mg	(200-399 mg)
0	No	o 500 mg	(400-699 mg)
		o 800 mg	(700-899 mg) (900+ mg)
		o rooting	(pour mg)
Zinc ——			
in Multivit		o 15 mg	(1-19 mg)
	Yes —	o 30 mg	(20-49 mg)
0	No	o 60 mg	(50-74 mg)
		o 100 mg	(75+ mg)
Selenium		and the last	
in Multivit	amin	o 25 mcg	(1-39 mcg)
0	Yes -	o 50 mcg	(40-74 mcg)
0	No	o 100 mcg	(75+ mcg)
Mark all the	Committee of the Commit	o Magne	esium

- 5. In the past 10 years, did you take a different brand of MULTIVITAMIN?
  - o No → Skip to Ouestion 7
  - o Yes
- 6. In the past 10 years, what brand of MULTIVITAMIN did you take most often?

o Centrum®	o Theragran-M® (minerals)
o Centrum Silver®	o Unicap® Plus Iron
o NatureMade® with minerals	o Unicap® M
o NatureMade® (no minerals)	o Unicap® Senior
o One-A-Day® with minerals	o Generic or store brand
o One-A-Day® (no minerals)	o Other brand(s)
o Theragran® (no minerals)	o Don't know

#### VITAMINS, MINERALS AND OTHER SUPPLEMENTS (not including multivitamins)


7. In the <u>past 10 years</u>, have you taken any dietary supplements (other than a multivitamin) for at least a year?

Include vitamins, minerals, herbals and mixtures. Also include calcium, Tums® and other antacid tablets that contain calcium.


- No
   Yes, but less than once a week

  Skip to Question 9, bottom of Page 6
- Yes, at least once a week for a year
- 8. In the <u>past 10 years</u>, which vitamins, minerals, and herbals are (or were) In your supplements? Do NOT include multivitamins.

If you have the bottles, please look at the labels. The most common amounts are listed. If your supplement contains a different amount, choose the range that includes the amount you take.



Folic acid (fol	ate)	· · · · · · · · · · · · · · · · · · ·
o Take now o Took only in past	a) Years taken i o 1-3 o 4-6 b) Days per wee o 1-2 o 3-4 c) Amount	6 0 7-9 0 10 ok
o Never taken	per day o 400 mcg o 600 mcg o 800 mcg o Don't know	this range) (1-499 mcg) (500-699 mcg) (700+ mcg)



o 1000 mg


o 1500 mg


o Don't know

(800-1299 mg)

(1300+ mg)


o Don't know






o Take now	a) Years taken	in past 10 years
o Took only	0 1-3 0 4	1-6 07-9 010
in past	b) Days per w	eek
	0 1-2 0 3	3-4 05-6 07
	c) Amount	(or in
	per day	this range)
	o 10 mg	(1-14 mg)
o Never	o 18 mg	(15-24 mg)
taken	o 27 mg	(25-34 rng)
	o 50 mg	(35+ mg)
	o Don't kno	

o Take now	a) Years taker	n in past 10 years
o Took only	- 0 1-3 0 4	4-6 0 7-9 0 10
in past	b) Days per w	eek
	0 1-2 0 3	3-4 05-6 07
	c) Amount	(or in
	per day	this range)
	o 15 mg	(1-19 mg)
o Never	o 30 mg	(20-49 mg)
taken	o 60 mg	(50-74 mg)
	o 100 mg	(75+ mg)
	o Don't kno	W



Lycopene —		
o Take now o Took only in past	- T2 ( T0 (	27-27-54-05-02-02-02-04-04-04-04-04-04-04-04-04-04-04-04-04-
	c) Amount	(or in
Never taken	per day o 5 mg o 10 mg o 15 mg o 30 mg o Don't kno	this range) (1-7 mg) (8-12 mg) (13-24 mg) (25+ mg)

For these herbals and other compounds, include pills, powders, tinctures, and teas taken regularly. Regularly means at least once a week for a year. (Mark all that apply.)



#### LIFETIME SUPPLEMENT USE

9. Have you ever taken any of these supplements at least once a week for a year? Mark all that apply.

		t least once a week for				Total years taken since age 21?								
		a y	ear?	?	1-4	5-9	10-14	15-24	25+					
Multivitamins	o	Yes	· o	No:	0	Ó	<b>`</b> `6''	Ö	<b>O</b>					
Vitamin C (not in multivitamin)	0	Yes	0	No	0	0	0	0	0					
Vitamin E (not in multivitamin)	°o,	Yes	Ø	No	o.		. 2 <b>0</b>							
Calcium (not in multivitamin)	O	Yes	0	No	0	0	0	0	0					

# Food Questionnaire and Food Preparation Questionnaire Instructions

If you have been diagnosed with prostate cancer, please answer the dietary questions to reflect your diet in the 12 months prior to your diagnosis. If you have not been diagnosed with prostate cancer, please answer the diet assessment questions for the 12 months prior to this date.


Please <u>answer all</u> questions within the questionnaire. Use the Food Questionnaire Serving Size Pictures page to aid in choosing the correct serving size. When answering the questions, please use a #2 pencil and completely fill-in the oval. An example is given below:

	NEVER or less than once per month	1 per month	2-3 per month	l per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day	Medium serving size	s	M	L
Cold cereals	О	0	О	•	0	О	0	0	0	I ½ cups	0	•	0
Cooked cereals and grits	О	•	ld	8	8	10V	О	0	0	1 ½ cups	•	0	О
Milk on cereals	0	0	EX	41	P		0	O	0	3/4 cups	0	•	О
Pancakes, French toast and waffles	О	0	0	0	0	•	O	О	0	2 pieces	o	0	•

#### \*\*\*DO NOT USE INK\*\*\*

#### **Supplement Use Questionnaire Instruction**

Please <u>answer all</u> questions within the questionnaire. When answering the questions, please use a #2 pencil and completely fill-in the oval. An example is given below:



Does your MULTIVITAMIN contain any of these other vitamins and minerals?

Mark all that apply.

- Thiamin (B1) O Magnesium
  O Riboflavin (B2) O Chromium
  O Niacin (B3)
  O Vitamin D Iron
- \*\*\*Please answer all questions that apply to you. Be sure to mark the "No" or "Never taken" responses if you do not use the listed vitamin, mineral, or supplement.\*\*\*

Note: Questions are on both sides of the form

# Instructions For FFQ


# Food Questionnaire Serving Size Pictures Cap Genes- Prostate Cancer Genetic Epidemiology Study

Please use these pictures to help estimate your usual serving sizes.

- Medium serving sizes are given on the Food Questionnaire.
- A small serving is about one-half (1/2) the medium serving size or less.
- A large serving is about one-and-a-half (1 1/2) times the medium serving size or more.

# Beef, pork, chicken and fish as a main dish





Medium (6 ounces)



Large (9 ounces)




Large (2 1/2 cups)

Medium (1 1/2 cups)







Small (3/4 cup)

Vegetables such as green beans, corn, and potatoes



Small (1/3 cup)



Medium (3/4 cup)





#### **Food Preparation Questionnaire**

The following questions are about foods that you ate 12 months prior to your prostate cancer diagnosis. If you <u>have not</u> been diagnosed with prostate cancer, please answer the following questions for the 12 months prior to this date.

1. When you ate in restaurants during the previous year, did you eat grilled or barbecued meats? (Grilled or barbecued meats are cooked over charcoal or a hot gas flame. Some fast-food restaurants call this "flame grilled". This does not include broiled or fried meats.)

o Never or less than o	nce per month	- Sidir to caries	ifor 2
------------------------	---------------	-------------------	--------

o Yes

\*\*\*During the previous year, please report the average number of times you ate the following items. On average, indicate how well you cooked your meat for each of the applicable products below. If the meats were mainly from a fast food restaurant, then mark "Very well done".\*\*\*

	Never									<u>Usual</u> meat doneness			
	or less than once per month	per month	per month	1 per week	per week	3-4 per week	5-6 per week	1 per day	2+ per day	Rare	M or ninn	Well done	Very well done
Beef (ribs, steaks, etc.)	0	0	0	0	0	0	0	0	0	0	0	0	0
Hamburgers (beef, turkey, vegetable, etc.)	0	0	0	0	0	0	0	0	0	0	0	0	0
Dark Fish (salmon, tuna, etc.)	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Fish	0	0	0	0	0	0	0	0	0				
Seafood	0	0	0	0	0	0	0	0	0				
Chicken (with skin)	0	0	0	0	0	0	0	0	0				
Chicken (without skin)	0	0	0	0	0	0	0	0	0				
Pork (ribs, chops, etc.)	0	0	0	0	0	0	0	0	0				

2.	In the summer months during the previous year, did you eat meats cooked on an outdoor gri
	or barbecue?

Never or less than once per month

o Yes

\*\*\*On average over the previous year, please report the number of times you ate the following items and the way they were prepared\*\*\*

	Never or less				2					Ust	u <u>al</u> meat o	lonen	ess
	than once per month	per month	2-3 per month	1 рет week	per week	3-4 per week	5-6 per week	1 per day	2+ per day	Rare	Medium	Well done	Very well done
Beef (ribs, steaks, etc.)	0	0	0	0	0	0	0	0	0	0	0	0	0
Hamburgers (beef, turkey, vegetable, etc.)	0	0	0	0	0	0	0	0	0	0	0	0	0
Hot dogs (beef, turkey, etc.)	0	0	0	0	0	0	0	0	0	N/A	N/A	0	0
Dark Fish (salmon, tuna, etc.)	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Fish	0	0	0	0	0	0	0	0	0				
Seafood	0	0	0	0	0	0	0	0	0				
Chicken (with skin)	0	0	0	0	0	0	0	0	0				
Chicken (without skin)	0	0	0	0	0	0	0	0	0				
Pork (ribs, chops, etc.)	0	0	0	0	0	0	0	0	0				

#### 3. During the previous year did you eat smoked meats?

Never or less than once per month
 Finished

o Yes

	Never or less than once per month	l per month	2-3 per month	l per week	2 per week	3-4 per week	5-6 per week	1 per day	2+ per day
Smoked ham	0	0	0	0	0	0	0	0	0
Smoked turkey	0	0	0	0	0	0	0	0	0
Smoked fish	0	0	0	0	0	0	0	0	0
Other smoked meats	0	0	0	0	0	0	0	0	0

2

Finished


# **Chronological Dietary Questions Instructions**

Please use a **pen or a pencil** to mark the appropriate responses. Below is an example:

l) Is	Is your present diet different from your diet when you were in your 40's?								
	·	√ Yes							
		No (Go to the next section)							
2) W	Vas your meat intake in your 40's								
		Much greater than now							
		√ Slightly greater than now							
		The same as now							
		Slightly less than now							
		Much less than now							
Refer to t	the dotted line with diamond ends (	▲) when answering the questions on							
page 1.		<b>*</b> )							
Refer to t 2.	the solid line with arrow ends (	then answering the questions on page							

Note: Questions are on both sides of the form

#### **Chronological Dietary Questions Timeline**



<sup>\*\*</sup>Please fill-in the years when you were 40 and 20 years old\*\*

# **Chronological Dietary Questions**

1)	Is your present diet different from your d	liet when you were in your 40's?
		Yes No (Please go to Question 7
2)	Was your meat intake in your 40's	
		Much greater than now Slightly greater than now The same as now Slightly less than now Much less than now
3)	Was your vegetable intake in your 40's	
		Much greater than now Slightly greater than now The same as now Slightly less than now Much less than now
4)	Was your fruit intake in your 40's	
		Much greater than now Slightly greater than now The same as now Slightly less than now Much less than now
5)	Was your sodium intake in your 40's	
		Much greater than now Slightly greater than now The same as now Slightly less than now Much less than now
6)	Was your cholesterol intake in your 40's	
		Much greater than now Slightly greater than now The same as now Slightly less than now Much less than now

# **Chronological Dietary Questions**

7)	Was your diet when you were in your 40	's different from your diet when you were in your 20's?
		Yes No (This section is completed)
8)	Was your meat intake in your 20's	
		Much greater than your 40's Slightly greater than your 40's The same as your 40's Slightly less than your 40's Much less than your 40's
9)	Was your vegetable intake in your 20's	
		Much greater than your 40's Slightly greater than your 40's The same as your 40's Slightly less than your 40's Much less than your 40's
10)	Was your fruit intake in your 20's	
		Much greater than your 40's Slightly greater than your 40's The same as your 40's Slightly less than your 40's Much less than your 40's
11)	Was your sodium intake in your 20's	
		Much greater than your 40's Slightly greater than your 40's The same as your 40's Slightly less than your 40's Much less than your 40's
12)	Was your cholesterol intake in your 20's	
		Much greater than your 40's Slightly greater than your 40's The same as your 40's Slightly less than your 40's Much less than your 40's

2