

Table S4. Demographic characteristics of Health ABC African Americans lost to follow-up versus participants remaining in the study through year 10.

Characteristic	Lost to follow-up [†] (N=687)	Remaining in study (N=594)	<i>P</i> value
	n (%)	n (%)	
Male sex	351 (51.1)	201 (33.8)	< 0.01
BMI (kilograms/meters ²) (SD)	28.2 (5.4)	29.0 (5.4)	< 0.01
Education, years			< 0.01
< High school	344 (50.4)	212 (35.8)	
High school graduate	194 (28.5)	195 (32.9)	
> High school	144 (31.4)	186 (31.4)	
Unknown		6	
Income, \$			0.05
<10,000	171 (28.1)	125 (24.0)	
10,000 – 25,000	304 (49.9)	249 (47.8)	
25,001 – 49,999	111 (18.2)	114 (21.9)	
≥ 50,000	23 (3.8)	33 (6.3)	
Unknown		151	
Smoking pack-years [‡] , mean (SD)	20.3 (26.4)	12.3 (20.4)	< 0.01
Pulmonary function, mean (SD)			
FEV ₁ (milliliters)	1898.8 (612.5)	1959.2 (530.1)	0.07
FVC (milliliters)	2556.2 (759.6)	2546.8 (684.5)	0.82
% African ancestry, mean (SD)	79.4 (12.8)	77.5 (13.4)	0.01
Unknown		126	

Definition of abbreviations: BMI = body mass index; FEV₁ = forced expiratory volume at one second; FVC = forced vital capacity.

*Categorical and continuous variables were assessed with chi-square test and two-sample t-test, respectively.

[†]Lost to follow-up indicates either missing (N=70) or died (617).

[‡]among ever smokers only