

Table S3. SBCGs (391) compiled for metastasis of primary breast and prostate cancer to bone.

SBCGs compiled for metastasis of primary breast cancer to bone	
Gene Symbol	Reference
LRRC15, MMP13, MMP2, BCAM, COL10A1, AEBP1, IGFBP4, ESR1, AEBP1, ASPN, ATP6V0C, BCAM, COMP, CRIP1, DPT, IGFBP4, LRRC15, LRP1, MAB21L2, MMP13, MMP2, PDLM7, PTOV1, PCDHGC3, RFNG, STK32B, TBC1D10B, TCIRG1, ZNF444	[1]
COX2, PGE2, TNFSF11, TNFRSF11A, FGF7, PTX3, NID2, RAP1GDS1, NPNT, COL6A3, IFIT3, IGRC, FMOD, IGIT1B, EGR1, PTGS2, CXCL10, VCAM1, FGF7, PTN, CD1D, LAMB1, CCL5, SFRP2, CXCL1	[2]
RASSF1A, MGMT, RAR-β2, APC	[3]
IBSP, SPP1, FGF13, COX7B2, SPARC, PRG1, GJA1, SOCS2, EDN1, IL11, CYR61, IGFBP4, IL8, PLAU, FST, MADH3, PTGS2, EXTL2, CTGF, CBFB, CDH11, S100A4, TIMP3, NOG, TGFA, THBS1, IGFBP3, PLAT, TIMP2, FN1, CCNB1, LRPAP1, MMP1, COL5A1, COL8A1, CALB2, CYR61, CTGF, WISP, BMP2, IL11, FST, CXCR4, ADAMTS1, MMP1, CX43, DUSP1, NOG, COX2, CBFB, GJA1, THBS1	[4]
SERPINB5	[5]
ABCB1, ESR1, RUNDC3B, RAP2A	[6]
CSF1R	[7]
CAV1	[8]
TGFB1, ATF3, MMP13, CCNA1	[9]
COL1A1, VIM, S100A4, ACTA2, PDGFRB, NG2, CXCL1, CXCL5, PTGS2	[10]
HISTI2HAC, POMZP3, PON2, TMC5, SCNN1A, C10orf116, NAP1L3, GPRD5C, CTGF, FHL1, DUSP1, DLC1, SOCS2, IL11, ADAMTS1, CYP1B1, SAA2, SAA1, PPL, IL11, SPANXB1, FST, SERPINA1, HLA-DRA, HLA-DPA1, ABCC3, CSGALNACT1, FKBP11, CXCR4, PRG1, SES7-1, SOX4, KHDRBS3, FGF5, C14orf1139, PTX7, MCAM, TGFB1, S100A2, MMP1, FGF5, RGC32	[11]
TF1, TFF3, AGR2, NAT1, CRIP1, TNRC9, SCUBE2, TNRC9, CYP2B6, RND1, DLALT1, KIF5C, PLA2GHB, UNG2, HMGCS2, SLC1A1, CEACAM6, TSPAN-1, REPS2, HPX, PDE4DIP, TOM1L1, SCGB2A2, ANXA9, BCAS1, TIMP4, CYP2B6, C9orf116, MSMB, FGFR3, FGFBP1, BAG1, FOXO3A, KRT16, MALL, KCNG1, IGLC2, KLK8, KRT6B, SNAI1, TMSNB, NRTN, EPHB3, ENO1, SOD2, IGHG1, KLK5, SOS, RARRES1, TTYH1, CD24, MGC27165, SERPINB5, UCHL1, ROPN1, LOC56901, ITGA6, TUBB, UBE4B, IGHM, COL2A1, IMPA2, DRE1, KLK7, TAZ, USP34, C6orf4, ALAD, ARHGDI, ARS2, CLCA2, ELMO2, LRRC31, HTATSF1, HTR2B, MLPH, SLC2A8, TFPI2, BRCA1, BRCA2	[12]

DIP2B, MCM6, PLEK2 , FOXI1 , SYT13 , PRDM6 , LONP2, ZNF185, ENTPD4, PPP2R2C, LANCL2, SFTPD, TSGA10, B3GALT2, SEZ6L, KCND2, VSTM2, FANCL, FDPS , VRK2	[13]
HIF1A, VEGF, DUSP1, CXCR4	[14]
IL1B, COL1A1, COL1A2, CTGF, IL10, IL8, SPP1, VCAM1, PGE2, EDN1, BMP6, IL6, PDGFRA, PTHLH, TGFB, LAMC2, IGFBP3, PLAU, TNF, TNFSF11, TNFRSF11A, TNFRSF11B, CXCR4, CXCL12	[15]
CXCR4, CXCL12, HER2	[16]
PASAT1, PHGDH, PSPH, LTBP1, ATF3, CCNA1, MMP13	[17]
ADAM9, ADAMTS1, AREG, EGF, EGFR, ERBB2, HBEGF, MMP1, PTHLH, TNFRSF11A, TNFRSF11B	[18]
CTNNB1, DKK1, PLAU, PLAUR, SERPINB2, SERPINE1, WNT3A	[19]
BMP4, FGF1, FGF17, FGF4, FGF6, FGF8, IGF1, IL11, IL1B, IL6, IL8	[20]
CTTN, CXCL12, CXCR4, IL11, IL6,	[21]
ADAMTS1, EGF, EGFR, MMP1, TNFRSF11A, TNFRSF11B	[22]
HIF1A	[23]
AKT1, AKT3, BMP2, CLEC11A, CXCL12, CXCR4, JAG1, NOV, PDGFA, PGF, PRG2, SPP1, SRC, TGFB1, TGFB3, TNFSF10, VEGFC	[24]
CTGF, NOV, WISP2, WISP3	[25]
CSF1, IL8, PTHLH, TNFRSF11A, TNFRSF11B	[26]
SBCGs compiled for metastasis of primary prostate cancer to bone	
APX1, ANTXR1, CDC23, CDC37, CETN3, CENPE, CCNC, CCNG1, CDK4, CDKN2C, CDKN3, CDKL1, DDB1, E2F1, FEN1, GTPBP4, KAT7, MCM7, MAD2L1, MSH6, NBN, PCNA, EIF2AK2, RAN, RPA2, RPA3, RRM2, SSBP1, SKP1, ADD1, DST, CDH1, CTNNAL1, CYB5R3, DSC1, DSG2, ADAM9, FER, TNC, ITGB1, MFGE8, MCAM, ACVRL1, BGN, BST1, IBSP, CDH11, COL1A2, COL6A1, COL6A2, COL7A1, COL11A1, COL16A1, CSF1, DCN, FSTL1, INHA, MGP, SHH, VCAN, COL17A1, ITGB4, PLEC, DSC2, DSP, PKP1, PKP2, PKP3, PKP4, ASRGL1, BMP2, VDR, RUNX2, BGLAP, SPARC, SPP1, TNFRSF11B, TNFSF11, DRG1, PTHRP, EDN1, TNFRSF11A, TP53, HPN, TFF3, BGLAP, ERBB3, PSMD9, CDKN1A, MYCN, AR, HIF1A, MAGEA1, VEGF, KLK3, GDF15, BMP6, ERBB2, LTBP1, MMP9, MMP1, MMP3, PLAU, HRAS, NRAS, KRT1, PTRF, MDM2, RB1	[27]
HPN	[28]
TFF3	[29]
BGLAP	[30]
ERBB3	[31]
PSMD9, CDKN1A	[27]
ERBB2, EGFR	[32]
PALB, TGFB1, EGFR, BMP	[33]
BIN1, MYC, ABL1	[34]
MAGEA1	[35]

MMP1, MMP2, MMP13, DRG1, PTEN, NME1, CD82, KISS1, BRMS1, MAP2K4, TP53	[36]
IGFBP3, PTH1R, TNFSF11, MMP, MDM2, RB1, TNFRSF11A	[37]
RB1	[38]
CDH11	[39]
LYN, SRC	[40]
ADAMTS1, AREG, EGF, EGFR, HBEGF, PTHLH, TGFA, TNF, TNFRSF11A, TNFRSF11B, VEGFA	[18]
VEGFA, NR1I2	[41]
AKT1, PTHLH, TNFRSF11A, TNFRSF11B	[42]
BMP4, CSF1, DKK1, IL8, NOG, PTHLH, SFRP1, SFRP2, TGFB1, TNFRSF11A, TNFRSF11B	[43]
RAP1GAP, TERF2IP, VTNR	[44]
CXCL12, CXCR4, MAPK1, MAPK3,	[45]
FGF1, FGF17, FGF4, FGF6, FGF8, FGFR3,	[46]

References

1. Klein A, Olendrowitz C, Schmutzler R, Hampl J, Schlag PM, et al. (2009) Identification of brain- and bone-specific breast cancer metastasis genes. *Cancer letters* 276: 212–220. doi:10.1016/j.canlet.2008.11.017.
2. Li Z, Schem C, Shi YH, Medina D, Zhang M (2008) Increased COX2 expression enhances tumor-induced osteoclastic lesions in breast cancer bone metastasis. *Clinical & experimental metastasis* 25: 389–400. doi:10.1007/s10585-007-9117-3.
3. Taback B, Giuliano AE, Lai R, Hansen N, Singer FR, et al. (2006) Epigenetic analysis of body fluids and tumor tissues: application of a comprehensive molecular assessment for early-stage breast cancer patients. *Annals of the New York Academy of Sciences* 1075: 211–221. doi:10.1196/annals.1368.029.
4. Bellahcène A, Bachelier R, Detry C, Lidereau R, Clézardin P, et al. (2007) Transcriptome analysis reveals an osteoblast-like phenotype for human osteotropic breast cancer cells. *Breast cancer research and treatment* 101: 135–148. doi:10.1007/s10549-006-9279-8.
5. Maass N, Hojo T, Rösel F, Ikeda T, Jonat W, et al. (2001) Down regulation of the tumor suppressor gene maspin in breast carcinoma is associated with a higher risk of distant metastasis. *Clinical biochemistry* 34: 303–307.
6. Raguz S, De Bella MT, Slade MJ, Higgins CF, Coombes RC, et al. (2005) Expression of RPIP9 (Rap2 interacting protein 9) is activated in breast carcinoma and correlates with a poor prognosis. *International journal of cancer* 117: 934–941. doi:10.1002/ijc.21252.
7. Storga D, Pećina-Slaus N, Pavelić J, Pavelić ZP, Pavelić K (1992) C-Fms is present in primary tumours as well as in their metastases in bone marrow. *International journal of experimental pathology* 73: 527–533.

8. Sloan EK, Stanley KL, Anderson RL (2004) Caveolin-1 inhibits breast cancer growth and metastasis. *Oncogene* 23: 7893–7897. doi:10.1038/sj.onc.1208062.
9. Kwok S, Rittling SR, Partridge NC, Benson CS, Thiagaraj M, et al. (2009) Transforming growth factor-beta1 regulation of ATF-3 and identification of ATF-3 target genes in breast cancer cells. *Journal of cellular biochemistry* 108: 408–414. doi:10.1002/jcb.22267.
10. Bierie B, Stover DG, Abel TW, Chytil A, Gorska AE, et al. (2008) Transforming growth factor-beta regulates mammary carcinoma cell survival and interaction with the adjacent microenvironment. *Cancer research* 68: 1809–1819. doi:10.1158/0008-5472.CAN-07-5597.
11. Minn AJ, Kang Y, Serganova I, Gupta GP, Giri DD, et al. (2005) Distinct organ-specific metastatic potential of individual breast cancer cells and primary tumors. *The Journal of Clinical Investigation* 115: 44–55. doi:10.1172/JCI200522320.44.
12. Smid M, Wang Y, Klijn JGM, Sieuwerts AM, Zhang Y, et al. (2006) Genes associated with breast cancer metastatic to bone. *Journal of clinical oncology* 24: 2261–2267. doi:10.1200/JCO.2005.03.8802.
13. Naume B, Zhao X, Synnestvedt M, Borgen E, Russnes HG, et al. (2007) Presence of bone marrow micrometastasis is associated with different recurrence risk within molecular subtypes of breast cancer. *Molecular oncology* 1: 160–171. doi:10.1016/j.molonc.2007.03.004.
14. Lu X, Yan CH, Yuan M, Wei Y, Hu G, et al. (2010) In vivo dynamics and distinct functions of hypoxia in primary tumor growth and organotropic metastasis of breast cancer. *Cancer research* 70: 3905–3914. doi:10.1158/0008-5472.CAN-09-3739.
15. Yin JJ, Pollock CB, Kelly K (2005) Mechanisms of cancer metastasis to the bone. *Cell research* 15: 57–62. doi:10.1038/sj.cr.7290266.
16. Sacanna E, Ibrahim T, Gaudio M, Mercatali L, Scarpi E, et al. (2011) The role of CXCR4 in the prediction of bone metastases from breast cancer: a pilot study. *Oncology* 80: 225–231.
17. Pollari S, Käkönen S-M, Edgren H, Wolf M, Kohonen P, et al. (2011) Enhanced serine production by bone metastatic breast cancer cells stimulates osteoclastogenesis. *Breast cancer research and treatment* 125: 421–430. doi:10.1007/s10549-010-0848-5.
18. Lu X, Wang Q, Hu G, Van Poznak C, Fleisher M, et al. (2009) ADAMTS1 and MMP1 proteolytically engage EGF-like ligands in an osteolytic signaling cascade for bone metastasis. *Genes & Development* 23: 1882–1894. doi:10.1101/gad.1824809.
19. Bu G, Lu W, Liu C-C, Selander K, Yoneda T, et al. (2008) Breast cancer-derived Dickkopf1 inhibits osteoblast differentiation and osteoprotegerin expression: implication for breast cancer osteolytic bone metastases. *International Journal of Cancer* 123: 1034–1042. doi:10.1002/ijc.23625.

20. Kozlow W, Guise TA (2005) Breast cancer metastasis to bone: mechanisms of osteolysis and implications for therapy. *Journal of Mammary Gland Biology and Neoplasia* 10: 169–180. doi:10.1007/s10911-005-5399-8.
21. Weigelt B, Peterse J (2005) Breast cancer metastasis: markers and models. *Nature reviews cancer* 5: 591–602. doi:10.1038/nrc1670.
22. Guise TA (2009) Breaking down bone: new insight into site-specific mechanisms of breast cancer osteolysis mediated by metalloproteinases. *Genes & Development* 23: 2117–2123. doi:10.1101/gad.1854909.
23. Hiraga T, Kizaka-Kondoh S, Hirota K, Hiraoka M, Yoneda T (2007) Hypoxia and hypoxia-inducible factor-1 expression enhance osteolytic bone metastases of breast cancer. *Cancer Research* 67: 4157–4163. doi:10.1158/0008-5472.CAN-06-2355.
24. Zhang XH-F, Wang Q, Gerald W, Hudis C a, Norton L, et al. (2009) Latent bone metastasis in breast cancer tied to Src-dependent survival signals. *Cancer Cell* 16: 67–78. doi:10.1016/j.ccr.2009.05.017.
25. Shimo T, Kubota S, Yoshioka N, Ibaragi S, Isowa S, et al. (2006) Pathogenic Role of Connective Tissue Growth Factor (CTGF/CCN2) in Osteolytic Metastasis of Breast Cancer. *Journal of Bone and Mineral Research* 21: 1045–1059. doi:10.1359/JBMR.060416.
26. Cicek M, Oursler MJ (2006) Breast cancer bone metastasis and current small therapeutics. *Cancer Metastasis Reviews* 25: 635–644. doi:10.1007/s10555-006-9035-x.
27. Knerr K, Ackermann K, Neidhart T, Pyerin W (2004) Bone metastasis: Osteoblasts affect growth and adhesion regulons in prostate tumor cells and provoke osteomimicry. *International journal of cancer* 111: 152–159. doi:10.1002/ijc.20223.
28. Vasioukhin V (2004) Hepsin Paradox Reveals Unexpected Complexity of Metastatic Process. *Cell Cycle* 3: 1394–1397.
29. Faith D a, Isaacs WB, Morgan JD, Fedor HL, Hicks JL, et al. (2004) Trefoil factor 3 overexpression in prostatic carcinoma: prognostic importance using tissue microarrays. *The Prostate* 61: 215–227. doi:10.1002/pros.20095.
30. Chung LWK, Hsieh CL, Law A, Sung SY, Gardner TA, et al. (2003) New targets for therapy in prostate cancer: modulation of stromal-epithelial interactions. *Urology* 62: 44–54.
31. Vakar-Lopez F, Cheng C-J, Kim J, Shi GG, Troncoso P, et al. (2004) Up-regulation of MDA-BF-1, a secreted isoform of ErbB3, in metastatic prostate cancer cells and activated osteoblasts in bone marrow. *The Journal of pathology* 203: 688–695.
32. Morote J, de Torres I, Caceres C, Vallejo C, Schwartz S, et al. (1999) Prognostic value of immunohistochemical expression of the c-erbB-2 oncoprotein in metastatic prostate cancer. *International Journal of Cancer* 84: 421–425.

33. Thomas R, True LD, Lange PH, Vessella RL (2001) Placental bone morphogenetic protein (PLAB) gene expression in normal, pre-malignant and malignant human prostate: relation to tumor development and progression. *International Journal of Cancer* 93: 47–52.
34. Tamada H, Kitazawa R, Gohji K, Kitazawa S (2001) Epigenetic regulation of human bone morphogenetic protein 6 gene expression in prostate cancer. *Journal of bone and mineral research* 16: 487–496. doi:10.1359/jbmr.2001.16.3.487.
35. Kufer P, Zippelius A, Lutterbuse R, Mecklenburg I, Enzmann T, et al. (2002) Heterogeneous Expression of MAGE-A Genes in Occult Disseminated Tumor Cells : A Novel Multimarker Reverse Transcription-Polymerase Chain Reaction for Diagnosis of Micrometastatic Disease. *Cancer research* 62: 251–261.
36. Bandyopadhyay S, Pai SK, Gross SC, Hirota S, Hosobe S, et al. (2003) The Drg-1 Gene Suppresses Tumor Metastasis in Prostate Cancer. *Cancer research* 63: 1731–1736.
37. Fizazi K, Yang J, Peleg S, Sikes CR, Kreimann EL, et al. (2003) Prostate Cancer Cells-Osteoblast Interaction Shifts Expression of Growth / Survival-related Genes in Prostate Cancer and Reduces Expression of Osteoprotegerin in Osteoblasts. *Clinical cancer research* 9: 2587–2597.
38. Bookstein R, Rio P, Madreperla S a, Hong F, Allred C, et al. (1990) Promoter deletion and loss of retinoblastoma gene expression in human prostate carcinoma. *Proceedings of the National Academy of Sciences of the United States of America* 87: 7762–7766.
39. Chu K, Cheng C-J, Ye X, Lee Y-C, Zurita AJ, et al. (2008) Cadherin-11 promotes the metastasis of prostate cancer cells to bone. *Molecular Cancer Research* 6: 1259–1267. doi:10.1158/1541-7786.MCR-08-0077.
40. Koreckij T, Nguyen H, Brown LG, Yu EY, Vessella RL, et al. (2009) Dasatinib inhibits the growth of prostate cancer in bone and provides additional protection from osteolysis. *British Journal of Cancer* 101: 263–268. doi:10.1038/sj.bjc.6605178.
41. Zhang X, Wang W, True LD, Vessella RL, Takayama TK (2009) Protease-activated receptor-1 is upregulated in reactive stroma of primary prostate cancer and bone metastasis. *The Prostate* 69: 727–736. doi:10.1002/pros.20920.
42. Jones DH, Nakashima T, Sanchez OH, Kozieradzki I, Komarova SV, et al. (2006) Regulation of cancer cell migration and bone metastasis by RANKL. *Nature* 440: 692–696. doi:10.1038/nature04524.
43. Secondini C, Wetterwald A, Schwaninger R, Thalmann GN, Cecchini MG (2011) The role of the BMP signaling antagonist noggin in the development of prostate cancer osteolytic bone metastasis. *PloS One* 6: e16078. doi:10.1371/journal.pone.0016078.
44. Bailey CL, Kelly P, Casey PJ (2009) Activation of Rap1 promotes prostate cancer metastasis. *Cancer Research* 69: 4962–4968. doi:10.1158/0008-5472.CAN-08-4269.

45. Taichman RS, Cooper C, Keller ET, Pienta KJ, Taichman NS, et al. (2002) Use of the Stromal Cell-derived Factor-1 / CXCR4 Pathway in Prostate Cancer Metastasis to Bone. *Cancer Research* 62: 1832–1837.
46. Valta MP, Tuomela J, Bjartell A, Valve E, Väänänen HK, et al. (2008) FGF-8 is involved in bone metastasis of prostate cancer. *International Journal of Cancer* 123: 22–31. doi:10.1002/ijc.23422.