Phenotype Processing Algorithm

- 1. Each individual has three associated variables which will be used for diagnostic classification. The variables are SZ, SA, and BS, which correspond to affection status for Schizophrenia, Schizoaffective Disorder, and Broad Spectrum. Each variable can have the value 0 (phenotype unknown for that diagnosis), 1 (not affected with that diagnosis), or 2 (affected with that diagnosis).
- 2. Initialize all three variables = 1
- 3. If person has any code in the SZ CODES set, set SZ = 2
- 4. If person has any code in the SA CODES set, set SA = 2
- 5. If person has any code in the BS CODES set, set BS = 2
- 6. If person has no codes, set SZ=SA=BS = 0; done with this person
- 7. If person has any code in the GLOBAL_EXCLUDE set, set SZ=SA=BS=0; done with this person
- 8. If SZ=SA=BS=1:
 - a. If person has any code in the UNAFF EXCLUDE set, set SZ=SA=BS=0
 - b. Done with this person
- 9. If SZ=2:
 - a. If person has any code in the SZ EXCLUDE set, set SZ=0
 - b. If person has any code in the SZ_DEMOTE1 set, set SZ=0 and SA=2
- c. If person has any code in the SZ_DEMOTE2 set, set SZ=0, SA=0, and BS=2 10. If SA=2:
 - a. If person has any code in the SA EXCLUDE set, set SA=0
 - b. If person has any code in the SA_DEMOTE set, set SA=0 and BS=2

11. If BS=2:

- a. If person has any code in the BS_EXCLUDE set, set BS=0
- 12. If SZ=2 AND SA=2, set SZ=0

Possible end states:

SZ	SA	BS	Classification	Diagnosis	Affection
2	[0,1]	[0,1,2]	Schizophrenia	4	Affected
[0,1]	2	[0,1,2]	Schizoaffective	3	Affected
[0,1]	[0,1]	2	Broad Spectrum	2	Unknown
1	1	1	Unaffected	1	Unaffected
0	0	0	Unknown	0	Unknown

DSMIIIR

SZ_CODES 295.10 Schizophrenia, disorganized type, unspecified 295.12 Schizophrenia, disorganized type, chronic 295.22 Schizophrenia, catatonic type, chronic 295.30 Schizophrenia, paranoid type, unspecified 295.32 Schizophrenia, paranoid type, chronic 295.60 Schizophrenia, residual type, unspecified 295.62 Schizophrenia, residual type, chronic 295.90 Schizophrenia, undifferentiated type, unspecified 295.92 Schizophrenia, undifferentiated type, chronic 295.34 Schizophrenia, paranoid type, chronic with acute exacerbation 295.35 Schizophrenia, paranoid type, in remission **FSA_CODES** 295.70 Schizoaffective disorder 295.70D Schizoaffective disorder, depression type 295.70M Schizoaffective disorder, manic type **FBS_CODES** 295.40 Schizophreniform disorder 297.10 Delusional disorder 298.90 Psychotic disorder NOS 301.00 Paranoid personality disorder 301.20 Schizoid personality disorder 301.22 Schizotypal personality disorder [GLOBAL_EXCLUDE] 60 Dx Unknown 61 Un Dx Psychosis 62 Un Dx Psychosis, w/ hospitalization Un Dx Psychiatric Disorder w/o hospitalization 290.10 Presentile dementia NOS OR Primary degenerative dementia of the Alzheimer type, presentle onset, uncomplicated 290.40 Multi-infarct dementia, uncomplicated 291.20 Dementia associated with alcoholism 292.12 Other or unspecified psychoactive substance hallucinosis 293.00 Delirium (etiology noted on Axis III or is unknown) 293.81 Organic delusional disorder (etiology noted on Axis III or is unknown) 293.82 Organic hallucinosis (etiology noted on Axis III or is unknown) 293.83 Organic mood disorder (etiology noted on Axis III or is unknown)

- 294.10 Dementia (etiology noted on Axis III or is unknown)
- 296.20 Major depression, single episode, unspecified
- 296.24 Major depression, single episode, with psychotic features
- 296.30 Major depression, recurrent, unspecified
- 296.34 Major depression, recurrent, with psychotic features
- 296.40 Bipolar disorder, manic, unspecified
- 296.44 Bipolar disorder, manic, with psychotic features
- 296.60 Bipolar disorder, mixed, unspecified
- 296.64 Bipolar disorder, mixed, with psychotic features
- 299.80 Pervasive developmental disorder NOS
- 300.90 Unspecified mental disorder (nonpsychotic)
- 304.00 Opioid dependence
- 304.10 Sedative, hypnotic, or anxiolytic dependence
- 304.20 Cocaine dependence
- 304.40 Amphetamine or similarly acting sympathomimetic dependence
- 304.50 Hallucinogen dependence OR Phencyclidine (PCP) or similarly acting arylcyclohexylamine dependence
- 304.60 Inhalant dependence
- 304.90 Polysubstance dependence OR Psychoactive substance dependence NOS
- 305.30 Hallucinogen abuse OR Hallucinogen hallucinosis
- 305.40 Sedative, hypnotic, or anxiolytic abuse OR Sedative, hypnotic, or anxiolytic intoxication
- 305.50 Opioid abuse OR Opioid intoxication
- 305.60 Cocaine abuse OR Cocaine intoxication
- 305.70 Amphetamine or similarly acting sympathomimetic abuse OR Amphetamine or similarly acting sympathomimetic intoxication
- 310.10 Organic personality disorder (etiology noted on Axis III or is unknown)
- 317.00 Mild mental retardation
- 318.00 Moderate mental retardation
- 319.00 Unspecified mental retardation
- 555.00 Any other diagnosis
- 290.00A Senile dementia NOS
- 290.00B Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated
- 292.00F Amphetamine or similarly acting sympathomimetic withdrawal
- 292.11C Other or unspecified psychoactive substance delusional disorder
- 292.11D Hallucinogen delusional disorder
- 292.84A Hallucinoaen mood disorder
- 292.84B Other or unspecified psychoactive substance mood disorder
- 294.80A Organic mental disorder NOS (etiology noted on Axis III or is unknown)
- 296.24C Major depression, single episode, with psychotic features, mood congruent
- 296.24I Major depression, single episode, with psychotic features, mood incongruent
- 296.34C Major depression, recurrent, with psychotic features, mood congruent
- 296.34I Major depression, recurrent, with psychotic features, mood incongruent
- 296.44C Bipolar disorder, manic, with psychotic features, mood congruent
- 296.44I Bipolar disorder, manic, with psychotic features, mood incongruent
- 304.50A Hallucinogen dependence
- 304.50B Phencyclidine (PCP) or similarly acting arylcyclohexylamine dependence

```
304.90A Polysubstance dependence
304.90B Psychoactive substance dependence NOS
305.30A Hallucinogen hallucinosis
305.30B Hallucinogen Abuse/Dep.
305.40A Sedative, hypnotic, or axiolytic abuse
305.50A Opiod abuse
305.50B Opioid intoxication
305.60A Cocaine abuse
305.70B Amphetamine or similarly acting sympathomimetic abuse
305.90A Phencyclidine (PCP) or similarly acting arlycyclohexylamine abuse
305.90C Inhalant abuse
305.90D Psychoactive substance abuse NOS
305.90E Other or unspecified psychoactive substance intoxication
305.90G Inhalant intoxication
315.90A Development disorder NOS
799.90B Diagnosis or condition deferred on Axis I
V40.00 Borderline intellectual functioning
[UNAFF_EXCLUDE]
296.89 Bipolar II Disorder
296.90 Mood Disorder NOS
301.90 Personality disorder NOS
311.00 Depressive disorder NOS
296.70A Bipolar disorder, NOS
799.90A Diagnosis or condition deferred on Axis II
FSZ_EXCLUDE
[SZ_DEMOTE1]
296.31 Major depression, recurrent, mild
296.32 Major depression, recurrent, moderate
296.33 Major depression, recurrent, severe, without psychotic features
296.35 Major depression, recurrent, in partial remission
296.36 Major depression, recurrent, in full remission
296.52 Bipolar disorder, depressed, moderate
296.55 Bipolar disorder, depressed, in partial remission
296.89 Bipolar II Disorder
```

296.90 Mood Disorder NOS 311.00 Depressive disorder NOS 296.70A Bipolar disorder, NOS [SZ_DEMOTE2]

[SA_EXCLUDE]

[SA_DEMOTE]

[BS_EXCLUDE]

DSMIV

[SZ_CODES]

- 295.00 Schizophrenia, unspecified
- 295.10 Schizophrenia, Disorganized Type
- 295.20 Schizophrenia, Catatonic Type
- 295.30 Schizophrenia, Paranoid Type
- 295.60 Schizophrenia, Residual Type
- 295.90 Schizophrenia, Undifferentiated Type
- 295.92 Schizophrenia, undifferentiated type, chronic

[SA_CODES]

- 295.70 Schizoaffective Disorder
- 295.70D Schizoaffective disorder, depressive type
- 295.70M Schizoaffective disorder, bipolar type

[BS_CODES]

- 295.40 Schizophreniform Disorder
- 298.8 Brief Psychotic Disorder
- 298.9 Psychotic Disorder NOS
- 301.0 Paranoid Personality Disorder
- 301.20 Schizoid Personality Disorder
- 301.22 Schizotypal Personality Disorder
- 297.10/298 Delusional Disorder/Pychotic Disorder
- 297.1 Delusional Disorder

[GLOBAL_EXCLUDE]

- 290.0 Dementia of the Alzheimer's Type, With Late Onset, Uncomplicated (DSMIV)
- 291.2 Alcohol-Induced Persisting Dementia
- 291.3 Alcohol-Induced Psychotic Disorder, With Hallucinations
- 291.5 Alcohol-Induced Psychotic Disorder, With Delusions
- 291.9 Alcohol-Related Disorder NOS
- 292.11 Amphetamine-Induced Psychotic Disorder, With Delusions OR Cannabis-Induced Psychotic Disorder, With Delusions OR Cocaine-Induced Psychotic Disorder, With Delusions OR Hallucinogen-Induced Psychotic Disorder, With Delusions OR Inhalant-Induced Psychotic Disorder, With Delusions OR Opioid-Induced Psychotic Disorder, With Delusions OR Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions OR Phencyclidine-Induced Psychotic Disorder, With Delusions OR Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, With Delusions
- 292.89 Amphetamine-Induced Anxiety Disorder OR Amphetamine-Induced Sexual Dysfunction OR Amphetamine-Induced Sleep Disorder OR Amphetamine Intoxication OR Caffeine-Induced Anxiety Disorder OR Caffeine-Induced Sleep Disorder OR Cannabis

 Intoxication OR Cocaine-Induced Anxiety Disorder OR Cocaine-Induced Sexual Dysfunction OR Cocaine-Induced Sleep Disorder OR Cocaine

Intoxication OR Hallucinogen-Induced Anxiety Disorder OR Hallucinogen Intoxication OR Hallucinogen Persisting Perception Disorder OR Inhalant-Induced Anxiety Disorder OR Inhalant Intoxication OR Opioid-Induced Sexual Dysfunction OR Opioid-Induced Sleep Disorder OR Opioid Intoxication OR Other (or Unknown) Substance-Induced Sexual Dysfunction OR Other (or Unknown) Substance-Induced Sleep Disorder OR Other (or Unknown) Substance-Induced Anxiety Disorder OR Phencyclidine-Induced Anxiety Disorder OR Phencyclidine Intoxication OR Sedative-, Hypnotic-, or Anxiolytic-Induced Sleep Disorder OR Sedative-, Hypnotic-, or Anxiolytic-Induced Sleep Disorder OR Sedative, Hypnotic, or Anxiolytic Intoxication

- 293.81 Psychotic Disorder Due to ... [Indicate the General Medical Condition], With Delusions
- 293.82 Psychotic Disorder Due to ... [Indicate the General Medical Condition], With Hallucinations
- 293.83 Mood Disorder Due to ... [Indicate the General Medical Condition]
- 293.9 Mental Disorder NOS Due to ... [Indicate the General Medical Condition]
- 294.1 Dementia Due to ... [Indicate the General Medical Condition] (DSMIV)
- 294.8 Amnestic Disorder NOS OR Dementia NOS
- 296.00 Bipolar I Disorder, Single Manic Episode, Unspecified
- 296.04 Bipolar I Disorder, Single Manic Episode, Severe With Psychotic Features
- 296.20 Major Depressive Disorder, Single Episode, Unspecified
- 296.24 Major Depressive Disorder, Single Episode, Severe With Psychotic Features
- 296.30 Major Depressive Disorder, Recurrent, Unspecified
- 296.34 Major Depressive Disorder, Recurrent, Severe With Psychotic Features
- 296.44 Bipolar I Disorder, Most Recent Episode Manic, Severe With Psychotic Features
- 296.54 Bipolar I Disorder, Most Recent Episode Depressed, Severe With Psychotic Features
- 296.60 Bipolar I Disorder, Most Recent Episode Mixed, Unspecified
- 296.64 Bipolar I Disorder, Most Recent Episode Mixed, Severe With Psychotic Features
- 296.7 Bipolar I Disorder, Most Recent Episode Unspecified
- 300.9 Unspecified Mental Disorder (nonpsychotic)
- 304.00 Opioid Dependence
- 304.10 Sedative, Hypnotic, or Anxiolytic Dependence
- 304.20 Cocaine Dependence
- 304.40 Amphetamine Dependence
- 304.50 Hallucinogen Dependence
- 304.60 Inhalant Dependence (DSMIV) OR Inhalant Dependence OR Phencyclidine Dependence (DSMIVTR)
- 304.80 Polysubstance Dependence
- 305.30 Hallucinogen Abuse
- 305.40 Sedative, Hypnotic, or Anxiolytic Abuse
- 305.50 Opioid Abuse
- 305.60 Cocaine Abuse
- 305.70 Amphetamine Abuse
- 305.90 Caffeine Intoxication OR Inhalant Abuse OR Other (or Unknown) Substance Abuse OR Phencyclidine Abuse
- 315.9 Learning Disorder NOS
- 317 Mild Mental Retardation
- 318.0 Moderate Mental Retardation
- 318.1 Severe Mental Retardation
- 319 Mental Retardation, Severity Unspecified
- 555.00 Any other diagnosis

```
Diagnosis Deferred on Axis II OR Diagnosis or Condition Deferred on Axis I
290.10A Dementia due to Creutzfeldt-Jakob disease
290.10C Dementia of the Alzheimer's type, with early onset, uncomplicated
291.8B Alcohol-induced mood disorder
292.11A Amphetamine-induced psychotic disorder, with delusions
292.11G Other (or unknown) substance-induced psychotic disorder, with delusions
292.12A Amphetamine-induced psychotic disorder, with hallucinations
292.12B "Cannabis-induced psychotic disorder, with hallucinations"
292.12C Cocaine-induced psychotic disorder, with hallucinations
292.12G Other (or unknown) substance-induced psychotic disorder, with hallucinations
292.84B Cocaine-induced mood disorder
292.84F Other (or unknown) substance-induced mood disorder
292.9I Other (or unknown) substance-related disorder NOS
293.89B Catatonic disorder due to [Indicate the general medical condition]
294.8B Dementia NOS
294.9A Cognitive disorder NOS
294.9B Dementia due to HIV disease
296.34C Major Depressive Disorder, Recurrent, Severe With Psychotic Features, Mood Congruent
296.34I Major Depressive Disorder, Recurrent, Severe With Psychotic Features, Mood Incongruent
296.40A Bipolar I disorder, most recent episode hypomanic
296.40B Bipolar I disorder, most recent episode manic, unspecified
296.74C Bipolar I Disorder, Most Recent Episode Unspecified, Severe With Psychotic Features, Mood Congruent
296.74I Bipolar I Disorder, Most Recent Episode Unspecified, Severe With Psychotic Features, Mood Incongruent
299.80B Pervasive developmental disorder NOS
304.90A Other (or unknown) substance dependence
304.90B Phencyclidine dependence
304.xx/305
                Other (or Unknown) Substance Dependence/Alcohol Abuse
305.90B Inhalant abuse
305.90C Other (or unknown) substance abuse
305.90D Phencyclidine abuse
799.9B Diagnosis or condition deferred on Axis I
V62.89 Borderline Intellectual Functioning OR Phase of Life Problem OR Religious or Spiritual Problem
V62.89A Borderline intellectual functioning
```

[UNAFF_EXCLUDE]

- 296.80 Bipolar Disorder NOS
- 296.89 Bipolar II Disorder
- 296.90 Mood Disorder NOS
- 301.9 Personality Disorder NOS
- 311 Depressive Disorder NOS
- 799.9A Diagnosis deferred on Axis II

[SZ_EXCLUDE]

[SZ_DEMOTE1] 296.02 Bipolar I Disorder, Single Manic Episode, Moderate 296.31 Major Depressive Disorder, Recurrent, Mild 296.32 Major Depressive Disorder, Recurrent, Moderate 296.33 Major Depressive Disorder, Recurrent, Severe Without Psychotic Features 296.35 Major Depressive Disorder, Recurrent, In Partial Remission 296.36 Major Depressive Disorder, Recurrent, In Full Remission 296.41 Bipolar I Disorder, Most Recent Episode Manic, Mild 296.46 Most Recent Episode Manic, In Full Remission 296.52 Bipolar I Disorder, Most Recent Episode Depressed, Moderate 296.55 Bipolar I Disorder, Most Recent Episode Depressed, In Partial Remission 296.56 Bipolar I Disorder, Most Recent Episode Depressed, In Full Remission 296.80 Bipolar Disorder NOS 296.89 Bipolar II Disorder 296.90 Mood Disorder NOS 311 Depressive Disorder NOS [SZ_DEMOTE2] [SA_EXCLUDE] [SA_DEMOTE] [BS_EXCLUDE]