

Table S1. *Listeria monocytogenes* strains and plasmids used in this study.

<i>Listeria monocytogenes</i> strain or plasmid	Strain genotype or plasmid description	Reference
10403S	Laboratory wild-type strain	[1]
DH-L2052	(DP-L5539) 10403S <i>Himar1</i> transposon library	[2]
DH-L2053	10403S <i>flaA::Himar1</i>	This study
DH-L2054	10403S $\Delta dltABCD$	This study
DH-L2055	10403S $\Delta phoPR$	This study
pKSV7	Allelic exchange vector for <i>L. monocytogenes</i>	[3]
pKSV7 $\Delta dltABCD$	Plasmid for in-frame deletion of <i>dltABCD</i>	This study
pKSV7 $\Delta phoPR$	Plasmid for in-frame deletion of <i>phoPR</i>	This study

Table S2. Oligonucleotides used in this study.

Primer name	Sequence (5'-3')	Site ^a /Reference
ARB1	GGCCACGCGTCGACTAGTACNNNNNNNNNTAAT	[4]
marK3	GCAATGAAACACGCCAAAGTAAAC	[5]
ARB2	GGCCACGCGTCGACTAGTAC	[4]
marK4	CGCCTACGGGAATTGTATC	[5]
pKSV7dltABCDfor	AAGTCGACTATCCACATAATGAAGAAATAATCCATGC TCCACAATCCCTGG	<i>Sall</i>
pKSV7dltABCDrev	AAGG <u>ATCCG</u> CACTCATGCCATCTGCATTAGTCCAT CCTTGACAG	<i>BamHI</i>
dltABCDdelfor	CCATTTCTGGATGTTCTTAAAGTAATACATTATTGA TATTCCCATTAAACAGTCC	
dltABCDdelrev	GGACTGTTAAA <u>ATGGGAATATCAATAATGTATTACT</u> TTAAAGAACATCCAGAAAATGG	
pKSV7phoPRfor	GAT <u>CGGATCCG</u> CTATTATTTGATGTGAG	<i>BamHI</i>
pKSV7phoPRrev	GAT <u>CGAATT</u> CGTTCATAGACCAGATTTCC	<i>EcoRI</i>
phoPRdelfor	CATAAAGAAGGGATGGGAAGTAAAAAGCCTAATAA ATATCC	
phoPRdelrev	GGATATTATTAGGCTTTACTCCCATCCCTTCTT TATG	

a. The indicated restriction endonuclease site is underlined within the oligonucleotide sequence. N denotes equal concentrations of all four nucleotides.

REFERENCES

1. Bishop DK, Hinrichs DJ (1987) Adoptive transfer of immunity to *Listeria monocytogenes*. The influence of *in vitro* stimulation on lymphocyte subset requirements. *J Immunol* 139: 2005-2009.
2. Zemansky J, Kline BC, Woodward JJ, Leber JH, Marquis H, et al. (2009) Development of a mariner-based transposon and identification of *Listeria monocytogenes* determinants, including the peptidyl-prolyl isomerase PrsA2, that contribute to its hemolytic phenotype. *J Bacteriol* 191: 3950-3964.
3. Smith K, Youngman P (1992) Use of a new integrational vector to investigate compartment-specific expression of the *Bacillus subtilis* *spolIM* gene. *Biochimie* 74: 705-711.
4. Garsin DA, Urbach J, Huguet-Tapia JC, Peters JE, Ausubel FM (2004) Construction of an *Enterococcus faecalis* Tn917-mediated-gene-disruption library offers insight into Tn917 insertion patterns. *J Bacteriol* 186: 7280-7289.
5. Perry KJ, Higgins DE (2013) A differential fluorescence-based genetic screen identifies *Listeria monocytogenes* determinants required for intracellular replication. *J Bacteriol* 195: 3331-3340.