

S2 Table. Selected properties of the slurry materials collected for this study.

Sample ID	Farm No	Animal category	DM	VS	TOC	Conductivity	pH
			(%)	(g/kg)	(g/kg)	(mS/cm)	
1	G3	Pig	15.5	103	#I/T	15.6	6.3
2	G3	Pig	8.6	69	24	16	6.3
3	G3	Pig	2.8	20	10	41.5	6.8
4	G3	Pig	Empty	- [§]	-	-	-
5	G3	Pig	4.9	38	18	59.5	7
6	G3	Pig	12.8	98	#I/T	13.9	6.2
7	G3	Pig	1.5	8	#I/T	64	7.9
8	G3	Pig	0.9	5	#I/T	17.6	8.4
9	G3	Pig	1.9	13	3	16.6	7.8
10	G3	Pig	2.3	15	5	17.1	7.5
11	G4	Pig	6.1	41	19	78	7.5
12	G4	Pig	4.1	28	11	76.8	7.4
13	G4	Pig	5	33	13	84.7	7.6
14	G4	Pig	7.9	56	22	76.6	7.3
15	G4	Pig	8	59	22	65.5	7.2
16	G4	Pig	3.5	22	10	66.8	7.1
17	G6	Cattle	9.7	72	33	17	6.9
18	G6	Cattle	9.5	76	32	10.8	7.1
19	G2	Cattle	6.4	51	22	10.2	7.4
20	G5	Cattle	4.1	31	12	8.7	7.3
21	G5	Cattle	11	87	32	12	7.8
22	G1	Cattle	20.7	93	#I/T	10.2	6.7
23	G4	Pig	2.7	15	10	18.5	7.3
24	G4	Pig	6.8	48	22	15.4	6.9
25	G4	Pig	3.5	19	11	19.1	7.2
26	G4	Pig	6.7	37	21	13.3	7.3
27	G4	Pig	8.1	57	21	13.5	7.2
28	G4	Pig	3.7	22	13	14.9	7.1
29	G6	Cattle	11.2	76	29	7.7	6.9
30	G6	Cattle	8.7	69	28	8.2	7
31	G2	Cattle	6.6	51	18	8.4	7.3
32	G5	Cattle	3.5	27	11	6.1	7.5
33	G5	Cattle	10.3	79	27	11	8.3
34	G1	Cattle	7.8	65	20	6	6.7
35	G7	Pig	15.3	93	#I/T	0	7.4
36	G7	Pig	8.6	68	14	8.6	7.6
37	G7	Pig	6.5	47	12	11.3	8
38	G7	Pig	3.3	26	6	6.5	8
39	G7	Pig	0.9	4	3	8.1	7.9

§ No information available.