

S3 Table. The association between epithelial and mesenchyal markers and *SYK(T)*, *SYK(S)* and *SYK(L)* for the total MATCH cohort, and the LNN and LNP subgroups of the MATCH cohort.

| | EPCAM | | BGN | | FAP | | INHBA | |
|---------------------------|----------------|---------|----------------|---------|----------------|---------|----------------|---------|
| | r _s | P value |
| Total MATCH cohort | | | | | | | | |
| <i>SYK(T)</i> | 0.47 | <0.001 | 0.00 | 0.97 | -0.08 | 0.22 | -0.01 | 0.86 |
| <i>SYK(S)</i> | 0.58 | <0.001 | -0.06 | 0.40 | -0.13 | 0.046 | -0.07 | 0.31 |
| <i>SYK(L)</i> | 0.41 | <0.001 | 0.12 | 0.07 | 0.03 | 0.65 | 0.08 | 0.24 |
| LNN cohort | | | | | | | | |
| <i>SYK(T)</i> | 0.47 | <0.001 | 0.02 | 0.83 | -0.06 | 0.46 | -0.02 | 0.80 |
| <i>SYK(S)</i> | 0.55 | <0.001 | 0.02 | 0.80 | -0.06 | 0.43 | -0.05 | 0.53 |
| <i>SYK(L)</i> | 0.36 | <0.001 | 0.10 | 0.20 | 0.03 | 0.75 | 0.04 | 0.60 |
| LNP cohort | | | | | | | | |
| <i>SYK(T)</i> | 0.51 | <0.001 | -0.01 | 0.91 | -0.13 | 0.27 | 0.00 | 0.99 |
| <i>SYK(S)</i> | 0.59 | <0.001 | -0.21 | 0.07 | -0.24 | 0.031 | -0.17 | 0.14 |
| <i>SYK(L)</i> | 0.39 | <0.001 | 0.16 | 0.16 | 0.06 | 0.58 | 0.12 | 0.29 |