

	Root age	MRCA	Dispersal into Madeira	Dispersal into Cape Verde	Back Dispersal to Continent	Rate of diversification (species per myr)
<i>Sonchus</i> alliance	13.203 ± 5.51 [13.625 ± 3.89]	8.475 ± 5.50 [8.918 ± 3.39]	2.717 ± 2.15 [2.852 ± 1.88]	0.739 ± 0.84 [0.778 ± 0.82]	NA	0.32 (0.21-0.65) [0.30 (0.22-0.50)]
<i>Echium</i>	7.931 ± 3.58 [8.380 ± 3.45]	3.733 ± 2.21 [4.405 ± 2.46]	0.282 ± 0.36 [0.333 ± 0.43]	1.328 ± 1.05 [1.541 ± 1.17]	NA	0.61 (0.38-1.51) [0.52 (0.33-1.19)]
<i>Aeonium</i> alliance	18.833 ± 1.81	15.263 ± 1.95	8.47 ± 1.92, 7.13 ± 1.89	1.281 ± 0.92	2.95 ± 1.32, 1.28 ± 0.21	0.21 (0.19-0.24)
<i>Sideritis</i>	11.923 ± 5.87 [10.314 ± 3.90]	3.329 ± 2.09 [4.156 ± 2.44]	0.380 ± 0.43 [0.504 ± 0.59]	NA	NA	0.79 (0.44-3.42) [0.65 (0.41-1.58)]
<i>Crambe</i>	14.885 ± 5.52 [13.264 ± 3.77]	8.158 ± 4.29 [7.167 ± 3.23]	1.839 ± 1.82 [1.671 ± 1.53]	NA	NA	0.23 (0.15-0.50) [0.27(0.18-0.51)]

**Table 1**